

# Non-Metallic Systems

## ATS - Type SA - Yellow Elastomer



### Technical Characteristics


Conforms to	BSI Kitemark KM-35161 CE Low voltage directive Lloyd's Register of Shipping (Type Approval) NF 16-10/12 I4, F2 CEI 11170 LR3 / LR4
-------------	--

Approvals and Standards	    
-------------------------	--

Degree of mechanical protection	High Impact Resistance
---------------------------------	------------------------

Degree of protection	IP66 - As standard IP67 - As standard IP68 - As standard (4 bar 30 mins) IP69k - As standard
----------------------	---

UV protection	Very High
---------------	-----------

Fitting Characteristics	 Single piece body and integrated sealing system Swivel external metal male thread (Locknut supplied with METRIC threads only)
-------------------------	--

Application	For insertion into threaded entries & knockouts using a locknut to secure
-------------	---

Normal operating temperature range	Application	Min Temp	Max Temp
	Static	- 50°C	+120°C
	Dynamic	- 45°C	+120 °C

For use with - Conduit Series	Light, Standard and Heavyweight variants of type <a href="#">PA</a> , <a href="#">PI</a> , <a href="#">PR</a> , <a href="#">PADL</a> & <a href="#">PF</a>
-------------------------------	---

Fire performance	Test Standard	Performance Rating	Self Extinguishing Low Smoke & Halogen Free
	BS EN 61386-1 & 23	Approved	
	NFF16-101	I4 F2	
	ISO 4589-2	24%	
	BS EN 60695-2-11	850°C	
	UL94	HB	

Testing data	Click or See pages <a href="#">5</a> & <a href="#">6</a>
--------------	--

Type of material	Polyamide (Nylon) 66 body, - Nickel Plated Brass Thread - TPE Seal
------------------	--



The Company's policy is one of continuous improvement and reserves the right to change specifications at any time without prior notice.

# Non-Metallic Systems



## ATS - Type SA - Yellow Elastomer



### Dimensional & Thread Data

Part No Black Body Metric Threads	Part No Grey Body Metric Threads	Thread A	Nominal Dimensions (mm)				
			B	C	D	E	F
AT13/M16/SA/BLB	AT13/M16/SA/GRB	M16x1.5	12.0	43.5	21.2	11.0	24.0
AT16/M16/SA/BLB	AT16/M16/SA/GRB	M16x1.5	12.0	43.5	23.2	11.0	24.0
AT16/M20/SA/BLB	AT16/M20/SA/GRB	M20x1.5	12.0	43.5	23.2	15.0	27.0
AT21/M20/SA/BLB	AT21/M20/SA/GRB	M20x1.5	12.0	46.8	30.2	15.0	27.0
AT21/M25/SA/BLB	AT21/M25/SA/GRB	M25x1.5	12.3	46.8	30.2	19.8	34.0
AT28/M25/SA/BLB	AT28/M25/SA/GRB	M25x1.5	12.3	48.5	37.2	19.8	34.0
AT28/M32/SA/BLB	AT28/M32/SA/GRB	M32x1.5	17.0	48.5	37.2	26.5	42.0
AT34/M32/SA/BLB	AT34/M32/SA/GRB	M32x1.5	17.0	49.7	44.2	26.5	42.0
AT34/M40/SA/BLB	AT34/M40/SA/GRB	M40x1.5	17.5	49.7	44.2	33.8	52.0
AT42/M40/SA/BLB	AT42/M40/SA/GRB	M40x1.5	17.5	60.6	54.2	33.8	52.0
AT42/M50/SA/BLB	AT42/M50/SA/GRB	M50x1.5	16.0	60.6	54.2	43.8	63.0
AT48/M50/SA/BLB	AT48/M50/SA/GRB	M50x1.5	16.0	64.1	65.0	43.8	63.0
AT54/M50/SA/BLB	AT54/M50/SA/GRB	M50x1.5	16.0	67.5	66.2	43.8	70.0
AT54/M63/SA/BLB	AT54/M63/SA/GRB	M63x1.5	16.0	67.5	66.2	43.8	70.0

Metric	Standard thread conforming to EN60423 & BS3643		
Thread Size	Ext Thread Outside Diameter	Int Thread Inside Diameter	Pitch
M16	16.0mm	14.4mm	1.5mm
M20	20.0mm	18.4mm	1.5mm
M25	25.0mm	23.4mm	1.5mm
M32	32.0mm	30.4mm	1.5mm
M40	40.0mm	38.4mm	1.5mm
M50	50.0mm	48.4mm	1.5mm
M63	63.0mm	61.4mm	1.5mm



NOTE: Dimensions are nominal

The Company's policy is one of continuous improvement and reserves the right to change specifications at any time without prior notice.

**Cable Management Products Ltd.**

CMG House - Station Road - Coleshill - B46 1HT - United Kingdom  
 Tel: +44(0)1675 468 222 - Fax: +44(0)1675 464 930  
 Technical Support e-mail: [cmg.conduitsystems@abb.com](mailto:cmg.conduitsystems@abb.com) - [www.adaptaflex.co.uk](http://www.adaptaflex.co.uk)

# Non-Metallic Systems

## ATS - Type SA - Yellow Elastomer




### Dimensional & Thread Data

Part No Black Body PG Threads	Part No Grey Body PG Threads	Thread A	Nominal Dimensions (mm)				
			B	C	D	E	F
AT13/PG9/SA/BLB	AT13/PG9/SA/GRB	PG9	12.7	43.5	21.2	11.2	20.6
AT13/PG11/SA/BLB	AT13/PG11/SA/GRB	PG11	12.7	43.5	21.2	12.0	24.0
AT16/PG9/SA/BLB	AT16/PG9/SA/GRB	PG9	12.7	43.5	23.2	11.2	24.0
AT16/PG11/SA/BLB	AT16/PG11/SA/GRB	PG11	13.5	43.5	23.2	12.0	24.0
AT16/PG16/SA/BLB	AT16/PG16/SA/GRB	PG16	17.5	43.5	23.2	13.5	27.0
AT21/PG13/SA/BLB	AT21/PG13/SA/GRB	PG13.5	16.0	46.8	30.2	15.7	27.0
AT21/PG16/SA/BLB	AT21/PG16/SA/GRB	PG16	16.1	46.8	30.2	17.7	27.0
AT28/PG21/SA/BLB	AT28/PG21/SA/GRB	PG21	17.0	48.5	37.2	22.5	34.0
AT34/PG29/SA/BLB	AT34/PG29/SA/GRB	PG29	17.5	49.7	44.2	28.9	42.0
AT42/PG36/SA/BLB	AT42/PG36/SA/GRB	PG36	16.0	60.6	54.2	38.0	52.0
AT54/PG48/SA/BLB	AT54/PG48/SA/GRB	PG48	16.0	67.5	66.2	51.0	70.0

PG	German Standard Thread Conforming to DIN40430		
Thread Size	Ext Thread Outside Diameter	Int Thread Inside Diameter	Pitch
PG7	12.5mm	11.3mm	1.27mm
PG9	15.2mm	13.9mm	1.41mm
PG11	18.6mm	17.3mm	1.41mm
PG13.5	20.4mm	19.1mm	1.41mm
PG16	22.5mm	21.2mm	1.41mm
PG21	28.3mm	26.8mm	1.59mm
PG29	37mm	35.5mm	1.59mm
PG36	47mm	45.5mm	1.59mm
PG48	59.3mm	57.8mm	1.59mm

NOTE: Dimensions are nominal



The Company's policy is one of continuous improvement and reserves the right to change specifications at any time without prior notice.

# Non-Metallic Systems



## ATS - Type SA - Yellow Elastomer



### Dimensional & Thread Data

Part No Black Body NPT Threads	Part No Grey Body NPT Threads	Thread A	Nominal Dimensions (mm)				
			B	C	D	E	F
AT13/038/SA/BLB	AT13/038/SA/GRB	NPT <sup>3</sup> / <sub>8</sub>	12.7	43.5	21.2	12.1	24.0
AT16/038/SA/BLB	AT16/038/SA/GRB	NPT <sup>3</sup> / <sub>8</sub>	12.7	43.5	23.2	12.1	24.0
AT21/050/SA/BLB	AT21/050/SA/GRB	NPT <sup>1</sup> / <sub>2</sub>	12.7	46.8	30.2	15.9	27.0
AT28/075/SA/BLB	AT28/075/SA/GRB	NPT <sup>3</sup> / <sub>4</sub>	13.5	48.5	37.2	19.1	34.0
AT34/100/SA/BLB	AT34/100/SA/GRB	NPT1	17.5	49.7	44.2	26.4	42.0
AT42/125/SA/BLB	AT42/125/SA/GRB	NPT1 <sup>1</sup> / <sub>4</sub>	16.0	60.6	54.2	30.8	52.0
AT48/150/SA/BLB	AT48/150/SA/GRB	NPT1 <sup>1</sup> / <sub>2</sub>	16.1	64.1	65.0	41.0	63.0
AT54/200/SA/BLB	AT54/200/SA/GRB	NPT2	27.0	67.5	66.2	52.0	70.0

NPT	US taper seal pipe thread conforming to ANSI/ASME B1.20.1-1983	
Thread Size	Ext Thread Outside Diameter	Pitch
3/8"	16.7	1.14mm
1/2"	21.0	1.81mm
3/4"	26.4	1.81mm
1"	33.3	2.21mm
1 1/4"	41.9	2.21mm
1 1/2"	47.8	2.21mm
2"	59.6	2.21mm



NOTE: Dimensions are nominal

The Company's policy is one of continuous improvement and reserves the right to change specifications at any time without prior notice.

# Non-Metallic Systems

## ATS - Type SA - Yellow Elastomer

ADAPTAFLIX



### BS EN 61386 Classification

Fitting	Compression	Impact	Min temp	Max temp	bending	electrical	IP solids	IP water	Corrosion	Tensile	Non-flame Propogating	Suspended load
ATS	N/A	4	2	4	N/A	0	6	7	0	1	1	0

### Mechanical Properties

Test Type	Methods / Standards	Requirements	Value
Tensile Strength	IEC61386-1	2 mins at Specified Value ( <i>PAFS21 Conduit</i> )	Class 1
Tensile Strength		Ultimate Pullout ( <i>PAFS21 Conduit</i> )	240N
Impact Strength @ -45°C	IEC61386-1	No visible damage	Class 1
Impact Strength @ -5°C	IEC61386-1	No visible damage	Class 3
Impact Strength @ 23°C	IEC61386-1	No visible damage	Class 5

Tensile Tests to IEC 61386 gives the minimum classification value only. Actual values will depend on the type and size of the fittings used and will always be greater than the minimum – Impact strength is the minimum classification value at the minimum temperature – actual values will depend on size and temperature. Specific values available on request.

### Thermal Properties

Test Type	Methods / Standards	Requirements	Value
Dynamic Applications	IEC 61386-23	5000 Operations at MBR 2hrs	-45°C to +120°C
Static Short Term Temp		Temporary Use (3000hrs)	-50°C to +120°C
Static Long Term Temp		Permanent Use (30,000) Hours	-40°C to +105°C

The Company's policy is one of continuous improvement and reserves the right to change specifications at any time without prior notice.

**Cable Management Products Ltd.**

CMG House - Station Road - Coleshill - B46 1HT - United Kingdom  
 Tel: +44(0)1675 468 222 - Fax: +44(0)1675 464 930  
 Technical Support e-mail: [cmg.conduitsystems@abb.com](mailto:cmg.conduitsystems@abb.com) - [www.adaptaflex.co.uk](http://www.adaptaflex.co.uk)

# Non-Metallic Systems

## ATS - Type SA - Yellow Elastomer



### Flammability

Test Type	Method / Standard	Requirement	Result	Unit
Glow Wire	BS EN 60695-2-11	Extinguish within 30s	850°C	°C
Flammability	IEC 61386-1-12	1Kw Burner Flame to Self Extinguish	Pass	Pass/Fail
Oxygen Index - Nylon Body	ISO 4589-2		24.1	%
Ignition Rating - Nylon Body	NF F16-101	I Rating	I4	-
Oxygen Index - Elastomer Seal	ISO 4589-2		20.2	%
Ignition Rating - Elastomer Seal	ISO 4589-2	I Rating	I4	-

### Smoke

Test Type	Method / Standard	Requirement	Result	Unit
Fume Rating - Nylon Body	NF F16-101	F Rating	F2	-
Fume Rating - Elastomer Seal	NF F16-101	F Rating	F2	-

### Toxicity

Test Type	Method / Standard	Requirement	Result	Unit
Halogen Free	NFX 70-100	< 0.5%	Pass	Pass/Fail

### Pre Test Conditions

Duration	Standard	Temperature	Relative Humidity
168 (Hours)	IEC61386	23 (°C)	50 (%)

### Chemical Resistance Chart

Key:	Green	Yellow	Red	Black
Suitable :	●	●	●	●
Limited Suitability :	●	●	●	●
Unsuitable :	●	●	●	●
Not Tested :	●	●	●	●

● Astm No.1	● Diesel oil	● Methyl Bromide	● Sulphur Dioxide (Gas)
● Astm No.2	● Diethylamine	● MEK	● Sulphuric Acid (10%)
● Astm No.3	● Ethanol	● Nitric Acid (10%)	● Sulphuric Acid (70%)
● Acetic Acid (10%)	● Ether	● Nitric Acid (70%)	● Toluene
● Acetone	● Ethylamine	● Oxalic Acid	● Transformer Oil
● Aluminium Chloride	● Ethylene Glycol	● Ozone (Gas)	● 1,1,1-Trichloroethane
● Aniline	● Ethyl Ethanoate	● Paraffin oil	● Trichloroethylene
● Benzaldehyde	● Freon 32	● Petrol	● Turpentine
● Benzene	● Hydrochloric Acid (10%)	● Phenol	● Vegetable Oil
● Carbon tetrachloride	● Hydrochloric Acid (36%)	● Sea Water	● Vinyl Acetate
● Chlorine water	● Hydrogen Peroxide (35%)	● Silver Nitrate	● Water
● Chloroform	● Hydrogen Peroxide (87%)	● Skydrol	● White Spirit
● Citric Acid	● Lactic Acid	● Sodium Chloride	● Zinc Chloride
● Copper Sulphate	● Lubricating oil	● Sodium Hydroxide (10%)	
● Cresol	● Methanol	● Sodium Hydroxide (60%)	

All Values Based on Size 21 Fittings and PAFS Conduit, For Other Sizes and Conduit Systems Please Consult

The information above is given as a guide only and is based on published technical data and experience. The chemical resistance of the above products is dependant on factors such as chemical exposure, concentration of the chemical and temperature. The above chemicals are valid for a temperature of 23°C. Use of the above table is at the users own discretion and risk. Those using it must satisfy themselves that their application presents no health and safety risks. The end user should assess compatibility with their application and contact Thomas & Betts for further information.

ADHERENCE TO THE CURRENT WIRING REGULATIONS BS7671 OR NEC WIRING REGULATIONS (FOR USA) IS STRONGLY ADVISED.

MINIMUM BEND RADIUS FOR FLEXING IS DEPENDANT UPON MINIMUM TEMPERATURE, BENDING FREQUENCY AND CHEMICAL ENVIRONMENT.

The Company's policy is one of continuous improvement and reserves the right to change specifications at any time without prior notice.

**Cable Management Products Ltd.**

CMG House - Station Road - Coleshill - B46 1HT - United Kingdom

Tel: +44(0)1675 468 222 - Fax: +44(0)1675 464 930

Technical Support e-mail: [cmg.conduitsystems@abb.com](mailto:cmg.conduitsystems@abb.com) - [www.adaptaflex.co.uk](http://www.adaptaflex.co.uk)