

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2343489-0
Report Reference E312527-20231024
Date 6-Nov-2023

Issued to: ABB France
11 Rue d'Arsonval
Chassieu 69680
France

This is to certify that representative samples of NLDX - Motor Controllers, Magnetic
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision Date: 2019-05-06, UL 60947-4-1, 3rd Ed., Issue Date: 2014-04-04, Revision Date: 2017-10-17

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2343489-0
Report Reference E312527-20231024
Date 6-Nov-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
AFC , AFC40, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits.	Motor controllers
AFC-M , AFC40M, Cat. Nos. AFC40M	Motor controllers
AFC-N2 , AFC40N2, may be followed by R, may be followed by M.	Motor controllers
AFC-R , AFC40R, Cat. Nos. AFC40R	Motor controllers, reversing
AFC , AFC52, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits.	Motor controllers
AFC-M , AFC52M, Cat. Nos. AFC52M	Motor controllers
AFC-N2 , AFC52N2, may be followed by R, may be followed by M.	Motor controllers
AFC-R , AFC52R, Cat. Nos. AFC52R	Motor controllers, reversing
AFC , AFC65, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits.	Motor controllers
AFC-M , AFC65M	Motor controllers
AFC-N2 , AFC65N2, may be followed by R, may be followed by M.	Motor controllers
AFC-R , AFC65R	Motor controllers, reversing
AFC , AFC78, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits.	Magnetic Motor Controllers
AFC , AFC78M	Magnetic Motor Controllers
AFC , AFC78N2, may be followed by R, may be followed by M.	Magnetic Motor Controllers
AFC , AFC78R	Magnetic Motor Controllers
AFC80, followed by -22 or 40, may be followed by -00, -11, or -22, followed by 2 digits	Motor controllers
Open type, Motor controllers , AFC96, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits	Motor controllers
LK96, , followed by -4, may be followed by F, B or L.	Motor controllers

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2337651-0
Report Reference E312527-20231024
Date 6-Nov-2023

Issued to: ABB France
11 Rue d'Arsonval
Chassieu 69680
France

This is to certify that representative samples of NLDX7 - Motor Controllers, Magnetic Certified for Canada
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 No. 60947-1, 2nd Ed., Issue Date: 2013-07-01,
CSA C22.2 NO. 60947-4-1, 2nd Ed., Issue Date: 2014-04-04, Revised 2018-05

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2337651-0
Report Reference E312527-20231024
Date 6-Nov-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
AFC , AFC40, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits.	Motor controllers
AFC-M , AFC40M, Cat. Nos. AFC40M	Motor controllers
AFC-N2 , AFC40N2, may be followed by R, may be followed by M.	Motor controllers
AFC-R , AFC40R, Cat. Nos. AFC40R	Motor controllers, reversing
AFC , AFC52, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits.	Motor controllers
AFC-M , AFC52M, Cat. Nos. AFC52M	Motor controllers
AFC-N2 , AFC52N2, may be followed by R, may be followed by M.	Motor controllers
AFC-R , AFC52R, Cat. Nos. AFC52R	Motor controllers, reversing
AFC , AFC65, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits.	Motor controllers
AFC-M , AFC65M	Motor controllers
AFC-N2 , AFC65N2, may be followed by R, may be followed by M.	Motor controllers
AFC-R , AFC65R	Motor controllers, reversing
AFC , AFC78, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits.	Magnetic Motor Controllers
AFC , AFC78M	Magnetic Motor Controllers
AFC , AFC78N2, may be followed by R, may be followed by M.	Magnetic Motor Controllers
AFC , AFC78R	Magnetic Motor Controllers
AFC80, followed by -22 or 40, may be followed by -00, -11, or -22, followed by 2 digits	Motor controllers
Open type, Motor controllers , AFC96, followed by -30, may be followed by -00, -11, or -22, followed by 2 digits	Motor controllers
LK96, , followed by -4, may be followed by F, B or L.	Motor controllers

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>