



中国国家强制性产品认证证书

证书编号: 2007010303228779

委托人名称、地址

ABB STOTZ-KonTAKT GmbH
Hauptstrasse 14-16, D-78132 Hornberg, Germany

生产者(制造商)名称、地址

Relpol S. A.
ul. 11 Listopada 37, 68-200 Zary, Poland

生产企业名称、地址

Relpol S. A.
ul. 11 Listopada 37, 68-200 Zary, Poland

产品名称和系列、规格、型号

继电器

CR-P; Ith=5A; Ue=AC240V, Ie=1.0A(2对C/O触头), 1.5A(1对C/O触头); 使用类别: AC-15; 型号解释见附件

产品标准和技术要求

GB 14048.5-2008

上述产品符合强制性产品认证实施规则
CNCA-C03-02: 2014的要求, 特发此证。

发证日期: 2015年12月21日

有效期至: 2020年12月17日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2007年04月09日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区 100070

<http://www.cqc.com.cn>



Q 1302538



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2007010303228779

NAME AND ADDRESS OF THE APPLICANT

ABB STOTZ-KonTAKT GmbH
Hauptstrasse 14-16, D-78132 Hornberg, Germany

NAME AND ADDRESS OF THE MANUFACTURER

Relpol S.A.
ul. 11 Listopada 37, 68-200 Zary, Poland

NAME AND ADDRESS OF THE FACTORY

Relpol S.A.
ul. 11 Listopada 37, 68-200 Zary, Poland

NAME, MODEL AND SPECIFICATION

Relay

CR-P; Ith=5A;Ue=AC240V, Ie=1.0A, 1.5A;Utilization Category:AC-15

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 14048.5-2008

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification(REF NO. CNCA-C03-02:2014).

Date of issue: Dec. 21, 2015 Date of expiry: Dec. 17, 2020

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Apr. 09, 2007

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao

CHINA QUALITY CERTIFICATION CENTRE

Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P.R. China

<http://www.cqc.com.cn>



Q 1302538



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2007010303228779

纸号: 1302538

型号的解释:

Example		<u>CR-P</u>	<u>012</u>	<u>DC</u>	<u>1</u>	<u>.....</u>
		I	II	III	IV	V
I	Relay series/Type	Pluggable or PCB solderable relay type : CR-P				
II	Coil voltage	AC 50/60Hz		DC		
		012	12V	006	6V	
		024	24V	012	12V	
		048	48V	024	24V	
		060	60V	048	48V	
		110	110V	060	60V	
		120	120V	110	110V	
		220	220V			
		230	230V			
		240	240V			
III	Coil-excitation	AC	AC-Voltage			
		DC	DC-Voltage			
IV	Number / type of contact-poles	1	1 pole NO/NC- contact			
		2	2 pole C/O- contacts			
V	Contact material	<i>if no indication</i>	AgNi, AgNi-gold plated 5µm			

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路188号9区 100070

<http://www.cqc.com.cn>

