

PMA EPD - FITTINGS - NVNZ

# PEP ecopassport®

## Product Environmental Profile



Product Environmental Profile - PEP Ecopassport.  
Document in compliance with ISO 14025: 2006 "Environmental labels and declarations. Type III environmental declarations"

ORGANIZATION		CONTACT INFORMATION			
ABB EU		Oscar Sarmiento Penuela, oscar.sarmiento-penuela@ch.abb.com			
ADDRESS		WEBSITE			
ABB PMA AG - Uster CH		abb.com			
STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN		1 en	1/17
© Copyright 2025 ABB. All rights reserved.					



# ABB Purpose & Embedding Sustainability

ABB is committed to continually promoting and embedding sustainability across its operations and value chain, aspiring to become a role model for others to follow.

With its ABB Purpose, ABB is focusing on reducing harmful emissions, preserving natural resources and championing ethical and humane behavior.

"other points or for example a QR code or link to ABB website, where more information on the topic"




## General Information

Reference product	NVNZ-M207S-10
Description of the product	The NVNZ metal thread fitting in Polyamide 6 and brass is designed to provide reliable cable protection while ensuring ease of installation and maintenance in demanding environments.
Functional unit	The secure connection of flexible conduits to equipment, providing mechanical protection and high ingress resistance (IP66/IP68/IP69) in demanding environments.
Other products covered	List of other products covered in this PEP is presented in the paragraph which concerned the extrapolation rules.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	2/17

# Constituent Materials



■ Plastics 19.47 g ■ Metals 33.62 g ■ Others 5.72 g

**Total weight of Reference product with packaging**

58.8

g

Plastics as % of weight		Metals as % of weight		Others as % of weight	
Name and CAS	Weight%	Name and CAS	Weight%	Name and CAS	Weight%
PA6	29.8	Brass	57.2	Graphic paper	0.1
Rubber	1.1	-	x	Cardboard	9.6
PE	2.2	-	x	-	x

RoHS and REACH compatability and other information about the products materials (i.e. halogen free, recyclability)

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	3/17



## Additional Environmental Information

<b>Manufacturing</b>	The manufacturing stage includes the production of the NVNV (PA6) metal thread fitting and its packaging. The production occurs at the ABB factory located in Uster, CH, which serves as manufacturer's last logistic platform.
<b>Distribution</b>	The transport distance is considered as a weighted average distance from ABB factory in Uster to global customers. Packaging includes carton and plastic bag and label.
<b>Installation</b>	During installation, the disposal of packaging was considered.
<b>Use</b>	No energy consumption, no maintenance operations needed.
<b>End of life</b>	The default end of life scenario, 100% incineration without energy recovery, was applied, in accordance with PEP guidelines.
<b>Benefits and loads beyond the system boundaries</b>	Benefits and loads beyond the system boundaries (Module D) have been considered.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	4/17



# Environmental Impacts


Reference lifetime	20 years
Product category	Other Cable Management Products
Installation elements	No installation materials are required in the life cycle of the product.
Use scenario	No material and energy consumption occur during the use stage. No maintenance phase is planned for the fittings.
Geographical representativeness	Europe
Technological representativeness	Technological representativeness refers to the specific production process for primary data.
Software and database used	SimaPro 9.6 and ecoinvent 3.10

## Energy model used

Manufacturing	Electricity, medium voltage [CH] market for   Cut-off, S
Installation	No energy consumption occur during the installation stage.
Use	No energy consumption occur during the use stage.
End of life	No energy consumption during the end of life stage.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	5/17

## Common base of mandatory indicators



### Environmental impact indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installat- ion	Use	End of life	Benef- its
<b>GWP-total</b>	kg CO <sub>2</sub> eq.	5.71E-01	4.92E-01	1.05E-02	8.77E-03	0.00E+00	5.98E-02	1.93E-04
<b>GWP-fossil</b>	kg CO <sub>2</sub> eq.	5.32E-01	4.97E-01	1.05E-02	4.73E-03	0.00E+00	1.96E-02	-5.34E-03
<b>GWP-biogenic</b>	kg CO <sub>2</sub> eq.	3.86E-02	-5.58E-03	-5.93E-07	4.02E-03	0.00E+00	4.02E-02	5.55E-03
<b>GWP-luluc</b>	kg CO <sub>2</sub> eq.	5.94E-04	5.69E-04	3.55E-06	1.99E-05	0.00E+00	1.78E-06	-1.96E-05
GWP-fossil = Global Warming Potential fossil fuels GWP-biogenic = Global Warming Potential biogenic GWP-luluc = Global Warming Potential land use and land use change								
<b>ODP</b>	kg CFC-11 eq.	9.28E-09	8.99E-09	1.83E-10	6.28E-11	0.00E+00	4.04E-11	-1.43E-10
ODP = Depletion potential of the stratospheric ozone layer								
<b>AP</b>	H+ eq.	1.74E-02	1.73E-02	1.14E-04	9.95E-06	0.00E+00	1.73E-05	-2.30E-05
AP = Acidification potential, Accumulated Exceedance								
<b>EP-freshwater</b>	kg P eq.	1.36E-03	1.35E-03	4.68E-07	1.39E-06	0.00E+00	2.90E-06	-2.44E-06
<b>EP-marine</b>	kg N eq.	1.17E-03	1.10E-03	2.80E-05	5.64E-06	0.00E+00	2.98E-05	-6.80E-06
<b>EP-terrestrial</b>	mol N eq.	1.47E-02	1.43E-02	3.10E-04	3.52E-05	0.00E+00	7.47E-05	-6.21E-05
EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment EP-terrestrial = Eutrophication potential, Accumulated Exceedance								
<b>POCP</b>	kg NMVOC eq.	4.33E-03	4.19E-03	9.60E-05	9.06E-06	0.00E+00	3.54E-05	-2.41E-05
POCP = Formation potential of tropospheric ozone								
<b>ADP-minerals &amp; metals</b>	kg Sb eq.	2.23E-04	2.23E-04	2.43E-08	9.23E-09	0.00E+00	7.16E-09	-1.99E-08
<b>ADP-fossil</b>	MJ	7.98E+00	7.77E+00	1.40E-01	3.26E-02	0.00E+00	3.59E-02	-9.69E-02
ADP-minerals & metals = Abiotic depletion potential for non-fossil resources ADP-fossil = Abiotic depletion for fossil resources potential								
<b>WDP</b>	m <sup>3</sup> eq. depr.	9.07E-02	8.97E-02	3.82E-04	1.23E-03	0.00E+00	-5.97E-04	-1.83E-03
WDP = Water Deprivation potential								

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	6/17

## Common base of mandatory indicators

### Inventory flows indicator – Resource use indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
PERE	MJ	1.42E+00	1.42E+00	1.21E-03	5.51E-03	0.00E+00	6.50E-04	-7.99E-02
PERM	MJ	1.51E-01	1.51E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-5.96E-02
PERT	MJ	1.57E+00	1.57E+00	1.21E-03	5.51E-03	0.00E+00	6.50E-04	-1.40E-01
PENRE	MJ	7.97E+00	7.77E+00	1.40E-01	3.26E-02	0.00E+00	2.74E-02	-9.69E-02
PENRM	MJ	8.60E-01	8.60E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-1.77E-02
PENRT	MJ	8.83E+00	8.63E+00	1.40E-01	3.26E-02	0.00E+00	2.74E-02	-1.15E-01

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials

PERM = Use of renewable primary energy resources used as raw materials

PERT = Total Use of renewable primary energy resources

PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials

PENRM = Use of non-renewable primary energy resources used as raw materials

PENRT = Total Use of non-renewable primary energy resources

### Inventory flows indicator – Indicators describing the use of secondary materials, water, and energy resources

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
SM	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	m <sup>3</sup>	4.13E-03	4.08E-03	1.22E-05	4.24E-05	0.00E+00	-2.60E-06	-5.62E-05

SM = Use of secondary material

RSF = Use of renewable secondary fuels

NRSF = Use of non-renewable secondary fuels

FW = Use of net fresh water

### Inventory flows indicator – Waste category indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Hazardous waste disposed	kg	7.22E-02	7.05E-02	1.29E-04	1.49E-04	0.00E+00	1.35E-03	-1.99E-04
Non- hazardous waste disposed	kg	5.86E-01	4.73E-01	1.20E-03	6.97E-03	0.00E+00	1.05E-01	-6.12E-03
Radioactive waste disposed	kg	1.68E-05	1.67E-05	2.08E-08	5.44E-08	0.00E+00	1.11E-08	-1.66E-07

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	7/17

## Common base of mandatory indicators

### Inventory flows indicator – Output flow indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Components for re-use	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Materials for recycling	kg	3.68E-03	0.00E+00	0.00E+00	3.68E-03	0.00E+00	0.00E+00	0.00E+00
Materials for energy recovery	kg	4.30E-03	3.62E-03	0.00E+00	6.83E-04	0.00E+00	0.00E+00	-1.89E-05
Exported energy	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

### Inventory flow indicator – other indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Biogenic carbon content of the product	kg of C	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Biogenic carbon content of the associated packaging	kg of C	3.04E-03	3.04E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	8/17

## Optional indicators

### Environmental indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
Total use of primary energy during the life cycle	MJ	1.04E+01	1.02E+01	1.41E-01	3.81E-02	0.00E+00	2.81E-02	-2.54E-01
Emissions of fine particles	incidence of diseases	4.73E-08	4.58E-08	6.55E-10	9.10E-11	0.00E+00	7.09E-10	-2.95E-10
Ionizing radiation, human health	kBq U235 eq.	7.24E-02	7.21E-02	8.44E-05	2.13E-04	0.00E+00	4.42E-05	-6.57E-04
Ecotoxicity (fresh water)	CTUe	2.39E+01	2.36E+01	2.74E-02	4.57E-02	0.00E+00	2.31E-01	-2.53E-02
Human toxicity, car-cinogenic effects	CTUh	3.59E-09	3.49E-09	5.39E-11	9.08E-12	0.00E+00	3.59E-11	-3.23E-12
Human toxicity, non-carcinogenic effects	CTUh	1.75E-07	1.74E-07	8.34E-11	5.22E-11	0.00E+00	3.29E-10	-5.98E-11
Impact related to land use/soil quality		6.79E+00	6.74E+00	1.11E-02	2.30E-02	0.00E+00	2.26E-02	-4.47E-01

### Other indicators

Indicator	Unit	Total	Manu- facturing	Distri- bution	Installation	Use	End of life	Bene- fits
No Other indicators used								

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	9/17

## Extrapolation Factors

For other products than the Reference product covered by this PEP, the environmental impacts for each phase of the life cycle are obtained by multiplying the values of the Reference product by the extrapolation factors provided in the tables below, with the following formulas:

Environmental Indicator	a	b	x
GWP-total	4,90E-02	-1,32E-02	prod mass
GWP- fossil	4,93E-02	-1,36E-02	prod mass
GWP-biogenic	9,71E-02	-7,28E-02	packa
GWP-luluc	9,15E-02	-4,23E-02	prod mass
ODP	4,25E-02	-5,41E-03	prod mass
AP	1,00E-01	-3,19E-02	prod mass
EP-freshwater	1,04E-01	-3,12E-02	prod mass
EP-marine	8,31E-02	-3,29E-02	prod mass
EP-terrestrial	8,71E-02	-3,28E-02	prod mass
POCP	8,50E-02	-3,68E-02	prod mass
ADP-minerals	1,06E-01	-2,83E-02	prod mass
ADP-fossil	4,73E-02	-9,85E-03	prod mass
WDP	-1,20E-03	1,18E-02	packa
PERE	7,94E-02	-3,09E-02	prod mass
PERM	6,71E-03	2,60E-04	packa
PERT	7,92E-02	-3,31E-02	prod mass
PENRE	4,73E-02	-9,85E-03	prod mass
PENRM	3,26E-02	-1,22E-04	packa
PENRT	4,52E-02	-8,63E-03	prod mass
FW	-2,85E-03	1,48E-02	prod mass
HWD	1,04E-01	-3,36E-02	prod mass
NHWD	8,37E-02	-5,33E-02	prod mass
RWD	7,04E-02	-1,95E-02	prod mass
MER	5,41E-02	-4,48E-02	prod mass
Biogenic C, packaging	7,66E-03	-2,36E-03	packa
Total use of primary energy	4,85E-02	-1,13E-02	prod mass
Emissions of fine particles	7,98E-02	-3,88E-02	prod mass
Ionising radiation, human health	6,73E-02	-8,99E-03	prodpack
Ecotoxicity (freshwater)	1,12E-01	-3,16E-02	prodpack
Human toxicity, carcinogenic effects	9,44E-02	-4,39E-02	prodpack
Human toxicity, non-carcinogenic effect	1,10E-01	-2,94E-02	prodpack
Impact related to land use/soil quality	1,08E-01	-4,65E-02	prodpack

### Manufacturing stage

$$y = r_0 * (a*x+b)$$

Where:

- y is the selected impact category;
- a is the extrapolation factor from the table
- b is a constant
- r0 is the environmental indicator of the reference product
- x is the extrapolation variable, and is defined as either m (product mass), p (packaging mass), or t (total mass = m+p)

### All other stages

The extrapolation equations are the same across all impact categories, and r0 is the environmental indicator of the reference product

Stage	Extrapolation equation
Distribution	$y = 8,43*r_0 * (m + p)$
Installation	$y = 142,27*r_0 * p$
End of Life	$y = 19,288* r_0*m$
Module D	$y = 141,71* r_0*p$

In cases where the value of an indicator for the reference product is 0, the extrapolation factor has also been set to 0.

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN		1 en	10/17

The complete list of products covered by this EPD and the relevant variables for extrapolation are shown in the table below.

Product name	Fitting weight (g)	Packaging weight (g)			
NVNZ-M120R/P	4,11E-02	1,27E-02	NVNZ-M202GT-6	4,60E-02	7,74E-03
NVNZ-M120S/P1	4,23E-02	1,05E-02	NVNZ-M202R/P	4,77E-02	1,31E-02
NVNZ-M120S/P1-L	5,50E-02	1,05E-02	NVNZ-M202R/P-L	5,66E-02	1,46E-02
NVNZ-M120S/P2	4,20E-02	9,76E-03	NVNZ-M202S/B1	5,19E-02	1,46E-02
NVNZ-M120S/P3	4,18E-02	9,76E-03	NVNZ-M202S/B3	5,16E-02	1,48E-02
NVNZ-M120S/P3-L	5,46E-02	1,05E-02	NVNZ-M202S/B3-L	6,05E-02	1,46E-02
NVNZ-M120S-10	3,09E-02	1,14E-02	NVNZ-M202S/P1	5,19E-02	1,46E-02
NVNZ-M120S-5	3,04E-02	1,08E-02	NVNZ-M202S/P1-L	6,08E-02	1,46E-02
NVNZ-M160GT/P1L	4,27E-02	1,69E-03	NVNZ-M202S/P2	5,09E-02	1,46E-02
NVNZ-M160GT/P2L	4,24E-02	1,69E-03	NVNZ-M202S/P3	5,10E-02	1,46E-02
NVNZ-M160GT/P3	3,47E-02	5,62E-03	NVNZ-M202S/P3/1	1,65E-01	1,06E-02
NVNZ-M160GT/P3L	4,19E-02	5,62E-03	NVNZ-M202S/P3-L	5,99E-02	1,46E-02
NVNZ-M160GT-10	2,19E-02	5,88E-03	NVNZ-M120R/P	4,11E-02	1,27E-02
NVNZ-M160GT-5	2,17E-02	2,84E-03	NVNZ-M120S/P1	4,23E-02	1,05E-02
NVNZ-M160R/P	4,38E-02	1,18E-02	NVNZ-M120S/P1-L	5,50E-02	1,05E-02
NVNZ-M160R/P-L	5,10E-02	1,64E-02	NVNZ-M120S/P2	4,20E-02	9,76E-03
NVNZ-M160S/B1	4,38E-02	1,11E-02	NVNZ-M120S/P3	4,18E-02	9,76E-03
NVNZ-M160S/B2	4,51E-02	4,59E-02	NVNZ-M120S/P3-L	5,46E-02	1,05E-02
NVNZ-M160S/B3	4,46E-02	1,11E-02	NVNZ-M120S-10	3,09E-02	1,14E-02
NVNZ-M160S/P1	4,55E-02	1,11E-02	NVNZ-M120S-5	3,04E-02	1,08E-02
NVNZ-M160S/P1-L	5,27E-02	6,95E-03	NVNZ-M160GT/P1L	4,27E-02	1,69E-03
NVNZ-M160S/P2	4,51E-02	1,09E-02	NVNZ-M160GT/P2L	4,24E-02	1,69E-03
NVNZ-M160S/P2-L	5,23E-02	8,04E-03	NVNZ-M160GT/P3	3,47E-02	5,62E-03
NVNZ-M160S/P3	4,46E-02	1,11E-02	NVNZ-M160GT/P3L	4,19E-02	5,62E-03
NVNZ-M160S/P3-L	5,18E-02	6,95E-03	NVNZ-M160GT-10	2,19E-02	5,88E-03
NVNZ-M160S-10	3,19E-02	1,20E-02	NVNZ-M160GT-5	2,17E-02	2,84E-03
NVNZ-M160S-5	3,17E-02	1,15E-02	NVNZ-M160R/P	4,38E-02	1,18E-02
NVNZ-M162GT/P4	4,24E-02	5,09E-03	NVNZ-M160R/P-L	5,10E-02	1,64E-02
NVNZ-M162GT-10	2,23E-02	7,33E-03	NVNZ-M160S/B1	4,38E-02	1,11E-02
NVNZ-M162R/P	4,13E-02	1,19E-02	NVNZ-M160S/B2	4,51E-02	4,59E-02
NVNZ-M162S/P4	4,23E-02	1,13E-02	NVNZ-M160S/B3	4,46E-02	1,11E-02
NVNZ-M162S-10	2,22E-02	1,41E-02	NVNZ-M160S/P1	4,55E-02	1,11E-02
NVNZ-M162S-5	2,20E-02	1,41E-02	NVNZ-M160S/P1-L	5,27E-02	6,95E-03
NVNZ-M202GT/P	4,78E-02	7,74E-03	NVNZ-M160S/P2	4,51E-02	1,09E-02
NVNZ-M202GT/P1	5,20E-02	7,74E-03	NVNZ-M160S/P2-L	5,23E-02	8,04E-03
NVNZ-M202GT/P1L	6,09E-02	7,74E-03	NVNZ-M160S/P3	4,46E-02	1,11E-02
NVNZ-M202GT/P3	5,11E-02	7,74E-03	NVNZ-M160S/P3-L	5,18E-02	6,95E-03
NVNZ-M202GT/P3L	5,99E-02	7,74E-03	NVNZ-M160S-10	3,19E-02	1,20E-02
NVNZ-M202GT/P4	5,07E-02	4,75E-03	NVNZ-M160S-5	3,17E-02	1,15E-02
NVNZ-M202GT/P4L	5,96E-02	4,75E-03	NVNZ-M162GT/P4	4,24E-02	5,09E-03
NVNZ-M202GT-10	4,63E-02	8,68E-03	NVNZ-M162GT-10	2,23E-02	7,33E-03
			NVNZ-M162R/P	4,13E-02	1,19E-02
			NVNZ-M162S/P4	4,23E-02	1,13E-02

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	11/17

NVNZ-M162S-10	2,22E-02	1,41E-02	NVNZ-M207S/P3	5,46E-02	1,15E-02
NVNZ-M162S-5	2,20E-02	1,41E-02	NVNZ-M207S/P3-L	6,35E-02	1,35E-02
NVNZ-M202GT/P	4,78E-02	7,74E-03	NVNZ-M207S/P4	5,43E-02	1,17E-02
NVNZ-M202GT/P1	5,20E-02	7,74E-03	NVNZ-M207S/P4-L	6,32E-02	1,78E-02
NVNZ-M202GT/P1L	6,09E-02	7,74E-03	NVNZ-M207S/P5	5,34E-02	1,17E-02
NVNZ-M202GT/P3	5,11E-02	7,74E-03	NVNZ-M207S/P5-L	6,23E-02	1,28E-02
NVNZ-M202GT/P3L	5,99E-02	7,74E-03	NVNZ-M207S-10	5,18E-02	1,35E-02
NVNZ-M202GT/P4	5,07E-02	4,75E-03	NVNZ-M207S-6	5,16E-02	1,35E-02
NVNZ-M202GT/P4L	5,96E-02	4,75E-03	NVNZ-M253GT/P5	1,20E-01	2,32E-02
NVNZ-M202GT-10	4,63E-02	8,68E-03	NVNZ-M253GT/P6	1,20E-01	2,32E-02
NVNZ-M202GT-6	4,60E-02	7,74E-03	NVNZ-M253GT-7	7,87E-02	2,37E-02
NVNZ-M202R/P	4,77E-02	1,31E-02	NVNZ-M253R/P	1,15E-01	2,01E-02
NVNZ-M202R/P-L	5,66E-02	1,46E-02	NVNZ-M253R1/P	1,09E-01	2,06E-02
NVNZ-M202S/B1	5,19E-02	1,46E-02	NVNZ-M253S/B5	1,15E-01	2,23E-02
NVNZ-M202S/B3	5,16E-02	1,48E-02	NVNZ-M253S/B6	1,20E-01	2,23E-02
NVNZ-M202S/B3-L	6,05E-02	1,46E-02	NVNZ-M253S/P5	1,21E-01	2,19E-02
NVNZ-M202S/P1	5,19E-02	1,46E-02	NVNZ-M253S/P6	1,20E-01	2,23E-02
NVNZ-M202S/P1-L	6,08E-02	1,46E-02	NVNZ-M253S/P6-L	1,28E-01	2,23E-02
NVNZ-M202S/P3	5,10E-02	1,46E-02	NVNZ-M253S-11	7,96E-02	2,28E-02
NVNZ-M202S/P3/1	1,65E-01	1,06E-02	NVNZ-M253S-7	7,91E-02	2,24E-02
NVNZ-M202S/P3-L	5,99E-02	1,46E-02	NVNZ-M257/P5EBM	3,86E-02	1,40E-02
NVNZ-M202S/P4	5,07E-02	1,01E-02	NVNZ-M257GT/P5	7,51E-02	1,12E-02
NVNZ-M202S/P4-L	5,95E-02	1,01E-02	NVNZ-M257GT/P5L	3,31E-01	4,14E-02
NVNZ-M202S-10	4,62E-02	1,58E-02	NVNZ-M257GT/P6	7,40E-02	1,12E-02
NVNZ-M202S-6	4,60E-02	1,46E-02	NVNZ-M257GT/P6L	8,89E-02	1,04E-02
NVNZ-M207/P4EBM	3,82E-02	1,26E-02	NVNZ-M257GT-11	6,42E-02	1,50E-02
NVNZ-M207GT/P3	5,50E-02	1,00E-02	NVNZ-M257GT-7	6,38E-02	1,57E-02
NVNZ-M207GT/P3L	6,39E-02	5,75E-03	NVNZ-M257R/P	7,19E-02	1,26E-02
NVNZ-M207GT/P4	5,47E-02	1,00E-02	NVNZ-M257R/P-L	8,67E-02	1,26E-02
NVNZ-M207GT/P5	5,38E-02	1,00E-02	NVNZ-M257S/B4	7,42E-02	1,16E-02
NVNZ-M207GT/P5L	6,27E-02	1,00E-02	NVNZ-M257S/B5	7,48E-02	1,29E-02
NVNZ-M207GT-10	5,22E-02	1,27E-02	NVNZ-M257S/B5-L	8,96E-02	1,29E-02
NVNZ-M207GT-6	5,19E-02	1,27E-02	NVNZ-M257S/B6	7,36E-02	1,26E-02
NVNZ-M207R/P	5,14E-02	1,15E-02	NVNZ-M257S/P1	7,62E-02	1,16E-02
NVNZ-M207R/P-L	6,03E-02	1,28E-02	NVNZ-M257S/P2	7,60E-02	1,16E-02
NVNZ-M207S/B1	5,56E-02	1,17E-02	NVNZ-M257S/P4	7,42E-02	1,26E-02
NVNZ-M207S/B2	5,54E-02	1,17E-02	NVNZ-M257S/P5	7,48E-02	1,29E-02
NVNZ-M207S/B3	5,53E-02	1,17E-02	NVNZ-M257S/P5-L	8,96E-02	1,29E-02
NVNZ-M207S/B4	5,54E-02	1,17E-02	NVNZ-M257S/P6	7,36E-02	1,15E-02
NVNZ-M207S/B5	5,54E-02	1,17E-02	NVNZ-M257S/P6-L	8,85E-02	1,46E-02
NVNZ-M207S/P1	5,56E-02	1,17E-02	NVNZ-M257S-11	6,39E-02	1,59E-02
NVNZ-M207S/P1-L	6,45E-02	1,78E-02	NVNZ-M257S-7	6,34E-02	1,56E-02
NVNZ-M207S/P2	5,46E-02	1,17E-02	NVNZ-M259S/P1	1,19E-01	2,71E-02
NVNZ-M207S/P2-L	6,35E-02	1,25E-02	NVNZ-M267S/P2	8,49E-02	1,26E-02

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	12/17

NVNZ-M267S/P6	8,26E-02	1,26E-02	NVNZ-M406R/P	1,95E-01	6,94E-02
NVNZ-M323-2X7/P	1,43E-01	3,74E-02	NVNZ-M406S/B2	1,95E-01	6,22E-02
NVNZ-M323GT/P4	1,45E-01	2,56E-02	NVNZ-M406S/B3	2,13E-01	6,22E-02
NVNZ-M323GT/P4L	1,67E-01	2,95E-02	NVNZ-M406S/P1	2,15E-01	8,87E-02
NVNZ-M323GT/P5	1,37E-01	2,61E-02	NVNZ-M406S/P2	2,13E-01	6,22E-02
NVNZ-M323GT-13	1,05E-01	3,04E-02	NVNZ-M406S/P2-L	2,23E-01	6,22E-02
NVNZ-M323GT13/1	1,05E-01	5,50E-02	NVNZ-M406S/P3	2,13E-01	6,22E-02
NVNZ-M323GT-8	1,04E-01	3,04E-02	NVNZ-M406S/P5	2,05E-01	6,22E-02
NVNZ-M323R/P	1,40E-01	3,47E-02	NVNZ-M406S-13	5,58E-01	6,02E-02
NVNZ-M323R/P-L	1,62E-01	2,43E-02	NVNZ-M406S-8	5,57E-01	6,02E-02
NVNZ-M323R1/P	1,34E-01	2,77E-02	NVNZ-M409GT/P	1,70E-01	4,78E-02
NVNZ-M323R1/P-L	1,56E-01	2,77E-02	NVNZ-M409GT/P2	1,88E-01	5,37E-02
NVNZ-M323S/B4	1,46E-01	4,06E-02	NVNZ-M409GT/P3	1,85E-01	3,97E-02
NVNZ-M323S/B4-L	1,68E-01	3,31E-02	NVNZ-M409GT/P4	1,81E-01	3,11E-02
NVNZ-M323S/B5	1,37E-01	2,77E-02	NVNZ-M409GT/P4L	2,13E-01	5,14E-02
NVNZ-M323S/P4	1,46E-01	3,31E-02	NVNZ-M409GT/P5	1,76E-01	4,78E-02
NVNZ-M323S/P4-L	1,68E-01	3,31E-02	NVNZ-M409GT/P5L	2,09E-01	5,37E-02
NVNZ-M323S/P5	1,37E-01	2,77E-02	NVNZ-M409GT-13	1,80E-01	5,37E-02
NVNZ-M323S/P5-L	1,59E-01	3,36E-02	NVNZ-M409GT-8	1,79E-01	5,30E-02
NVNZ-M323S-13	1,05E-01	4,12E-02	NVNZ-M409R/P	1,69E-01	4,08E-02
NVNZ-M323S-8	1,05E-01	3,54E-02	NVNZ-M409R/P-L	2,01E-01	4,08E-02
NVNZ-M329GT/P2	1,73E-01	3,38E-02	NVNZ-M409S/P1	1,88E-01	4,08E-02
NVNZ-M329GT/P3	1,67E-01	5,14E-02	NVNZ-M409S/P2	1,86E-01	4,08E-02
NVNZ-M329GT/P3L	2,25E-01	3,38E-02	NVNZ-M409S/P3	1,83E-01	4,15E-02
NVNZ-M329GT/P4	1,64E-01	3,38E-02	NVNZ-M409S/P3-L	2,15E-01	4,08E-02
NVNZ-M329GT-13	1,10E-01	3,38E-02	NVNZ-M409S/P4	1,80E-01	4,08E-02
NVNZ-M329R/P	1,55E-01	4,08E-02	NVNZ-M409S/P4-L	2,11E-01	4,08E-02
NVNZ-M329R/P-L	2,09E-01	3,19E-02	NVNZ-M409S/P5	1,76E-01	4,15E-02
NVNZ-M329S/B2	1,68E-01	4,08E-02	NVNZ-M409S/P5-L	2,08E-01	4,08E-02
NVNZ-M329S/B4	1,62E-01	4,08E-02	NVNZ-M409S-13	1,78E-01	4,97E-02
NVNZ-M329S/P2	1,71E-01	4,08E-02	NVNZ-M409S-13T1	2,46E-01	5,19E-02
NVNZ-M329S/P2-L	2,25E-01	4,55E-02	NVNZ-M409S-13T2	2,46E-01	2,92E-02
NVNZ-M329S/P3	1,65E-01	4,08E-02	NVNZ-M409S-8	1,77E-01	4,24E-02
NVNZ-M329S/P3-L	2,23E-01	5,13E-02	NVNZ-M506GT/P1L	2,82E-01	1,07E-01
NVNZ-M329S/P4	1,62E-01	4,08E-02	NVNZ-M506GT/P3	2,51E-01	7,67E-02
NVNZ-M329S/P4-L	2,19E-01	3,80E-02	NVNZ-M506GT/P3L	2,76E-01	7,16E-02
NVNZ-M329S/P5	1,62E-01	4,08E-02	NVNZ-M506GT-14	8,64E-01	1,06E-01
NVNZ-M329S-13	1,08E-01	4,97E-02	NVNZ-M506GT-9	8,63E-01	1,02E-01
NVNZ-M329S-13T1	1,54E-01	3,64E-02	NVNZ-M506R/P	2,37E-01	4,63E-02
NVNZ-M329S-8	1,07E-01	4,08E-02	NVNZ-M506R/P-L	2,64E-01	6,96E-02
NVNZ-M406GT/P1	2,17E-01	6,01E-02	NVNZ-M506S/B1	2,55E-01	6,64E-02
NVNZ-M406GT/P2	2,14E-01	6,01E-02	NVNZ-M506S/P1	2,55E-01	6,22E-02
NVNZ-M406GT/P3	2,14E-01	6,01E-02	NVNZ-M506S/P1-L	2,83E-01	9,54E-02
NVNZ-M406GT-13	5,59E-01	5,18E-02	NVNZ-M506S/P3	2,49E-01	6,94E-02

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	13/17

NVNZ-M506S/P3/1	3,71E-01	5,27E-02	NVNZ-P112GT	2,88E-02	7,42E-03
NVNZ-M506S/P3-L	2,77E-01	6,22E-02	NVNZ-P112R/P	4,34E-02	1,42E-02
NVNZ-M506S-14	8,63E-01	9,14E-02	NVNZ-P112R1/P	4,72E-02	1,46E-02
NVNZ-M506S-9	8,61E-01	4,81E-02	NVNZ-P112S	2,87E-02	1,42E-02
NVNZ-M508GT/P2L	8,38E-01	9,42E-02	NVNZ-P112S/P1	4,65E-02	1,42E-02
NVNZ-M508GT/P3	8,15E-01	9,56E-02	NVNZ-P112S/P3	4,56E-02	1,42E-02
NVNZ-M508GT/P3L	8,33E-01	9,56E-02	NVNZ-P112S/P4	4,52E-02	1,42E-02
NVNZ-M508GT-9	9,14E-01	8,77E-02	NVNZ-P112S-L	2,87E-02	1,45E-02
NVNZ-M508R/P	8,01E-01	9,24E-02	NVNZ-P137S/P4	5,38E-02	1,08E-02
NVNZ-M508R/P-L	8,18E-01	8,25E-02	NVNZ-P160S/P1	6,92E-02	7,43E-03
NVNZ-M508S/B3	8,14E-01	9,24E-02	NVNZ-P167GT	4,85E-02	1,27E-02
NVNZ-M508S/P2	8,19E-01	9,92E-02	NVNZ-P167R/P	5,79E-02	1,18E-02
NVNZ-M508S/P2-L	8,37E-01	1,03E-01	NVNZ-P167S	4,81E-02	1,35E-02
NVNZ-M508S/P3	8,14E-01	9,24E-02	NVNZ-P167S/P3	6,22E-02	1,29E-02
NVNZ-M508S/P3/1	9,85E-01	9,38E-02	NVNZ-P167S/P4	6,02E-02	1,29E-02
NVNZ-M508S/P3-L	8,31E-01	1,21E-01	NVNZ-P167S/P5	6,08E-02	1,29E-02
NVNZ-M508S-14	9,13E-01	9,76E-02	NVNZ-P167S/P6	5,97E-02	1,29E-02
NVNZ-M508S-9	9,12E-01	1,11E-01	NVNZ-P167S-L	4,81E-02	1,35E-02
NVNZ-M636S/P3/1	5,49E-01	1,02E-01	NVNZ-P213GT	6,83E-02	2,41E-02
NVNZ-M638GT/P1	1,17E+00	8,81E-02	NVNZ-P213R/P	1,14E-01	2,23E-02
NVNZ-M638GT/PL	1,19E+00	1,03E-01	NVNZ-P213R/P-L	1,29E-01	2,23E-02
NVNZ-M638R/P	1,13E+00	7,49E-02	NVNZ-P213R1/P	1,09E-01	2,28E-02
NVNZ-M638R/P-L	1,18E+00	1,01E-01	NVNZ-P213S	6,87E-02	2,57E-02
NVNZ-M638S/P1	1,17E+00	8,38E-02	NVNZ-P213S/P1	1,20E-01	2,23E-02
NVNZ-M638S/P1-L	1,23E+00	1,09E-01	NVNZ-P213S/P1-L	1,35E-01	2,23E-02
NVNZ-M638S/P2	1,15E+00	9,61E-02	NVNZ-P213S/P3	1,20E-01	2,23E-02
NVNZ-M638S/P2/1	1,35E+00	1,10E-01	NVNZ-P213S/P4	1,20E-01	2,23E-02
NVNZ-M638S/P2-L	1,21E+00	1,17E-01	NVNZ-P213S/P5	1,12E-01	2,28E-02
NVNZ-M638S-10	9,27E-01	1,21E-01	NVNZ-P213S-L	2,67E-01	8,05E-02
NVNZ-M638S-14	9,29E-01	1,21E-01	NVNZ-P299GT	1,55E-01	5,37E-02
NVNZ-N076	3,64E-01	3,02E-02	NVNZ-P299R/P	1,23E-01	9,60E-03
NVNZ-P07MS	4,29E-02	5,67E-03	NVNZ-P299S	1,54E-01	5,19E-02
NVNZ-P090GT	3,22E-02	5,27E-03	NVNZ-P299S/P3	1,62E-01	5,19E-02
NVNZ-P090R/P	4,21E-02	1,11E-02	NVNZ-P299S/P4	1,58E-01	5,19E-02
NVNZ-P090S	4,22E-02	1,12E-02	NVNZ-P299S/P5	6,06E-01	1,83E-01
NVNZ-P090S/P1	4,38E-02	1,11E-02	NVNZ-P299S-L	1,54E-01	5,13E-02
NVNZ-P090S/P3	4,30E-02	1,11E-02	NVNZ-P366GT	2,44E-01	5,44E-02
NVNZ-P090S-L	4,22E-02	1,12E-02	NVNZ-P366GT/P1	2,12E-01	4,99E-02
NVNZ-P110GT	3,65E-02	7,24E-03	NVNZ-P366GT-L	2,44E-01	5,93E-02
NVNZ-P110R/P	5,28E-02	7,43E-03	NVNZ-P366R/P	1,92E-01	4,91E-02
NVNZ-P110S	4,65E-02	1,37E-02	NVNZ-P366S	2,43E-01	8,87E-02
NVNZ-P110S/P1	5,59E-02	7,43E-03	NVNZ-P366S/P1	2,10E-01	5,34E-02
NVNZ-P110S/P3	5,51E-02	7,43E-03	NVNZ-P366S/P2	2,07E-01	6,94E-02
NVNZ-P110S-L	4,65E-02	1,37E-02	NVNZ-P366S/P3	2,04E-01	5,34E-02

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	14/17

NVNZ-P366S-L	2,43E-01	6,64E-02	NVNZ-P488S	7,28E-01	1,20E-01
NVNZ-P368S/01	9,93E-01	5,01E-02	NVNZ-P488S/P1	1,12E+00	7,49E-02
NVNZ-P488GT	7,29E-01	1,01E-01	NVNZ-P488S/P2	1,10E+00	1,10E-01
NVNZ-P488R/P	1,07E+00	1,45E-01	NVNZ-P488S-L	7,30E-01	1,22E-01

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	15/17

## Environmental Impact Indicator Glossary


### Impact indicators

Indicator	Description	Distribution
Global warming potential (GWP) - total	Indicator of potential global warming caused by emissions to air contributing to the greenhouse effect. The total global warming potential (GWP-total) is the sum of three sub-categories of climate change. GWP-total = GWP-fossil + GWP-biogenic + GWP- land use and land use change	kg CO <sub>2</sub> eq.
Ozone depletion (ODP)	Emissions to air that contribute to the destruction of the stratospheric ozone layer	kg CFC-11 eq.
Acidification of soil and water (A)	Acidification of soils and water caused by the release of certain gases to the atmosphere, such as nitrogen oxides and sulphur oxides	H+ eq.
Eutrophication (E)	Indicator of the contribution to eutrophication of water by the enrichment of the aquatic ecosystem with nutritional elements, e.g. industrial or domestic effluents, agriculture, etc. This indicator is divided to three: freshwater, marine and terrestrial.	kg P eq., kg N eq., mole N eq.
Photochemical ozone creation (POCP)	Indicator of emissions of gases that affect the creation of photochemical ozone in the lower atmosphere (smog) because of the rays of the sun.	kg NMVOC eq.
Depletion of abiotic resources – elements (ADPe)	Indicator of the depletion of natural non-fossil resources	kg Sb eq.
Depletion of abiotic resources – fossil fuels (ADPf)	The use of non-renewable fossil resources in an unsustainable way (e.g. from material to waste)	MJ (lower heating value)
Water Deprivation potential (WDP)	Deprivation-weighted water consumption. Assesses the potential of water deprivation, to either humans or ecosystems, building on the assumption that the less water remaining available per area, the more likely another user will be deprived.	m <sup>3</sup> eq. depr.

### Resource use indicators

Indicator	Description	Distribution
Total use of primary energy	Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) + Total use of renewable primary energy re-sources (primary energy and primary energy resources used as raw materials)	MJ (lower heating value)

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	16/17

Registration number: <b>ABBG-00910-V01.01-EN</b>	Drafting Rules: <b>PCR-ed4-EN-2021 09 06</b>
	<b>Supplemented by: PSR-0003-ed2.1-EN-2023 12 08</b>
Verifier accreditation number: <b>VH44</b>	Information and reference documents: <b>www.pep-ecopassport.org</b>
Date of issue: <b>06-2025</b>	Validity period: <b>5 years</b>
<b>Independent verification of the declaration and data, in compliance with ISO 14025: 2006</b>	
<b>Internal:</b> <input type="radio"/>	<b>External:</b> <input checked="" type="radio"/>
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)	
PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019 or NE E38-500 :2022 The components of the present PEP may not be compared with elements from any other program.	
Document in compliance with ISO 14025: 2006 "Environmental labels and declarations. Type III environmental declarations"	
	

STATUS	SECURITY LEVEL	REGISTRATION NUMBER	REV.	LANG.	PAGE
Approved	Public	ABBG-00910-V01.01-EN	1	en	17/17