

Three ways installation contactors help customers



Easy to install

Simple solution that saves time

Reduce installation time and stock levels with an universal auxiliary contact block that can be attached to the contactors by hand. The installation contactors fit easily with ABB's System Pro M compact range, making them fully compatible with other modular DIN-Rail components.



Global availability

Whatever you need, wherever you need it

Installation contactors are available in multiple packaging sizes to meet different customer needs and to optimize warehousing space. Every ABB product enjoys expert local support to make communication easier and delivery faster.



Optimum interface

Quiet and reliable in every application

ABB's contactors feature innovative AC/DC coils. The range covers ratings from 16 A to 100 A and offers accessories to suit customer requirements in every application. An integrated indicator makes diagnostics quicker and shows the contactor's status at a glance.

Contacts

ABB STOTZ-KONTAKT GmbH

Eppelheimer Straße 82
69123 Heidelberg, Germany

ABB France

3, rue Jean Perrin
69687 Chassieu cedex, France



abb.com/lowvoltage

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB AG does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB AG.

Copyright© 2018 ABB
All rights reserved


MODULAR DIN-RAIL COMPONENTS

Take noise reduction to a new level

ESB and EN installation contactors



Innovative and hum-free range covering all needs from 16 to 100 A



ABB's hum-free installation contactors are now available in a wider range from 16 A to 100 A.

With an innovative AC/DC coil design that eliminates hum, a broad selection of common accessories as well as manual and automatic versions, the all new installation contactors offer peace of mind in noise-sensitive applications.

Applications include the switching and control of lighting, heating, ventilation, motors and pumps.

Why buy?



Tool-free to save time

Speed up installation and maintenance time with tool-free mounting of accessories like auxiliaries and safety covers. The new auxiliary contact block fits all contactors of the range, saving valuable inventory space.



Group mounting saves space

Space savings of up to 15% by group mounting the ESB16..N, ESB/EN20..N and ESB100..N can be achieved. There is no need for distance pieces between contactors, saving valuable space in cabinets – and cutting costs.



More choice, less inventory

The right packaging for your needs – choose from different packaging options and delivery quantities. Keep only what you need in stock and cut inventory by up to 50%.




Comprehensive solution

ABB's installation contactors range is a complete solution ranging from 16 A to 100 A, offering an answer to all your needs from a single supplier. With 16 A, 25 A and 100 A versions, tender specifications can be met with competitive pricing.



Easy identification

Simply scan the code on the side of the device to cut time spent identifying products by up to 80%. Make handling and identifying your products in warehouse and cashier system as easy as possible.



ABB's installation contactor range comes with a host of features to make installation and maintenance easier. A mechanical indicator shows the status in green or red color to make system diagnostics quicker.

Some speciality types also feature a manual override functionality with a toggle switch providing independent control. Accessories such as auxiliaries, space holders, as well as safety covers can be mounted tool-free onto the contactor.

Type	Rated control supply voltage	Order code
ESB16-20N	24 V AC/DC	1SBE111111R0120
ESB16-20N	230 V AC/DC	1SBE111111R0620
ESB20-20N	24 V AC/DC	1SBE121111R0120
ESB20-20N	230 V AC/DC	1SBE121111R0620
ESB25-40N	24 V AC/DC	1SAE231111R0140
ESB25-40N	230-240 V AC/DC	1SAE231111R0640
ESB40-40N	24 V AC/DC	1SAE341111R0140
ESB40-40N	230 V AC/DC	1SAE341111R0640
ESB63-40N	24 V AC/DC	1SAE351111R0140
ESB63-40N	230 V AC/DC	1SAE351111R0640
ESB100-40N	24 V AC/DC	1SAE661111R0140
ESB100-40N	230 V AC/DC	1SAE661111R0640
EN20-20N	24 V AC/DC	1SBE122111R0120
EN20-20N	230 V AC/DC	1SBE122111R0620
EN25-40N	24 V AC/DC	1SAE232111R0140
EN25-40N	230 V AC/DC	1SAE232111R0640
EN40-40N	24 V AC/DC	1SAE342111R0140
EN40-40N	230 V AC/DC	1SAE342111R0640