

Doc. no. 1SBD250033E1000

Rev. ind. A

Date 2002-01-14 From Corinne Maillet

Dept. FRCTL

Phone +33 (0) 4 72 22 18 75 Fax +33 (0) 4 72 22 19 69 E-mail corinne.maillet@fr.abb.com

Environmental Information

The purpose of this document is to provide environmental information requested in the procedure for Industrial $^{\rm IT}$ Enabled level 0.

Product name	Contactor UA26-R
ABB Identity number	1SBL241023Rxxxx
Information provided by	Corinne MAILLET
(Name and e-mail address)	Corinne.maillet@fr.abb.com
Business area	Low Voltage Products - ATLV
Date	January 2002

1. Related documents

Industrial ^{IT} Architecture - Introduction and Definitions, 3BSE023904

Industrial ^{IT} Certification Overview, 3BSE023905

Industrial ^{IT} Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

Group Function Sustainability Affairs

Doc. no. 1SBD250033E1000

Rev. ind. A

Date 2002-01-14

2. Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below

Material	Example application		No	Quantity/unit Optional (1)	
Lead	Batteries, cables	X		8 e-05 Kg	
Cadmium	Batteries, switches, additive in lead		X		
Mercury	Batteries, switches		X		
Beryllium	Contact springs		X		
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber			Not available	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		X		
SF6, sulphurhexafluoride	Breakers		X		
Polyvinyl chloride, PVC	Cables	X			

⁽¹⁾ Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1 Printed circuit boards

	the amount of printed circuit boards used in the product by declaring the tota surface:
	< 1 dm ²
	1-10 dm ²
	$> 10 \text{ dm}^2$
X	No printed circuit boards used in the product

						3 (
				Doc. no.	1SBD250033E1000	
				Rev. ind.	Α	
				Date	2002-01-14	
				Dale	2002-01-14	
2.2 Recyclin	ng infor	mation				
	ls rec	cycling in	formation for the product available?			
		Yes	Ref. Document:			
	\boxtimes	No				
		, please rial is pre	specify, in the table below, the compessent:	onent/pai	rt/physical position where	the:
Material			Component/part/physical position	n		7
Lead			Soldering of terminals on coil			_
Cadmium			No			
Mercury			No			
Beryllium	•		No			
Brominated flam	ne retard	ants	Not available			
HCFCs			No			

2.3 Energy use and/or losses during the operation of the product

Resistances

No

Is energy	use and/or	losses during	g operation	of the p	product s	specified	in the	product
document	tation?							

Yes Ref. Document : See technical data in c	atalogue
---	----------

□ No

SF6, sulphurhexafluoride

Polyvinyl chloride, PVC

■ Not relevant