

Interface relays and optocouplers












Certifications and approvals

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
CR-M relays	CR-M060DC4L	■ E244330		■	■		■	■	■		■	■
	CR-M060DC4LG	■ E244330		■	■		■	■	■		■	■
	CR-M110AC2	■ E244330		■	■		■	■		■	■	■
	CR-M110AC2L	■ E244330		■	■		■	■		■	■	■
	CR-M110AC3	■ E244330		■	■		■	■		■	■	■
	CR-M110AC3L	■ E244330		■	■		■	■		■	■	■
	CR-M110AC4	■ E244330		■	■		■	■	■	■	■	■
	CR-M110AC4G	■ E244330		■	■		■	■	■	■	■	■
	CR-M110AC4L	■ E244330		■	■		■	■	■	■	■	■
	CR-M110AC4LG	■ E244330		■	■		■	■	■	■	■	■
	CR-M110DC2	■ E244330		■	■		■	■		■	■	■
	CR-M110DC2L	■ E244330		■	■		■	■		■	■	■
	CR-M110DC2LD	■ E244330		■			■	■		■	■	■
	CR-M110DC3	■ E244330		■	■		■	■		■	■	■
	CR-M110DC3L	■ E244330		■	■		■	■		■	■	■
	CR-M110DC3LD	■ E244330		■			■	■		■	■	■
	CR-M110DC4	■ E244330		■	■		■	■	■	■	■	■
	CR-M110DC4L	■ E244330		■	■		■	■	■	■	■	■
	CR-M110DC4LD	■ E244330		■			■	■		■	■	■
	CR-M110DC4LG	■ E244330		■	■		■	■	■	■	■	■
CR-M120AC2	■ E244330		■	■		■	■		■	■	■	
CR-M120AC2L	■ E244330		■	■		■	■		■	■	■	

Mark													
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA	
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom	
CR-M relays	CR-M120AC3	■ E244330		■	■		■	■		■	■	■	
	CR-M120AC3L	■ E244330		■	■		■	■		■	■	■	
	CR-M120AC4	■ E244330		■	■		■	■	■	■	■	■	
	CR-M120AC4L	■ E244330		■	■		■	■	■	■	■	■	
	CR-M120AC4LG	■ E244330		■	■		■	■	■	■	■	■	
	CR-M125DC2	■ E244330		■	■		■				■	■	
	CR-M125DC2L	■ E244330		■	■		■				■	■	
	CR-M125DC2LD	■ E244330		■			■			■	■	■	
	CR-M125DC3	■ E244330		■	■		■				■	■	
	CR-M125DC3L	■ E244330		■	■		■				■	■	
	CR-M125DC3LD	■ E244330		■			■			■	■	■	
	CR-M125DC4	■ E244330		■	■		■		■		■	■	
	CR-M125DC4L	■ E244330		■	■		■		■		■	■	
	CR-M125DC4LD	■ E244330		■			■			■	■	■	
	CR-M125DC4LG	■ E244330		■	■		■		■		■	■	
	CR-M220DC2	■ E244330		■	■		■	■			■	■	■
	CR-M220DC2L	■ E244330		■	■		■	■			■	■	■
	CR-M220DC2LD	■ E244330		■			■	■			■	■	■
	CR-M220DC3	■ E244330		■	■		■	■			■	■	■
	CR-M220DC3L	■ E244330		■	■		■	■			■	■	■
CR-M220DC3LD	■ E244330		■			■	■			■	■	■	
CR-M220DC4	■ E244330		■	■		■	■	■		■	■	■	
CR-M220DC4L	■ E244330		■	■		■	■	■		■	■	■	
CR-M220DC4LD	■ E244330		■			■	■			■	■	■	

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
CR-P complete	CR-P024DC1LC42V										■	■
	CR-P024DC1LC62C										■	■
	CR-P024DC1SS42V										■	■
	CR-P024DC2GLC42V										■	■
	CR-P024DC2GLC62C										■	■
	CR-024DC2GLC62CV										■	■
	CR-P024DC2LC42										■	■
	CR-P024DC2LS										■	■
	CR-P024DC2LS42V										■	■
	CR-P024DC2SS42V										■	■
	CR-P110DC1SS42CV										■	■
	CR-P110DC2SS42CV										■	■
	CR-P120AC1SS92CV										■	■
	CR-P120AC2SS92CV										■	■
	CR-P230AC1LC92CV										■	■
	CR-P230AC1LS										■	■
	CR-P230AC1SS92CV										■	■
	CR-P230AC2GLC92										■	■
	CR-P230AC2GLC92C										■	■
	CR-P230AC2GLC92CV										■	■
CR-P230AC2LC92										■	■	
CR-P230AC2LS92CV										■	■	
CR-P230AC2SS92CV										■	■	
CR-P relays	CR-P012AC2	□ E244330		■			■	■		■		
	CR-P012DC1	□ E244330		■	■		■	■		■		
	CR-P012DC2	□ E244330		■	■		■	■		■		

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
CR-P relays	CR-P024AC1	□ E244330		■	■		■	■		■		
	CR-P024AC2	□ E244330		■	■		■	■		■		
	CR-P024AC2G	□ E244330					■	■		■		
	CR-P024DC1	■ E244330		■	■		■	■		■		
	CR-P024DC2	■ E244330		■	■		■	■		■		
	CR-P024DC2G	■ E244330					■	■		■		
	CR-P048AC1	■ E244330		■	■		■	■		■		
	CR-P048AC2	■ E244330		■	■		■	■		■		
	CR-P048DC1	■ E244330		■	■		■	■		■		
	CR-P048DC2	■ E244330		■	■		■	■		■		
	CR-P110AC1	■ E244330		■	■		■	■		■		
	CR-P110AC2	■ E244330		■	■		■	■		■		
	CR-P110AC2G	■ E244330					■	■		■		
	CR-P110DC1	■ E244330		■	■		■	■		■		
	CR-P110DC2	■ E244330		■	■		■	■		■		
	CR-P120AC1	■ E244330		■	■		■	■		■		
	CR-P120AC2	■ E244330		■	■		■	■		■		
	CR-P230AC1	■ E244330		■	■		■	■		■		
CR-P230AC2	■ E244330		■	■		■	■		■			
CR-P230AC2G	■ E244330					■	■		■			
CR-P sockets	CR-PLC	■ E244328		■			■				■	■
	CR-PLS	■ E244328		■			■				■	■
	CR-PLSX	■ E244328		■			■				■	■
	CR-PLP	■ E244328		■							■	■
	CR-PSS	■ E244328		■			■				■	■

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
CR-P/M modules	CR-P/M 22	■ E244328		■			■				■	■
	CR-P/M 42	■ E244328		■			■				■	■
	CR-P/M 42B	■ E244328		■			■				■	■
	CR-P/M 42BV	■ E244328		■			■				■	■
	CR-P/M 42C	■ E244328		■			■				■	■
	CR-P/M 42CV	■ E244328		■			■				■	■
	CR-P/M 42V	■ E244328		■			■				■	■
	CR-P/M 52B	■ E244328		■			■				■	■
	CR-P/M 52C	■ E244328		■			■				■	■
	CR-P/M 52D	■ E244328		■			■				■	■
	CR-P/M 62	■ E244328		■			■				■	■
	CR-P/M 62C	■ E244328		■			■				■	■
	CR-P/M 62CV	■ E244328		■			■				■	■
	CR-P/M 62D	■ E244328		■			■				■	■
	CR-P/M 62DV	■ E244328		■			■				■	■
	CR-P/M 62E	■ E244328		■			■				■	■
	CR-P/M 62EV	■ E244328		■			■				■	■
	CR-P/M 62V	■ E244328		■			■				■	■
	CR-P/M 72	■ E244328		■			■				■	■
	CR-P/M 72A	■ E244328		■			■				■	■
CR-P/M 82	■ E244328		■			■				■	■	
CR-P/M 92	■ E244328		■			■				■	■	
CR-P/M 92C	■ E244328		■			■				■	■	
CR-P/M 92CV	■ E244328		■			■				■	■	
CR-P/M 92V	■ E244328		■			■				■	■	

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
CR-S complete	CR-S024VADC1CRGS	■ E244328		■			■				■	■
	CR-S024VADC1CRGZ	■ E244328		■			■				■	■
	CR-S024VADC1CRS	■ E244328		■			■				■	■
	CR-S024VADC1CRZ	■ E244328		■			■				■	■
	CR-S110VADC1CRGS	■ E244328		■			■				■	■
	CR-S110VADC1CRGZ	■ E244328		■			■				■	■
	CR-S110VADC1CRS	■ E244328		■			■				■	■
	CR-S110VADC1CRZ	■ E244328		■			■				■	■
	CR-S230VADC1CRGS	■ E244328		■			■				■	■
	CR-S230VADC1CRGZ	■ E244328		■			■				■	■
	CR-S230VADC1CRS	■ E244328		■			■				■	■
	CR-S230VADC1CRZ	■ E244328		■			■				■	■
	CR-S optocouplers	CR-S024VDC1MOS	■ E244330									■
CR-S024VDC1TRA		■ E244330									■	■
CR-S024VDC1TRI		■ E244330									■	■
CR-S relays	CR-S005VDC1R	■ E244330		■		■	■	■				
	CR-S005VDC1RG	■ E244330		■		■	■	■				
	CR-S012VDC1R	■ E244330		■		■	■	■				
	CR-S012VDC1RG	■ E244330		■		■	■	■				
	CR-S024VDC1R	■ E244330		■		■	■	■				
	CR-S024VDC1RG	■ E244330		■		■	■	■				
	CR-S048VDC1R	■ E244330		■		■	■	■				
	CR-S048VDC1RG	■ E244330		■		■	■	■				
	CR-S060VDC1R	■ E244330		■		■	■	■				
	CR-S060VDC1RG	■ E244330		■		■	■	■				

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
CR-S sockets	CR-S006/024VDC1SS	■ E244328		■			■	■			■	■
	CR-S006/024VDC1SZ	■ E244328		■			■				■	■
	CR-012/024VADC1SS	■ E244328		■			■	■			■	■
	CR-012/024VADC1SZ	■ E244328		■			■				■	■
	CR-048/060VADC1SS	■ E244328		■			■	■			■	■
	CR-048/060VADC1SZ	■ E244328		■			■				■	■
	CR-110/125VADC1SS	■ E244328		■			■	■			■	■
	CR-110/125VADC1SZ	■ E244328		■			■				■	■
	CR-220/240VADC1SS	■ E244328		■			■	■			■	■
	CR-220/240VADC1SZ	■ E244328		■			■				■	■
CR-U modules	CR-U 21	■ E244328		■			■				■	■
	CR-U 41	■ E244328		■			■				■	■
	CR-U 41B	■ E244328		■			■				■	■
	CR-U 41BV	■ E244328		■			■				■	■
	CR-U 41C	■ E244328		■			■				■	■
	CR-U 41CV	■ E244328		■			■				■	■
	CR-U 41V	■ E244328		■			■				■	■
	CR-U 51B	■ E244328		■			■				■	■
	CR-U 51C	■ E244328		■			■				■	■
	CR-U 51D	■ E244328		■			■				■	■
	CR-U 61	■ E244328		■			■				■	■
	CR-U 61C	■ E244328		■			■				■	■
	CR-U 61CV	■ E244328		■			■				■	■
	CR-U 61D	■ E244328		■			■				■	■
	CR-U 61DV	■ E244328		■			■				■	■












Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
CR-U modules	CR-U 61E	■ E244328		■			■				■	■
	CR-U 61EV	■ E244328		■			■				■	■
	CR-U 61V	■ E244328		■			■				■	■
	CR-U 71	■ E244328		■			■				■	■
	CR-U 71A	■ E244328		■			■				■	■
	CR-U 81	■ E244328		■			■				■	■
	CR-U 91	■ E244328		■			■				■	■
	CR-U 91C	■ E244328		■			■				■	■
	CR-U 91CV	■ E244328		■			■				■	■
	CR-U 91V	■ E244328		■			■				■	■
	CR-U T			■			■				■	■
CR-U relays	CR-U012AC2L		■ E244330	■			■	■		■		
	CR-U012AC3L		■ E244330	■			■	■		■		
	CR-U012DC2		■ E244330	■	■		■	■	■	■	■	■
	CR-U012DC2L		■ E244330	■	■		■	■	■	■	■	■
	CR-U012DC2LD		■ E244330	■			■	■		■		
	CR-U012DC3		■ E244330	■	■		■	■	■	■	■	■
	CR-U012DC3L		■ E244330	■	■		■	■	■	■	■	■
	CR-U012DC3LD		■ E244330	■			■	■		■		
	CR-U024AC2		■ E244330	■	■		■	■	■	■	■	■
	CR-U024AC2L		■ E244330	■	■		■	■	■	■	■	■
	CR-U024AC3		■ E244330	■	■		■	■	■	■	■	■
	CR-U024AC3L		■ E244330	■	■		■	■	■	■	■	■
	CR-U024DC2		■ E244330	■	■		■	■	■	■	■	■
CR-U024DC2L		■ E244330	■	■		■	■	■	■	■	■	

Mark													
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA	
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom	
CR-U relays	CR-U024DC2LD		■ E244330	■			■	■		■			
	CR-U024DC3		■ E244330	■	■		■	■	■	■	■	■	
	CR-U024DC3L		■ E244330	■	■		■	■	■	■	■	■	
	CR-U024DC3LD		■ E244330		■		■	■	■	■	■	■	
	CR-U048AC2		■ E244330	■	■		■	■	■	■	■	■	
	CR-U048AC2L		■ E244330	■	■		■	■	■	■	■	■	
	CR-U048AC3		■ E244330	■	■		■	■	■	■	■	■	
	CR-U048AC3L		■ E244330	■	■		■	■	■	■	■	■	
	CR-U048DC2		■ E244330	■	■		■	■	■	■	■	■	
	CR-U048DC2L		■ E244330	■	■		■	■	■	■	■	■	
	CR-U048DC2LD		■ E244330	■			■	■		■			
	CR-U048DC3		■ E244330	■	■		■	■	■	■	■	■	
	CR-U048DC3L		■ E244330	■	■		■	■	■	■	■	■	
	CR-U048DC3LD		■ E244330	■			■	■		■			
	CR-U060AC3		■ E244330			■		■	■	■		■	■
	CR-U110AC2		■ E244330	■	■			■	■	■	■	■	■
	CR-U110AC2L		■ E244330	■	■			■	■	■	■	■	■
	CR-U110AC3		■ E244330	■	■			■	■	■	■	■	■
	CR-U110AC3L		■ E244330	■	■			■	■	■	■	■	■
	CR-U110DC2		■ E244330	■	■			■	■	■	■	■	■
CR-U110DC2L		■ E244330	■	■			■	■	■	■	■	■	
CR-U110DC2LD		■ E244330	■				■	■		■			
CR-U110DC3		■ E244330	■	■			■	■	■	■	■	■	
CR-U110DC3L		■ E244330	■	■			■	■	■	■	■	■	
CR-U110DC3LD		■ E244330	■				■	■		■			

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
CR-U relays	CR-U120AC2		■ E244330	■	■		■	■	■	■	■	■
	CR-U120AC2L		■ E244330	■	■		■	■	■	■	■	■
	CR-U120AC3		■ E244330	■	■		■	■	■	■	■	■
CR-U sockets	CR-U120AC3L		■ E244330	■	■		■	■	■	■	■	■
	CR-U125DC3		■ E244330		■		■	■	■		■	■
	CR-U220DC2		■ E244330	■	■		■	■	■	■	■	■
	CR-U220DC2L		■ E244330	■	■		■	■	■	■	■	■
	CR-U220DC3		■ E244330	■	■		■	■	■	■	■	■
	CR-U220DC3L		■ E244330	■	■		■	■	■	■	■	■
	CR-U230AC2		■ E244330	■	■		■	■	■	■	■	■
	CR-U230AC2L		■ E244330	■	■		■	■	■	■	■	■
	CR-U230AC3		■ E244330	■	■		■	■	■	■	■	■
	CR-U230AC3L		■ E244330	■	■		■	■	■	■	■	■
	CR-U2S	■ E244328		■			■				■	■
	CR-U2SM	■ E244328		■			■				■	■
	CR-U3E	■ E244328		■			■				■	■
	CR-U3S	■ E244328		■			■				■	■
	CR-U3SM	■ E244328		■			■				■	■
R600 optocouplers	OBIC0100-115-230V	■ E352056		■	■		■		■		■	■
	OBIC0100-24VDC	■ E352056		■	■		■		■		■	■
	OBIC0100-48-60VUC	■ E352056		■	■		■		■		■	■
	OBIC0100-5-12VDC	■ E352056		■	■		■		■		■	■
	OBOA1000-115VUC	■ E352056		■	■		■		■		■	■
	OBOA1000-230VUC	■ E352056		■	■		■		■		■	■
	OBOA1000-24VDC	■ E352056		■	■		■		■		■	■

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
R600 optocouplers	OBOA1000-48-60VUC	■ E352056		■	■		■		■		■	■
	OBOA2000-24VDC	■ E352056		■	■		■		■		■	■
	OBOC2000-115VUC	■ E352056		■	■		■		■		■	■
	OBOC2000-230VUC	■ E352056		■	■		■		■		■	■
	OBOC2000-24VDC	■ E352056		■	■		■		■		■	■
	OBOC2000-24VUC	■ E352056		■	■		■		■		■	■
	OBOC2000-48-60VUC	■ E352056	■	■	■		■		■		■	■
	OBOC2000-5-12VDC	■ E352056		■	■		■		■		■	■
	OBOC5000-115VUC	■ E352056		■	■		■		■		■	■
	OBOC5000-230VUC	■ E352056		■	■		■		■		■	■
	OBOC5000-24VDC	■ E352056		■	■		■		■		■	■
	OBRIC0100-115-230V	■ E352056		■	■		■		■		■	■
	OBRIC0100-24VDC	■ E352056		■	■		■		■		■	■
	OBRIC0100-48-60VUC	■ E352056		■	■		■		■		■	■
	OBRIC0100-5-12VDC	■ E352056		■	■		■		■		■	■
	OBROA1000-115VUC	■ E352056		■	■		■		■		■	■
	OBROA1000-230VUC	■ E352056		■	■		■		■		■	■
	OBROA1000-24VDC	■ E352056		■	■		■		■		■	■
	OBROA1000-48-60VUC	■ E352056		■	■		■		■		■	■
	OBROA2000-24VDC	■ E352056		■	■		■		■		■	■
OBROC2000-115VUC	■ E352056		■	■		■		■		■	■	
OBROC2000-230VUC	■ E352056		■	■		■		■		■	■	
OBROC2000-24VDC	■ E352056		■	■		■		■		■	■	
OBROC2000-24VUC	■ E352056		■	■		■		■		■	■	
OBROC2000-48-60VUC	■ E352056		■	■		■		■		■	■	

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
R600 optocouplers	OBROC2000-5-12VDC	■ E352056		■	■		■		■		■	■
	OBROC5000-115VUC	■ E352056		■	■		■		■		■	■
	OBROC5000-230VUC	■ E352056		■	■		■		■		■	■
R600 relays	OBROC5000-24VDC	■ E352056		■	■		■		■		■	■
	RB101R-24VUC	■ E352056		■	■		■		■		■	■
	RB111-115VUC	■ E352056		■	■		■		■		■	■
	RB111-230VUC	■ E352056		■	■		■		■		■	■
	RB111-24VUC	■ E352056		■	■		■		■		■	■
	RB111R-24VUC	■ E352056		■	■		■		■		■	■
	RB121-115VUC	■ E352056		■	■		■		■		■	■
	RB121-12VDC	■ E352056		■	■		■		■		■	■
	RB121-230VUC	■ E352056		■	■		■		■		■	■
	RB121-24VDC	■ E352056		■	■		■		■		■	■
	RB121-24VUC	■ E352056		■	■		■		■		■	■
	RB121-48-60VUC	■ E352056		■	■		■		■		■	■
	RB121-60-230VUC	■ E352056		■	■		■		■		■	■
	RB121G-115VUC	■ E352056		■	■		■		■		■	■
	RB121G-12VDC	■ E352056		■	■		■		■		■	■
	RB121G-230VUC	■ E352056		■	■		■		■		■	■
	RB121G-24VDC	■ E352056		■	■		■		■		■	■
	RB121G-24VUC	■ E352056		■	■		■		■		■	■
	RB121G-48-60VUC	■ E352056		■	■		■		■		■	■
	RB121P-12VDC	■ E352056		■	■		■		■		■	■
RB121P-5VDC	■ E352056		■	■		■		■		■	■	
RB121PG-5VDC	■ E352056		■	■		■		■		■	■	

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
R600 relays	RB121R-115VUC	■ E352056		■	■		■		■		■	■
	RB121R-230VUC	■ E352056		■	■		■		■		■	■
	RB122G-115VUC	■ E352056		■	■		■		■		■	■
	RB122G-230VUC	■ E352056		■	■		■		■		■	■
	RB122G-24VUC	■ E352056		■	■		■		■		■	■
	RB122G-48-60VUC	■ E352056		■	■		■		■		■	■
	RBR101R-24VUC	■ E352056		■	■		■		■		■	■
	RBR111-24VUC	■ E352056		■	■		■		■		■	■
	RBR111R-24VUC	■ E352056		■	■		■		■		■	■
	RBR121-115VUC	■ E352056		■	■		■		■		■	■
	RBR121-12VDC	■ E352056		■	■		■		■		■	■
	RBR121-230VUC	■ E352056		■	■		■		■		■	■
	RBR121-24VDC	■ E352056		■	■		■		■		■	■
	RBR121-24VUC	■ E352056		■	■		■		■		■	■
	RBR121-48-60VUC	■ E352056		■	■		■		■		■	■
	RBR121-60-230VUC	■ E352056		■	■		■		■		■	■
	RBR121G-115VUC	■ E352056		■	■		■		■		■	■
	RBR121G-12VDC	■ E352056		■	■		■		■		■	■
	RBR121G-230VUC	■ E352056		■	■		■		■		■	■
	RBR121G-24VDC	■ E352056		■	■		■		■		■	■
RBR121G-24VUC	■ E352056		■	■		■		■		■	■	
RBR121G-48-60VUC	■ E352056		■	■		■		■		■	■	
RBR121P-12VDC	■ E352056		■	■		■		■		■	■	
RBR121P-5VDC	■ E352056		■	■		■		■		■	■	
RBR121PG-5VDC	■ E352056		■	■		■		■		■	■	

Mark												
Abbreviation		cURus	UR	CSA	CCC	CQC	EAC	VDE	LR	RMRS	CE	UKCA
Approved in		North America	North America	Canada	China	China	Russia		Great Britain	Russia	Europe	United Kingdom
R600 relays	RBR121R-115VUC	■ E352056		■	■		■		■		■	■
	RBR121R-230VUC	■ E352056		■	■		■		■		■	■
	RBR122G-115VUC	■ E352056		■	■		■		■		■	■
	RBR122G-230VUC	■ E352056		■	■		■		■		■	■
	RBR122G-24VUC	■ E352056		■	■		■		■		■	■
	RBR122G-48-60VUC	■ E352056		■	■		■		■		■	■

Link to the files: [Download Center](#)

Additional information

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB AG does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB AG.