

# Stanilite®

## Platinum power supply unit remote Nexus®




Image indicative only

### Range

Platinum range

### Product group


Power supply unit



### Features

- Used in combination with weatherproof remote exit; exit mounted inside the freezer or coolroom and remote power supply mounted outside up to 10m away from the exit
- Low power consumption for reduced operation and maintenance costs
- Advanced charging technology combined with Lithium iron phosphate battery for long life and low maintenance
- Nexus® monitored, either cabled or wireless
- Includes 10m interconnection cable
- Weatherproof remote exit available in standard configuration. Refer to separate technical data sheets; PWQFFRLEDP-P, PWEXLEDREM-1P, PWEXLEDREM-2P, PWEXLEDREM-3P

Catalogue no.	Description
<b>Nexus products</b>	
PSNXSLED1W6P	Platinum power supply unit remote Nexus LX - for exit LED
PSNRFLED1W6P	Platinum power supply unit remote Nexus RF - for exit LED
<b>Spare parts</b>	
03-01301P	Battery LiFePO4 3.2V 3.2Ah



Dimensions		
Length	Width	Height
254mm	196mm	40mm
Weight		
Model	Weight	
Nexus LX/RF	1.8kg	
Construction		
Part	Construction	
Enclosure cover	White powder coated steel	
Power consumption		
Model	Power consumption	
Nexus LX/RF	3.2W	

Note:  
 - Designed to comply with AS2293 and meet relevant Australian EMC standards

---

ABB Australia Pty Limited  
Phone: 1800 60 20 20  
E-mail: AU-ABB-Stanilite@abb.com

**[www.stanilite.com.au](http://www.stanilite.com.au)**

---

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilisation of its contents – in whole or in parts – is forbidden without prior written consent of ABB.  
Copyright © 2020 ABB  
All rights reserved