

Certificate of Compliance

Certificate Number:

UL-US-L211945-13-
03604102-5

Report Reference:

E211945-20140630

Issue Date:

2024-10-09

Issued to:

**ABB OY Drives
HIOMOTIE 13
PO BOX 184 HELSINKI 00381
Finland**

This certificate confirms that representative samples of:
NMMS - Power Conversion Equipment

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 61800-5-1, 1st Ed., Issue Date: 2012-06-08, Revision Date:
2021-02-11**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L211945-13-03604102-5
Report reference E211945-20140630
Date 2024-10-09

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
ACH580, followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4, or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.	AC adjustable speed drives, open or enclosed Type 1 or Type 12, frame sizes R4 and R5
ACQ580, followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4, or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.	AC adjustable speed drives, open or enclosed Type 1 or Type 12, frame sizes R4 and R5
ACS580, followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4, or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.	AC adjustable speed drives, open or enclosed Type 1 or Type 12, frame sizes R4 and R5
AYK580, followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4, or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.	AC adjustable speed drives, open or enclosed Type 1 or Type 12, frame sizes R4 and R5



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L211945-43-
03604102-5

Report Reference:

E211945-20140630

Issue Date:

2024-10-09

Issued to:

**ABB OY Drives
HIOMOTIE 13
PO BOX 184 HELSINKI 00381
Finland**

This certificate confirms that representative samples of:

NMMS7 - Power Conversion Equipment Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 274, 2nd Ed., Issue Date: 2017-04-01

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L211945-43-03604102-5
Report reference E211945-20140630
Date 2024-10-09

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
ACH580, followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4, or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.	AC adjustable speed drives, open or enclosed Type 1 or Type 12, frame sizes R4 and R5
ACQ580, followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4, or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.	AC adjustable speed drives, open or enclosed Type 1 or Type 12, frame sizes R4 and R5
ACS580, followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4, or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.	AC adjustable speed drives, open or enclosed Type 1 or Type 12, frame sizes R4 and R5
AYK580, followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4, or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.	AC adjustable speed drives, open or enclosed Type 1 or Type 12, frame sizes R4 and R5



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.