

2CMT2024-006607

Subject: Inventory Hazardous Materials declaration

Västerås, June 20th, 2024

To whom it may concern

According to our current best knowledge and according to information received from suppliers, ABB provides following information concerning presence above threshold level of substances listed in table below for Contactors >100A and related accessories.

Substance		Threshold value	Present above threshold value? Yes / No
Asbestos		No threshold level	No
Polychlorinated biphenyls (PCBs)		No threshold level	No
Ozone depleting substances	Chlorofluorocarbons (CFCs)	No threshold level	No
	Halons		No
	Other fully halogenated CFCs		No
	Carbon Tetrachloride		No
	1,1,1-Trichloroethane (Methyl chloroform)		No
	Hydrochlorofluorocarbons		No
	Hydrobromofluorocarbons		No
	Methyl Bromide		No
Bromochloromethane			No
Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No
Cadmium and Cadmium Compounds		100 mg/kg	No

ABB ELECTRIFICATION SWEDEN AB MOTOR STARTING & SAFETY

2CMT2021-006277 REV.B

POSTAL ADDRESS:
MOTOR STARTING & SAFETY
721 61 VÄSTERÅS
SWEDEN

VISITOR ADDRESS:
MOTORGRÄND 20
VÄSTERÅS
SWEDEN

DELIVERY ADDRESS:
ABB ELECTRIFICATION SWEDEN AB
MOTORGRÄND 36, VÄSTERÅS
SWEDEN

TEL PHONE:
021-32 07 00
TELEFAX:
021-12 60 01

ORG. NO:
559198-4538

2023-08-24

Hexavalent Chromium and Hexavalent Chromium Compounds	1,000 mg/kg	No
Lead and Lead Compounds	1,000 mg/kg	Yes *
Mercury and Mercury Compounds	1,000 mg/kg	No
Polybrominated Biphenyl (PBBs)	50 mg/kg	No
Polybrominated Diphenyl Ethers (PBDEs)	1,000 mg/kg	No
Polychlorinated Naphthalenes (more than 3 chlorine atoms, Cl ≥3)	50 mg/kg	No
Radioactive substances	No threshold level	No
Certain short chain chlorinated paraffins (Alkanes, C10-C13, chloro)	1%	No
Perfluorooctane sulfonic acid (PFOS)	No threshold level	No
Brominated Flame Retardant (HBCDD)	No threshold level	No

* Lead is present in a concentration above threshold value in some electronic components and in some parts constituting contactors and related accessories; all applications are covered by RoHS exemptions. Estimated quantity inside each unit is < 0,01 kg.

Reference documents considered are:

- MEPC.269(68) – Guidelines for the development of the Inventory of Hazardous Materials
- Regulation (EU) No 1257/2013 – Regulation (EU) No 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and Amending Regulation (EC) No 1013/2006 and Directive 2009/16/EC
- EMSA IHM Guidance – EMSA's Best Practice Guidance on the Inventory of Hazardous Materials

ABB Smart Power
Motor Starting & Safety
Procurement & Logistics Manager

ABB Smart Power
Motor Starting & Safety
R&D Manager

Max Lönn

Krister Linnarud

ABB ELECTRIFICATION SWEDEN AB MOTOR STARTING & SAFETY

2CMT2021-006277 REV.B

POSTAL ADDRESS:
MOTOR STARTING & SAFETY
721 61 VÄSTERÅS
SWEDEN

VISITOR ADDRESS:
MOTORGRÄND 20
VÄSTERÅS
SWEDEN

DELIVERY ADDRESS:
ABB ELECTRIFICATION SWEDEN AB
MOTORGRÄND 36, VÄSTERÅS
SWEDEN

TEL PHONE:
021-32 07 00
TELEFAX:
021-12 60 01

ORG. NO:
559198-4538

2023-08-24



ABB ELECTRIFICATION SWEDEN AB MOTOR STARTING & SAFETY

2CMT2021-006277 REV.B

POSTAL ADDRESS:
MOTOR STARTING & SAFETY
721 61 VÄSTERÅS
SWEDEN

VISITOR ADDRESS:
MOTORGRÄND 20
VÄSTERÅS
SWEDEN

DELIVERY ADDRESS:
ABB ELECTRIFICATION SWEDEN AB
MOTORGRÄND 36, VÄSTERÅS
SWEDEN

TEL PHONE:
021-32 07 00
TELEFAX:
021-12 60 01

ORG. NO:
559198-4538

2023-08-24