

Doc. no. 1SAA93503

Rev. ind. 1

Date 2002-03-04

From Karl-Peter Tschuschke

Dept. DESTO/LN3
Phone +49 6221 701-463
Fax +49 6221 701-547

E-mail karl-peter.tschuschke@de.abb.com

Environmental Information

The purpose of this document is to provide environmental information requested in the procedure for Industrial ^{IT} Enabled level 0.

Product name	Residual Current Breaker with
	Overload Protection
	RCBO F272/ P274 In 0,03A
ABB Identity number	GHF 272 xxxxR2xxx
	GHF 274 xxxxR2xxx
Information provided by	Karl - Peter Tschuschke
(Name and e-mail address)	karl-peter.tschuschke@de.abb.com
Business area	Low Voltage Products – ATLV
Date	March 2002

1 Related documents

Industrial IT Architecture - Introduction and Definitions, 3BSE023904

Industrial ^{IT} Certification Overview, 3BSE023905

Industrial IT Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

Doc. no. 1SAA935-....

Rev. ind.

Date 2002-03-04

2 Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit Optional (1)
Lead	Cables, solder points	✓		A few solder points (<5)
Cadmium	Batteries, switches, additive in lead		✓	
Mercury	Batteries, switches		✓	
Beryllium	Contact springs		✓	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		√	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		✓	
SF6, sulphurhexafluoride	Breakers		✓	
Polyvinyl chloride, PVC	Cables		✓	

⁽¹⁾ Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1Printed circuit boards

Specify the amount of printed circuit boards used in the product by declaring the total board surface:

 \checkmark < 1 dm²

 \Box 1-10 dm²

 \Box > 10 dm²

No printed circuit boards used in the product

Doc. no.	1SAA935
Rev. ind.	

Date 2002-03-04

\sim				4.
·	$D \triangle C$	ıclına	intori	mation
∠ .∠	1756	CIIIIU	шион	mation
	,	•	•	

Is recycling information for the product available?				
	Yes	Ref. Document:		
✓	No			

If No, please specify, in the table below, the component/part/physical position where the material is present:

Material	Component/part/physical position
Lead	SMD wire terminals
Cadmium	
Mercury	
Beryllium	
Brominated flame retardants	
HCFCs	
SF6, sulphurhexafluoride	
Polyvinyl chloride, PVC	

2.3 Energy use and/or losses during the operation of the product

Is energy use and/or losses during operation of the product specified in the product documentation?

✓	Yes	Ref. Document: Product data sheet

□ No

■ Not relevant