

# Stanilite®

## Platinum exit LED edgelit surface mount



Catalogue no.	Description
<b>EM products</b>	
PLSLEDP	Platinum exit LED edgelit surface mount pictograph
<b>Accessories</b>	
PLSLEDCLKIT	Cantilever mounting kit
PLSLEDWMKIT	Wall mounting kit
<b>Spare parts</b>	
03-01304P	Battery LiFePO4 3.2V 1.5Ah

### Range

Platinum range

### Product group

Exit LED edgelit



### Features

- High emergency classification
- LED technology 100,000 hours plus lamp life
- Low power consumption and LED light source for reduced operation and maintenance costs
- Advanced charging technology combined with Lithium iron phosphate battery for long life and low maintenance
- Architecturally pleasing slim line design
- One-box solution, overall light weight and snap n' clip mechanism allows for quick and easy installation
- Surface mounted - suitable for ceilings where a recessed fitting is not feasible
- Includes all pictograph diffuser options
- Wall and cantilever mounting kit options available



Dimensions			
	Length	Width	Height (incl. bracket)
	375.5mm	79mm	220mm
Weight			
	Model	Weight	
	EM	2.1kg	
Construction			
	Part	Construction	
	Visible housing	White powder coated zinc steel	
	Diffuser	Polycarbonate	
	Non-visible housing	Plastic	

<b>Light source</b>			
	<b>Model</b>	<b>Light source</b>	
	EM	Multiple LED 0.7W	

  

<b>Power consumption</b>			
	<b>Model</b>	<b>Power consumption</b>	
	EM	2.4W	

Note: Preliminary results

  

<b>Photometrics</b>			
	<b>Model</b>	<b>Class</b>	<b>Classification</b>
	EM	C0	D3.2
		C90	E2

Note: Preliminary results

Note:

- Designed to comply with AS2293 and meet relevant Australian EMC standards