



# EC DECLARATION OF CONFORMITY

(supplier's name) We ABB SACE S.p.A

(address) VIALE VICENZA, 61

36063 - MAROSTICA (VI)

declare under our sole responsibility that the product : \_\_\_\_\_

FEEDER AND CABLE TRUNKINGS - 03 SERIES

(name,type or model,lot,batch or serial number,possibility sources and numbers of items)

ARTICLES : IN ATTACHED

to which this declaration relates is in conformity with the following standard(s) or other  
normative/documents CEI 23-32

RELEASE FROM IMQ INSTITUTE BY D.A.T. N° ED370

(title and/or number and date of issue of the standard(s) or other normative document(s))

following the provisions of the Directive(s) 73/23 CEE MODIFIED BY 93/68 CEE

MAROSTICA, 11/03/2002

(Place and date of issue)

02

(last two digits of the year in which the mark was affixed)

ABB SACE S.p.A  
TECHNICAL MANAGER  
ENZO RIZZI


(seal, name and signature of authorized person)

Mod. 379 - 12/94 - 900

1SLT000002D00

# Feeder and cable trunkings

## Feeder and cable trunkings



Article	Dimensions W (mm)	Colour	Pack-metres
---------	-------------------	--------	-------------

### Feeder trunkings IP40

#### H 40

43 002	40 [IMQ]	White	60
43 003	60 [IMQ]	White	40
43 004	80 [IMQ]	White	32
43 005	100 [IMQ]	White	24
43 006	120 [IMQ]	White	20
03 042	40 [IMQ]	Grey	60
03 043	60 [IMQ]	Grey	40
03 044	80 [IMQ]	Grey	32
03 045	100 [IMQ]	Grey	24
03 046	120 [IMQ]	Grey	20

#### H 60

43 013	60 [IMQ]	White	32
43 014	80 [IMQ]	White	24
43 015	100 [IMQ]	White	18
43 016	120 [IMQ]	White	14
43 017	150 [IMQ]	White	12
43 018	200 [IMQ]	White	8
03 053	60 [IMQ]	Grey	32
03 054	80 [IMQ]	Grey	24
03 055	100 [IMQ]	Grey	18
03 056	120 [IMQ]	Grey	14
03 057	150 [IMQ]	Grey	12
03 058	200 [IMQ]	Grey	8

#### H 80

43 025	100 [IMQ]	White	16
43 026	120 [IMQ]	White	12
43 027	150 [IMQ]	White	8
43 028	200 [IMQ]	White	8
03 065	100 [IMQ]	Grey	16
03 066	120 [IMQ]	Grey	12
03 067	150 [IMQ]	Grey	8
03 068	200 [IMQ]	Grey	8

# Feeder and cable trunkings

## Feeder and cable trunkings



Article	Dimensions W (mm)	Colour	Pack-metres
---------	-------------------	--------	-------------

### Cable trunkings IP40

#### H 40

43 085*	100 [IMQ]	White	24
43 086*	120 [IMQ]	White	20
03 115*	100 [IMQ]	Grey	24
03 116*	120 [IMQ]	Grey	20

#### H 60

43 095*	100 [IMQ]	White	18
43 096*	120 [IMQ]	White	14
43 097*	150 [IMQ]	White	12
43 098*	200 [IMQ]	White	8
03 125*	100 [IMQ]	Grey	18
03 126*	120 [IMQ]	Grey	14
03 127*	150 [IMQ]	Grey	12
03 128*	200 [IMQ]	Grey	8

#### H 80

43 105*	150 [IMQ]	White	8
43 106*	200 [IMQ]	White	8
03 137*	150 [IMQ]	Grey	8
03 138*	200 [IMQ]	Grey	8

\* Each 2-metre bar comes complete with 3 cable retainers

# Feeder and cable trunkings

## Feeder and cable trunkings



Article	Trunking dimensions WxH (mm)	Colour	Unit/pack-pieces
<b>Flat 90° corner, IP40</b>			
43 152	40x40 [IMQ]	White	10/120
43 153	60x40 [IMQ]	White	10/60
43 154	80x40 [IMQ]	White	10/30
43 155	100x40 [IMQ]	White	1/40
43 156	120x40 [IMQ]	White	1/30
43 163	60x60 [IMQ]	White	10/40
43 164	80x60 [IMQ]	White	10/20
43 165	100x60 [IMQ]	White	1/20
43 166	120x60 [IMQ]	White	1/20
43 167	150x60 [IMQ]	White	1/12
43 168	200x60 [IMQ]	White	1/8
43 175	100x80 [IMQ]	White	10/20
43 176	120x80 [IMQ]	White	1/10
43 177	150x80 [IMQ]	White	1/9
43 178	200x80 [IMQ]	White	1/6
03 192	40x40 [IMQ]	Grey	10/120
03 193	60x40 [IMQ]	Grey	10/60
03 194	80x40 [IMQ]	Grey	10/30
03 195	100x40 [IMQ]	Grey	1/40
03 196	120x40 [IMQ]	Grey	1/30
03 203	60x60 [IMQ]	Grey	10/40
03 204	80x60 [IMQ]	Grey	10/20
03 205	100x60 [IMQ]	Grey	1/20
03 206	120x60 [IMQ]	Grey	1/20
03 207	150x60 [IMQ]	Grey	1/12
03 208	200x60 [IMQ]	Grey	1/8
03 215	100x80 [IMQ]	Grey	10/20
03 216	120x80 [IMQ]	Grey	1/10
03 217	150x80 [IMQ]	Grey	1/9
03 218	200x80 [IMQ]	Grey	1/6

# Feeder and cable trunkings

## Feeder and cable trunkings



FLCP9005

Article	Trunking dimensions WxH (mm)	Colour	Unit/pack-pieces
---------	------------------------------	--------	------------------

### Internal corner IP40

43 232	40x40 [IMQ]	White	10/60
43 233	60x40 [IMQ]	White	10/60
43 234	80x40 [IMQ]	White	10/60
43 235	100x40 [IMQ]	White	10/30
43 236	120x40 [IMQ]	White	10/30
43 243	60x60 [IMQ]	White	10/40
43 244	80x60 [IMQ]	White	10/30
43 245	100x60 [IMQ]	White	10/30
43 246	120x60 [IMQ]	White	10/20
43 247	150x60 [IMQ]	White	1/8
43 248	200x60 [IMQ]	White	1/6
43 255	100x80 [IMQ]	White	10/20
43 256	120x80 [IMQ]	White	10/20
43 257	150x80 [IMQ]	White	1/6
43 258	200x80 [IMQ]	White	1/4
03 272	40x40 [IMQ]	Grey	10/60
03 273	60x40 [IMQ]	Grey	10/60
03 274	80x40 [IMQ]	Grey	10/60
03 275	100x40 [IMQ]	Grey	10/30
03 276	120x40 [IMQ]	Grey	10/30
03 283	60x60 [IMQ]	Grey	10/40
03 284	80x60 [IMQ]	Grey	10/30
03 285	100x60 [IMQ]	Grey	10/30
03 286	120x60 [IMQ]	Grey	10/20
03 287	150x60 [IMQ]	Grey	1/8
03 288	200x60 [IMQ]	Grey	1/6
03 295	100x80 [IMQ]	Grey	10/20
03 296	120x80 [IMQ]	Grey	10/20
03 297	150x80 [IMQ]	Grey	1/6
03 298	200x80 [IMQ]	Grey	1/4

# Feeder and cable trunkings

## Feeder and cable trunkings



FLCP9086

Article	Trunking dimensions WxH (mm)	Colour	Unit/pack-pieces
<b>External corner IP40</b>			
43 312	40x40 [IMQ]	White	10/60
43 313	60x40 [IMQ]	White	10/40
43 314	80x40 [IMQ]	White	10/30
43 315	100x40 [IMQ]	White	8/16
43 316	120x40 [IMQ]	White	8/16
43 323	60x60 [IMQ]	White	10/40
43 324	80x60 [IMQ]	White	10/30
43 325	100x60 [IMQ]	White	8/16
43 326	120x60 [IMQ]	White	8/16
43 327	150x60 [IMQ]	White	1/6
43 328	200x60 [IMQ]	White	1/6
43 335	100x80 [IMQ]	White	8/16
43 336	120x80 [IMQ]	White	8/16
43 337	150x80 [IMQ]	White	1/6
43 338	200x80 [IMQ]	White	1/4
03 352	40x40 [IMQ]	Grey	10/60
03 353	60x40 [IMQ]	Grey	10/40
03 354	80x40 [IMQ]	Grey	10/30
03 355	100x40 [IMQ]	Grey	8/16
03 356	120x40 [IMQ]	Grey	8/16
03 363	60x60 [IMQ]	Grey	10/40
03 364	80x60 [IMQ]	Grey	10/30
03 365	100x60 [IMQ]	Grey	8/16
03 366	120x60 [IMQ]	Grey	8/16
03 367	150x60 [IMQ]	Grey	1/6
03 368	200x60 [IMQ]	Grey	1/6
03 375	100x80 [IMQ]	Grey	8/16
03 376	120x80 [IMQ]	Grey	8/16
03 377	150x80 [IMQ]	Grey	1/6
03 378	200x80 [IMQ]	Grey	1/4

# Feeder and cable trunkings

## Feeder and cable trunkings



FLCPI067

Article	Trunking dimensions WxH (mm)	Colour	Unit/pack-pieces
---------	------------------------------	--------	------------------

### End cap IP40

43 392	40x40 [IMQ]	White	20
43 393	60x40 [IMQ]	White	20
43 394	80x40 [IMQ]	White	20
43 395	100x40 [IMQ]	White	20
43 396	120x40 [IMQ]	White	20
43 403	60x60 [IMQ]	White	20
43 404	80x60 [IMQ]	White	20
43 405	100x60 [IMQ]	White	20
43 406	120x60 [IMQ]	White	20
43 407	150x60 [IMQ]	White	20
43 408	200x60 [IMQ]	White	20
43 415	100x80 [IMQ]	White	20
43 416	120x80 [IMQ]	White	20
43 417	150x80 [IMQ]	White	20
43 418	200x80 [IMQ]	White	20
03 432	40x40 [IMQ]	Grey	20
03 433	60x40 [IMQ]	Grey	20
03 434	80x40 [IMQ]	Grey	20
03 435	100x40 [IMQ]	Grey	20
03 436	120x40 [IMQ]	Grey	20
03 443	60x60 [IMQ]	Grey	20
03 444	80x60 [IMQ]	Grey	20
03 445	100x60 [IMQ]	Grey	20
03 446	120x60 [IMQ]	Grey	20
03 447	150x60 [IMQ]	Grey	20
03 448	200x60 [IMQ]	Grey	20
03 455	100x80 [IMQ]	Grey	20
03 456	120x80 [IMQ]	Grey	20
03 457	150x80 [IMQ]	Grey	20
03 458	200x80 [IMQ]	Grey	20

Article	Trunking base (mm)	Colour	Unit/pack-pieces
---------	--------------------	--------	------------------

### Joint cover


43 552	40 [IMQ]	White	20
43 553	60 [IMQ]	White	20
43 554	80 [IMQ]	White	20
43 555	100 [IMQ]	White	20
43 556	120 [IMQ]	White	20
43 565	150 [IMQ]	White	20
43 566	200 [IMQ]	White	20
03 572	40 [IMQ]	Grey	20
03 573	60 [IMQ]	Grey	20
03 574	80 [IMQ]	Grey	20
03 575	100 [IMQ]	Grey	20
03 576	120 [IMQ]	Grey	20
03 585	150 [IMQ]	Grey	20
03 586	200 [IMQ]	Grey	20



FLCPI068

# Feeder and cable trunkings

## Accessories for feeder and cable trunkings



Article	Trunking dimensions WxH (mm)	Colour	Unit/pack-pieces
---------	------------------------------	--------	------------------

### Tee

43 475	40/100 x 40/60 [IMQ]	White	20
43 488	40/200 x 40/60 [IMQ]	White	10
43 498	40/200 x 40/60/80 [IMQ]	White	10
03 515	40/100 x 40/60 [IMQ]	Grey	20
03 528	40/200 x 40/60 [IMQ]	Grey	10
03 538	40/200 x 40/60/80 [IMQ]	Grey	10

### Junction box\*

43 681	40/100 x 40/60 [IMQ]	White	1/10
03 682	120/200 x 40/80 [IMQ]	White	1/4
03 686	40/100 x 40/60 [IMQ]	Grey	1/10
03 687	120/200 x 40/80 [IMQ]	Grey	1/4

### Switch-socket box interaxis 83.5 mm\*

#### For H 60/80

03 724	Trunking base 80+200 [IMQ]	Grey	1/20
--------	----------------------------	------	------

### Switch-socket box interaxis 60 mm\*

#### For H 60/80

03 726	Trunking base 80+200 [IMQ]	Grey	1/30
--------	----------------------------	------	------

### Box for telephone sockets\*

#### For H 60/80

03 730	Trunking base 80+200 [IMQ]	Grey	1/20
--------	----------------------------	------	------

### Box for IEC plugs\*

#### For on H 60/80

03 734	Trunking base 150/200 [IMQ]	Grey	1/30
--------	-----------------------------	------	------


\* Switch-socket floor boxes and telephone socket boxes must be installed at a minimum height of 175 mm from the axis at which the socket is inserted at floor level, in compliance with CEI 64-8 Standard



# Feeder and cable trunkings

## Accessories for feeder and cable trunkings

3



Article	Trunking base (mm)	Colour	Unit/pack-pieces
---------	--------------------	--------	------------------

### Equipment support

03 720	80+200 [IMQ]	Grey	1/120
--------	--------------	------	-------

### Equipment support retainer

03 711	100 [IMQ]	Grey	20
03 712	120 [IMQ]	Grey	20
03 713	150 [IMQ]	Grey	20

### Separator 2000 mm length

43 630	trunking height 40 [IMQ]	White	metres 100
43 631	trunking height 60 [IMQ]	White	metres 108

### MCBs enclosure (WxH)

43 691	40/100x40/60 [IMQ]	White	1/10
43 692	120/200x40/80 [IMQ]	White	1/9
03 696	40/100x40/60 [IMQ]	Grey	1/10
03 697	120/200x40/80 [IMQ]	Grey	1/9

Article	Trunking base (mm)	Colour	Unit/pack-pieces
---------	--------------------	--------	------------------

### Plate for boxes interaxis 83.5 mm

43 744	80 [IMQ]	White	20
43 745	100 [IMQ]	White	15
43 746	120 [IMQ]	White	15
43 747	150 [IMQ]	White	15
43 748	200 [IMQ]	White	10
03 754	80 [IMQ]	Grey	20
03 755	100 [IMQ]	Grey	15
03 756	120 [IMQ]	Grey	15
03 757	150 [IMQ]	Grey	15
03 758	200 [IMQ]	Grey	10

### Plate for telephone boxes interaxis 60 mm

43 764	80 [IMQ]	White	20
43 765	100 [IMQ]	White	15
43 766	120 [IMQ]	White	15
43 767	150 [IMQ]	White	15
43 768	200 [IMQ]	White	10
03 774	80 [IMQ]	Grey	20
03 775	100 [IMQ]	Grey	15
03 776	120 [IMQ]	Grey	15
03 777	150 [IMQ]	Grey	15
03 778	200 [IMQ]	Grey	10

# Feeder and cable trunkings

## Accessories for feeder and cable trunkings



Article	Trunking base (mm)	Colour	Unit/pack-pieces
---------	--------------------	--------	------------------

### Plate for 16 A CEE plugs

43 784	80 [IMQ]	White	20
43 785	100 [IMQ]	White	15
43 786	120 [IMQ]	White	15
43 787	150 [IMQ]	White	15
43 788	200 [IMQ]	White	10
03 794	80 [IMQ]	Grey	20
03 795	100 [IMQ]	Grey	15
03 796	120 [IMQ]	Grey	15
03 797	150 [IMQ]	Grey	15
03 798	200 [IMQ]	Grey	10

### Plate for 16/32 A CEE plugs

43 806	120 [IMQ]	White	15
43 807	150 [IMQ]	White	15
43 808	200 [IMQ]	White	10
03 816	120 [IMQ]	Grey	15
03 817	150 [IMQ]	Grey	15
03 818	200 [IMQ]	Grey	10

### Plate for 32 A CEE plugs

43 826	120 [IMQ]	White	15
43 827	150 [IMQ]	White	15
43 828	200 [IMQ]	White	10
03 836	120 [IMQ]	Grey	15
03 837	150 [IMQ]	Grey	15
03 838	200 [IMQ]	Grey	10

### Plate for MCBs (6 DIN modules)

43 846	120 [IMQ]	White	10
43 847	150 [IMQ]	White	10
43 848	200 [IMQ]	White	10
03 856	120 [IMQ]	Grey	10
03 857	150 [IMQ]	Grey	10
03 858	200 [IMQ]	Grey	10

Article	Trunking base (mm)	No. of installable separators	Colour	Unit/pack-pieces
---------	--------------------	-------------------------------	--------	------------------

### Fixing element (for feeder trunking)

03 653	60	2	Grey	20
03 654	80	2	Grey	20
03 655	100	2	Grey	20
03 656	120	4	Grey	20
03 657	150	4	Grey	20

# Feeder and cable trunkings

## Accessories for feeder and cable trunkings

3



Article	Trunking base (mm)	Colour	Unit/pack-pieces
---------	--------------------	--------	------------------

### Cable retainers

#### For cable trunkings

Using one of these every 0.5 metres means that the cover can be removed only by using a special tool.

03 665	100 [IMQ]	Grey	20
03 666	120 [IMQ]	Grey	20
03 667	150 [IMQ]	Grey	20
03 668	200 [IMQ]	Grey	20

Article	Trunking dimensions WxH (mm)	Colour	Unit/pack-pieces
---------	------------------------------	--------	------------------

### Collar cable retainers

03 675	100x60 [IMQ]	Grey	10/120
03 676	120x60 [IMQ]	Grey	10/120
03 678	100x80 [IMQ]	Grey	10/120
03 679	120x80 [IMQ]	Grey	10/60

Article	For base cover (mm)	Colour	Unit/pack-pieces
---------	---------------------	--------	------------------

### Stiffener

#### For feeder trunkings

Using one of these every 0.5 metres means that the cover can be removed only by using a special tool.

03 642	40 [IMQ]	Galvanised	20
03 643	60 [IMQ]	Galvanised	20
03 644	80 [IMQ]	Galvanised	20
03 645	100 [IMQ]	Galvanised	20
03 646	120 [IMQ]	Galvanised	20
03 647	150 [IMQ]	Galvanised	20
03 648	200 [IMQ]	Galvanised	20

# Feeder and cable trunkings

## Accessories for feeder and cable trunkings



Article	Trunking height (mm)	Colour	Unit/pack-pieces
---------	----------------------	--------	------------------

### Flat joint for trunkings

43 622	40 [IMQ]	White	20
43 623	60 [IMQ]	White	20
43 624	80 [IMQ]	White	20
03 626	40 [IMQ]	Grey	20
03 627	60 [IMQ]	Grey	20
03 628	80 [IMQ]	Grey	20

### Straight joint

03 871	60/80 [IMQ]	Grey	10
--------	-------------	------	----

### Adjustable joint

03 873	60/80 [IMQ]	Grey	10
--------	-------------	------	----

### Wall bracket

03 865	40/100 [IMQ]	Grey	20/80
03 867	120/200 [IMQ]	Grey	1/20