

CERTIFICATE OF COMPLIANCE

Certificate Number E2403
Report Reference E2403-20210510
Issue Date 2022-SEPTEMBER-12

Issued to: ABB Industrial Connections and Solutions, LLC
45 Griffin Road S
Bloomfield, CT 06002 United States

This certificate confirms that representative samples of Auxiliary Devices
See Addendum Page(s) for Models/Product

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-1, 5th Ed., Issue Date: 2013-07-31, Revision Date: 2019-05-06, UL 60947-5-1, 3rd Ed., Issue Date: 2014-03-28
CSA C22.2 NO. 60947-5-1-14, 1st Ed., Issue Date: 2014-03-01

Additional Information: See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Conformity Assessment Director
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E2403
Report Reference E2403-20210510
Issue Date 2022-SEPTEMBER-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Contact Blocks:

Model(s) A3X followed by -C, followed by -01, -01L, -1EL, -10, -10E, -11, -11R.

Pushbutton Operators, non-illuminated:

Model(s) A3PB followed by 4, 6, M or N, followed by 1, followed by 4 or 6, followed by 0, followed by 0, followed by B, C, G, L, M, N, R, W, Y, 6, 8, T, or 7, followed by 00, 01, 01L, 10, 10E, 11, 11EL, 1EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Pushbutton Operators:

Model(s) A3PB followed by E, F, G, or N, followed by 1, followed by 4 or 6, followed by 0, followed by 0, followed by B, C, G, L, M, N, R, W, Y, 8 or 7, followed by 00, 01, 01L, 10, 10E, 11, 11EL, 1EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Push-Pull Mushroom Head Operators, illuminated:

Model(s) A3PP followed by 4, 6, M, or N, followed by 2, 3, or 4, followed by 4 or 6, followed by 0, followed by 0, followed by B, C, G, L, M, N, R, W, Y, 6, 8, T or 7, followed by 00, 01, 01L, 10, 10E, 11, 1EL, 11EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Push Button/Push-to test Operators, illuminated:

Model(s) A3PL, followed by 4, 6, M, or N, followed by 1, followed by 4 or 6, followed by C, S, N or L, followed by 1, 2, 4, 5, 6, 7, 8, 9, B, L or U, followed by B, C, G, L, M, N, R, W, 6, 7, 8, T, 2, 3 or Y, followed by 00, 01, 01L, 1EL, 10, 10E, 11, 11EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Push-Pull Mushroom Head Operators, illuminated:

Model(s) A3PP followed by 4, 6, M, or N, followed by 2, 3, or 4, followed by 4 or 6, followed by C, S, N or L, followed by 1, 2, 4, 5, 6, 7, 8, 9, B, L or U, followed by 2, 3, B, C, G, L, M, N, R, W, Y, T, 6, 8 or 7, followed by 00, 01, 01L, 1EL, 10, 10E, 11, 11EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Twist-to-release Operators, non-illuminated:

Model(s) A3PT followed by 4 or N, followed by R, followed by 4 or 6, followed by 0, followed by 0, followed by G, N, R, or Y, followed by 00, 01, 01L, 1EL, 10, 10E, 11, 11EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Twist-to-release Operators, illuminated:

Model(s) A3PT followed by 4 or N, followed by R, followed by 4 or 6, followed by C, S, N or L, followed by 1, 2, 4, 5, 6, 7, 8, 9, B, L, or U, followed by G, N, R, or M, followed by 00, 01, 01L, 1EL, 10, 10E, 11, 11EL, 22, 33, 44 or followed by up to 4 letters or numbers.

(Continued on Next Page)



Bruce Mahrenholz, Conformity Assessment Director
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E2403
Report Reference E2403-20210510
Issue Date 2022-SEPTEMBER-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Push Button/Push-to test Operators, illuminated:

Model(s) A3PL followed by E, F or G, followed by 1, followed by 4 or 6, followed by C, S, L, or N, followed by 0, 1, 2, 4, 5, 6, 7, 8, 9, B, L, or U, followed by B, C, G, L, M, N, R, W, Y or 7, followed by 00, 01, 01L, 10, 1EL, 10E, 11, 11EL, 22, 33, 44 or followed by up to 4 letters.

Pilot Lights:

Model(s) A3L followed by 4 or 5, followed by AA, followed by 4 or 6, followed by C, S, L, or N, followed by 0, 1, 2, 4, 5, 6, 7, 8, 9, B, L, or U, followed by C, G, L, M, N, R, 7, W or followed by up to 4 letters or numbers.

Selector Switches:

Model(s) A3S followed by L or S, followed by A, B, C, D, E, G, or H, followed by A, B, C, or D, followed by 4 or 6, followed by AA, followed by B, G, L, M, N, R, C, 6, or 8, followed by 00, 01, 01L, 1EL, 10, 10E, 11, 11EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Selector Switches, illuminated:

Model(s) A3S followed by S, followed by A, B, C, followed by A, followed by 4 or 6, followed by C, L, or S, followed by 1, 2, 4-9, B, L, U or A, followed by C, G, L, M, N, R, followed by 00, 01, 01L, 10, 10E, 11, 1EL, 11EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Keyed Selector Switches:

Model(s) A3SK followed by A, B, C, D, E, G, or H, followed by E, F, G, H, J, K, M, T, U, V, W, X, Y or Z, followed by 6, followed by AA, followed by 0, 1, 6, 7, 8, or 9, followed by 00, 01, 01L, 1EL, 10, 10E, 11, 11EL, 22, 33, 44 or followed by up to 4 letters or numbers.

Pilot light modules:

Model(s) A3X followed by M or S followed by L, C, S, or N, followed by B, 1, 2, 4, 5, 6, 7, 8, 9, L, or U, followed by G, L, N, R, W, Y or followed by up to 4 letters or numbers.

Accessories:

Model(s) A3X followed by L, G, B, followed by suffix letters and numbers; may be followed by combination of single or double letters and numbers. |



Bruce Mahrenholz, Conformity Assessment Director
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>

