


SPECIFICATION SHEET

ABB Welcome™

M251021C Camera module

M251021C




Wide angle camera for video outdoor station configuration. It can also be mechanically adjusted. The camera module is equipped with an anti-fog device to ensure image clarity.

Key features

- Video color camera with large detection angle (H 86°, V 67°, D 104°) and is manually and mechanically adjustable (H ± 15°, V ± 15°).
- Built-in infrared lighting ensures a clear picture at night and also allows stealth surveillance from video indoor station.
- Anti-fog design with built-in heater ensures clear image.
- Option to connect one additional analog camera for surveillance.
- Conforms to PAL and NTSC standards.

Functions

1. Connector for additional analog camera
2. Connector for audio module
3. Jumper for setting the video format: PAL/NTSC
4. Adjust the camera view area



Specifications

Operating temperature	-40 °F to + 158 °F
Ingress protection	IP54
Bus voltage	20-30 VDC (From system controller or system component configured as local power supply through audio module)
Product dimensions	2.83" x 3.82" x 1.61"

ABB Inc.
Electrification Products
860 Ridge Lake Boulevard
Memphis, TN 38120
www.abb.com/door-entry-system-us

electrification.us.abb.com

USA Technical Support: 888-862-3289
7:00 a.m. to 5:00 p.m., CST, Monday - Friday
eppc.support@us.abb.com

USA Technical Support: 888-862-3289
7:00 a.m. to 5:00 p.m., CST, Monday - Friday
eppc.support@us.abb.com

We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB Inc. does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction, disclosure to third parties or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB Inc.
© 2021 ABB All rights reserved.