

PRODUCT LEAD TIME UPDATE



600 A deadbreak elbow connectors K655BLR and K656BLR



—
01

—
02

ABB continues to make manufacturing investments that result in reduced lead times for Elastimold® 15/25 kV rated 600 A deadbreak elbow connectors. For the most current lead times, please consult your local sales representative or visit T&B Access.

—
01 K655BLR
without test point
—
02 K656BLR
with test point

K655BLR and K656BLR 600 A deadbreak elbow connectors

- Fully rated 15/25 kV, 600 amp deadbreak elbows
- Available without test point (K655BLR) or with test point (K656BLR)
- Fully shielded, fully submersible molded rubber housing
- 100% peroxide-cured construction includes insulation and conductive EPDM materials

- Can be easily connected or disconnected using standard hand tools and equipment in a de-energized state
- Optional accessories allow visible external separation, by-pass, isolation, dead-ending, grounding and testing as well as adding taps, surge arrestors and fault current indicators



—
01

—
02

—
US
ABB Installation Products Inc.
Electrification business

electrification.us.abb.com
tnb.abb.com

—
We reserve the right to make technical changes or modify the contents of this document without prior notice. With regard to purchase orders, the agreed particulars shall prevail. ABB Installation Products Inc. does not accept any responsibility whatsoever for potential errors or possible lack of information in this document.

—
We reserve all rights in this document and in the subject matter and illustrations contained therein. Any reproduction or utilization of its contents – in whole or in parts – is forbidden without prior written consent of ABB Installation Products Inc. © 2020 ABB Installation Products Inc. and/or its related companies. All rights reserved