


(7) Holes for .50 NPT CORD Connector (.875" / 2.22 cm)

6490 Flow Computer, RTU


NOTES:

1. WARNING: This drawing does not illustrate completely the installation methods required for hazardous locations. Prior to any installation in a Classified Hazardous Location, verify installation methods by the Control Drawing referenced on the product's name tag and national and local codes.



REF:2100182, 2100551

 TOTALFLOW Products	ACTION	DOC TYPE	TITLE	DWG NO.	REV	SHEET
	21019	UD	XRC ^{G4} ENCLOSURE MEASUREMENTS	2103677	AA	1 OF 5




(3) Holes for .50 NPT Cord Connector (.875" / 2.22 cm)

(2) Holes for .75 NPT Cord Connector (1.06" / 2.692 cm)

6790 Flow Computer, RTU


NOTES:

1. **WARNING:** This drawing does not illustrate completely the installation methods required for hazardous locations. Prior to any installation in a Classified Hazardous Location, verify installation methods by the Control Drawing referenced on the product's name tag and national and local codes.




REF: 2100155-023

ABB	TOTALFLOW Products	ACTION	DOC TYPE	TITLE	DWG NO.	REV	SHEET
		21019	UD	XRC ^{G4} ENCLOSURE MEASUREMENTS	2103677	AA	2 OF 5



(2) Holes for .50 NPT Cord Connector (.875" / 2.22 cm)



6890 Flow Computer, RTU

NOTES:

1. WARNING: This drawing does not illustrate completely the installation methods required for hazardous locations. Prior to any installation in a Classified Hazardous Location, verify installation methods by the Control Drawing referenced on the product's name tag and national and local codes.


REF: 2100552-001

 TOTALFLOW Products	ACTION	DOC TYPE	TITLE	DWG NO.	REV	SHEET
	21019	UD	XRC ^{G4} ENCLOSURE MEASUREMENTS	2103677	AA	3 OF 5

6990 Rack Mount (Dual XRC Unit shown)


NOTES:

1. **WARNING:** This drawing does not illustrate completely the installation methods required for hazardous locations. Prior to any installation in a Classified Hazardous Location, verify installation methods by the Control Drawing referenced on the product's name tag and national and local codes.




REF: 2102435, 2102238, 2102239

ABB	TOTALFLOW Products	ACTION	DOC TYPE	TITLE	DWG NO.	REV	SHEET
		21019	UD	XRC ^{G4} ENCLOSURE MEASUREMENTS	2103677	AA	4 OF 5



(4) Holes for .50 NPT CORD Connector (.875" / 2.22 cm)



LMC710 LevelMaster

NOTES:

1. WARNING: This drawing does not illustrate completely the installation methods required for hazardous locations. Prior to any installation in a Classified Hazardous Location, verify installation methods by the Control Drawing referenced on the product's name tag and national and local codes.

REF: 2100934-002, 2100919

 TOTALFLOW Products	ACTION	DOC TYPE	TITLE	DWG NO.	REV	SHEET
	21019	UD	XRC ^{G4} ENCLOSURE MEASUREMENTS	2103677	AA	5 OF 5