

DATA ACT (EU REGULATION 2023/2854) , 09.07.2025

Information notice

ABB-free@home system +

ABBflexTronics+ free@home NEXT App

If you are interested in the provision of an ABB Related Service this information notice (“**Notice**”) provides you with information according to the Data Act (EU Regulation 2023/2854)¹.

All terms in this Notice shall have the same meaning as in the Data Act.

Should you require additional information beyond what is provided in this Notice, please do not hesitate to contact us at eu-data-act@abb.com

Details on the Connected Product

When ABB provides you for the free@home system, ABB obtains or may obtain Product Data from the free@home System Access Point

Your Connected Product	See Table 1
Nature of Product Data ABB obtains	For a reference of possible data generated local in the system to operate see: https://developer.eu.mybuildings.abb.com/fah_cloud/reference/functionids https://developer.eu.mybuildings.abb.com/fah_cloud/references/pairingids
Format of Product Data ABB obtains	N/A all data is only stored and processed for and by the customer (end user), not for ABB
Estimated volume of Product Data ABB obtains	N/A
Collection frequency of Product Data ABB obtains [to be included “where relevant”:]	N/A

¹ Regulation (EU) 2023/2854 of the European Parliament and of the Council on harmonised rules on fair access to and use of data (Data Act) those terms shall have the same meaning as in that Union legislation.

Information on how to access and retrieve Product Data ABB obtains	The data can be only made accessible by ABB when the system and components are connected to ABB myBuildings /my-Busch-Jaeger Platform. Otherwise ABB is not data holder. Data can be requested via eu-data-act@abb.com .
Storage place of Product Data ABB obtains	On device and optional cloud when the user connects to services described below, see attached table
Intended duration of retention of Product Data ABB obtains	We process and store your personal data as long as this is necessary for the aforementioned processing purposes, unless you object to the use of your personal data, providing there is a legitimate interest forming the legal basis for its processing (Art. 6 (1) (f)) GDPR), or until you withdraw your consent that was granted according to Art. 6 (1) (a) GDPR (Art. 7 (2) (3) of the German Act against Unfair Competition (UWG)). In relation to the processing purposes mentioned in this data protection information, we process and store your personal data as long as this is necessary to provide you with the portal services and software solutions and consequently to fulfil our contractual and legal obligations with respect to the terms of use agreed upon between you and us, and other contracts relating to the services of the myBuildings portal and myBuildings apps as well as building automation products. In the above sections on data processing, we have given you additional information on the duration of the particular data processing. Your personal data will be deleted as soon as the purposes of processing described above no longer apply. Beyond the achievement of this purpose, your personal data can nevertheless be stored as far as we are obliged do so due to associated legal regulations. In this case, the processing of your personal data is restricted and it will be deleted after the respective legal obligation (e.g. commercial and tax storage obligations) has ceased to apply or has been fulfilled.
How ABB uses Product Data	ABB has no access or is using this data if the solution is used locally and without related services. If system is connected to myBuildings /my-Busch-Jaeger platform and related services data is used to provide the functionality of the solution.
How ABB discloses Product Data	Via corresponding app or portal.
Are trade secrets contained in the data accessible from the Connected Product?	No trade secrets are made accessible.

Information regarding the Related Service provided by ABB

When ABB provides you with additional services via free@home NEXT app or Mybuildings / myBusch-Jaeger platform, Related Service Data will be generated when you use the Related Service.

Related Service	Remote control, remote maintenance via Pro-Service Portal
Data Holder for Related Service Data	Busch-Jaeger Elektro GmbH (ABB AG Mannheim)
Information on other data processing entities	See table 3
Information on how to access and retrieve Related Service Data	Access to the data is not possible directly. If data is requested / required, please send an enquiry to eu-data-act@abb.com
Information on how to request sharing of Related Service Data with a third party	The request how to share related service data with a third party is not directly possible. Please send a request to eu-data-act@abb.com
Nature of Related Service Data	See attached table 2
Estimated volume of Related Service Data	N/A
Storage place of Related Service Data	ABB myBuildings platform (Microsoft Azure Infrastructure)
Intended duration of retention of Related Service Data	For the time of active service use
How ABB intends to use Related Service Data	Data is only disclosed to the user, not used by ABB or its partners. The data is only used to provide the functions and services associated with the product
How ABB intends to disclose Related Service Data	N/A
Are trade secrets contained in the data generated during the provision of the Related Service?	No
Intended duration of provision of Related Service	For the time of active service use.

Each EU Member State has designated one or more competent authorities to be responsible for the application and enforcement of the Data Act. Without prejudice to any other administrative or judicial remedy, you may lodge a complaint with the relevant competent authority in the EU Member State of your habitual residence, place of work or establishment if you consider that your rights under the Data Act have been infringed.

Information regarding the Related Service provided by ABB

When ABB provides you with 3rd party Integrations via myBuildings / myBusch-Jaeger Cloud connector, Related Service Data will be generated when you use the Related Service.

Related Service	Alexa Voice Control, Google Home, Ledvance, Miele, HomeConnect
Data Holder for Related Service Data	N/A – no data is stored for this service
Information on other data processing entities	Amazon (voice control) Google Home (voice control)
Information on how to access and retrieve Related Service Data	No related service data are available on ABB side. Data is only processed to third party to ensure the 3 rd party service functionality.
Information on how to request sharing of Related Service Data with a third party	No related service data are available at ABB. Please send a request to the corresponding third party service provide.
Nature of Related Service Data	N/A
Estimated volume of Related Service Data	N/A
Storage place of Related Service Data	N/A
Intended duration of retention of Related Service Data	N/A
How ABB intends to use Related Service Data	N/A
How ABB intends to disclose Related Service Data	N/A
Are trade secrets contained in the data generated during the provision of the Related Service?	no
Intended duration of provision of Related Service	N/A

Each EU Member State has designated one or more competent authorities to be responsible for the application and enforcement of the Data Act. Without prejudice to any other administrative or judicial remedy, you may lodge a complaint with the relevant competent authority in the EU Member State of your habitual residence, place of work or establishment if you consider that your rights under the Data Act have been infringed.

Table 1

Devices

Product ID	Extended Product Type	Material Short Description EN	Device Type
2CKA006220A0388	6228	Weather Station	Field device
2CKA006220A0012	1574562	Sensor/Switch act. 1/1g	Field device
2CKA006220A0013	1574593	Sensor/Switch act. 2/1g	Field device
2CKA006220A0014	1574594	Sensor/Switch act. 2/2g	Field device
2CKA006220A0015	1574927	Sensor/Dim actuator 1/1g	Field device
2CKA006220A0016	1574958	Sensor/Dim actuator 2/1g	Field device
2CKA006220A0017	1575293	Sensor/Blind actuator 1/1g	Field device
2CKA006220A0018	1575324	Sensor/Blind actuator 2/1g	Field device
2CKA006220A0031	6200 AP	System Access Point, 230V	Internet Facing / System device
2CKA006200A0071	6200 AP-101	WL-SysAP	Internet Facing / System device
2CKA006200A0047	6212/1.1-WL	WL-Sensor/Dim act. 1/1g	Field device
2CKA006220A0115	6215/1.1-212	Mov. detector/actuator 1g	Field device
2CKA006200A0057	6215/1.1-212-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0116	6215/1.1-214	Mov. detector/actuator 1g	Field device
2CKA006200A0058	6215/1.1-214-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0445	6215/1.1-803	Mov. detector/actuator 1g	Field device
2CKA006200A0059	6215/1.1-803-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0110	6215/1.1-81	Mov. detector/actuator 1g	Field device
2CKA006200A0053	6215/1.1-81-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0411	6215/1.1-82	Mov. detector/actuator 1g	Field device

2CKA006200A0054	6215/1.1-82-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0111	6215/1.1-83	Mov. detector/actuator 1g	Field device
2CKA006220A0112	6215/1.1-84	Mov. detector/actuator 1g	Field device
2CKA006200A0056	6215/1.1-84-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0428	6215/1.1-866	Mov. detector/actuator 1g	Field device
2CKA006200A0061	6215/1.1-866-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0496	6215/1.1-884	Mov. detector/actuator 1g	Field device
2CKA006200A0062	6215/1.1-884-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0513	6215/1.1-885	Mov. detector/actuator 1g	Field device
2CKA006200A0063	6215/1.1-885-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0370	6215/1.1-914	Mov. detector/actuator 1g	Field device
2CKA006200A0065	6215/1.1-914-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0002	6221/1.0	Sensor Unit 1gang	Field device
2CKA006220A0003	6221/2.0	Sensor Unit 2gang	Field device
2CKA006200A0067	6222/1 AP-64-WL	Windowcontact Handle	Field device
2CKA006200A0069	6222/1 AP-65-WL	Windowcontact Handle	Field device
2CKA006200A0141	6222/1 AP-66-WL	WL-Window Sensor	Field device
2CKA006200A0068	6222/2 AP-64-WL	Windowcontact Magnet	Field device
2CKA006200A0070	6222/2 AP-65-WL	Windowcontact Magnet	Field device
2CKA006220A0010	6224/2.0	Room thermostat	Field device
2CKA006200A0051	6224/2.0-WL	WL-Room thermostat	Field device
2CKA006200A0052	6224/2.1-WL	WL-Room thermostat/act.	Field device
2CKA006220A0113	6225/1.0-212	Movement detector	Field device
2CKA006220A0114	6225/1.0-214	Movement detector	Field device
2CKA006220A0107	6225/1.0-81	Movement detector	Field device

2CKA006220A0410	6225/1.0-82	Movement detector	Field device
2CKA006220A0108	6225/1.0-83	Movement detector	Field device
2CKA006220A0109	6225/1.0-84	Movement detector	Field device
2CKA006220A0427	6225/1.0-866	Movement detector	Field device
2CKA006220A0495	6225/1.0-884	Movement detector	Field device
2CKA006220A0512	6225/1.0-885	Movement detector	Field device
2CKA006220A0369	6225/1.0-914	Movement detector	Field device
2CKA006220A0906	6225/1.0-916-510	Movement detector for ABBfree@home®	Field device
2CKA006220A0004	6241/2.0 U	Binary Input, 2-fold, FM, BJE	Field device
2CKA006220A0006	6241/4.0	Binary Input, 4f, 230V, BJE	Field device
2CKA006220A0005	6241/4.0 U	Binary Input, 4-fold, FM, BJE	Field device
2CKA006220A0023	6251/0.4	Switch Actuator, 4f, 16A, BJE	Field device
2CKA006200A0857	6251/28-131-WL	Busch-Watchdog 280° WL	Field device
2CKA006200A0858	6251/28-131-WL-500	Busch-Watchdog 280° WL	Field device
2CKA006200A0859	6251/28-133-WL	Busch-Watchdog 280° WL	Field device
2CKA006200A0860	6251/28-133-WL-500	Busch-Watchdog 280° WL	Field device
2CKA006200A0861	6251/28-134-WL	Busch-Watchdog 280° WL	Field device
2CKA006200A0862	6251/28-134-WL-500	Busch-Watchdog 280° WL	Field device
2CKA006200A0863	6251/28-135-WL	Busch-Watchdog 280° WL	Field device
2CKA006200A0864	6251/28-135-WL-500	Busch-Watchdog 280° WL	Field device
2CKA006200A0865	6251/28-136-WL	Busch-Watchdog 280° WL	Field device
2CKA006200A0866	6251/28-136-WL-500	Busch-Watchdog 280° WL	Field device

2CKA006220A0024	6251/8.8	Switch Actuator, 8f, 6A, BJE	Field device
2CKA006220A0029	6253/0.4	Blind Actuator, 4f, 230V, BJE	Field device
2CKA006220A0026	6254/0.12	Heating Act., 12f, 230V, BJE	Field device
2CKA006220A0025	6254/0.6	Heating Actuator, 6f, 230V, BJE	Field device
2CKA006220A0027	6255/2.3	Fan Coil Actor, PWM, MDRC, BJE	Field device
2CKA006200A0131	6256/1-WL	WL-Rad. Thermostat, Basic	Field device
2CKA006200A0969	6257-WL	Smart Radiator Thermostat	Field device
2CKA006200A0280	62711-WL	Control element flex,1g,WL	Field device
2CKA006200A0281	62711-WL-500	Control element flex,1g,WL	Field device
2CKA006710A0046	62721 U-WL	Smart Switch, SF, WL	Field device
2CKA006710A0048	62721 U-WL-500	Smart Switch, SF, WL	Field device
2CKA006710A0044	62721/01 U-WL	Smart Switch, BSI, WL	Field device
2CKA006710A0052	62721/01 U-WL-500	Smart Switch, BSI, WL	Field device
2CKA006710A0047	62721/10 U-WL	Smart Switch, SF, WL, x10	Field device
2CKA006710A0049	62721/10 U-WL-500	Smart Switch, SF, WL, x10	Field device
2CKA006710A0045	62721/11 U-WL	Smart Switch, BSI, WL, x10	Field device
2CKA006710A0053	62721/11 U-WL-500	Smart Switch, BSI, WL, x10	Field device
2CKA006200A0282	62721-WL	Control element flex,2g,WL	Field device
2CKA006200A0283	62721-WL-500	Control element flex,2g,WL	Field device
2CKA006200A0287	62731/UJ-214-WL	Blind flex, Set, WL	Field device
2CKA006200A0284	62731/UJ-84-WL	Blind flex, Set, WL	Field device
2CKA006200A0285	62731/UJ-84-WL-500	Blind flex, Set, WL	Field device
2CKA006200A0286	62731/UJ-914-WL	Blind flex, Set, WL	Field device
2CKA006200A0946	62731/UJ-915-WL	Blind flex, Set, WL	Field device

2CKA006200A0877	62762 UC-84-WL-510	WD 180 flex set,comf,WL,Impres.semi com.	Field device
2CKA006200A0878	62762 UC-884-WL-510	WD 180 flex set,comf,WL,Impres.semi com.	Field device
2CKA006200A0879	62762 UC-885-WL-510	WD 180 flex set,comf,WL,Impres.semi com.	Field device
2CKA006200A0884	62762 UC-916-WL-510	WD 180 flex set,comf,WL,Saga,semi compl.	Field device
2CKA006200A0191	62762 UJ-214-WL	WD 180 flex set comfort WL	Field device
2CKA006200A0195	62762 UJ-84-WL	WD 180 flex set comfort WL	Field device
2CKA006200A0196	62762 UJ-84-WL-500	WD 180 flex set comfort WL	Field device
2CKA006200A0194	62762 UJ-914-WL	WD 180 flex set comfort WL	Field device
2CKA006200A0947	62762 UJ-915-WL	WD 180 flex set comfort WL	Field device
2CKA006200A0160	62762-212-WL	WD 180 flex comf. sens. WL	Field device
2CKA006200A0162	62762-214-WL	WD 180 flex comf. sens. WL	Field device
2CKA006200A0163	62762-214-WL-510	WD 180 flex comf. sens. WL	Field device
2CKA006200A0184	62762-304G-WL-508	WD 180 flex comf. sens. WL	Field device
2CKA006200A0183	62762-304-WL-508	WD 180 flex comf. sens. WL	Field device
2CKA006200A0185	62762-305-WL-508	WD 180 flex comf. sens. WL	Field device
2CKA006200A0298	62762-44G-WL	WD 180 flex comf. sens. WL	Field device
2CKA006200A0302	62762-44G-WL-500	WD 180 flex comf. sens. WL	Field device
2CKA006200A0299	62762-44M-WL	WD 180 flex comf. sens. WL	Field device
2CKA006200A0303	62762-44M-WL-500	WD 180 flex comf. sens. WL	Field device
2CKA006200A0301	62762-45M-WL	WD 180 flex comf. sens. WL	Field device
2CKA006200A0305	62762-45M-WL-500	WD 180 flex comf. sens. WL	Field device
2CKA006200A0173	62762-803-WL	WD 180 flex comf. sens. WL	Field device

2CKA006200A0174	62762-803-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0165	62762-81-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0166	62762-81-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0167	62762-82-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0168	62762-82-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0169	62762-83-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0170	62762-83-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0179	62762-840-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0171	62762-84-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0172	62762-84-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0180	62762-866-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0181	62762-866-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0175	62762-884-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0176	62762-884-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0177	62762-885-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0178	62762-885-WL-500	WD 180 flex conf. sens. WL	Field device
2CKA006200A0164	62762-914-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0948	62762-915-WL	WD 180 flex conf. sens. WL	Field device
2CKA006200A0855	62762-916-WL-510	WD 180 flex, conf. Sen. W. mul.-lens, wl	Field device
2CKA006200A0186	62762-92-WL-507	WD 180 flex conf. sens. WL	Field device
2CKA006200A0188	62762-94-WL-507	WD 180 flex conf. sens. WL	Field device
2CKA006200A0189	62762-95-WL-507	WD 180 flex conf. sens. WL	Field device
2CKA006200A0190	62762-96-WL-507	WD 180 flex conf. sens. WL	Field device
2CKA006200A0886	62762A-A62762 B	WD 180 flex conf. sens. WL	Field device
2CKA006200A0887	62762A-A62762 C	WD 180 flex conf. sens. WL	Field device

2CKA006200A0889	62762A-A62762 D	WD 180 flex comf. sens. WL	Field device
2CKA006200A0890	62762A-A62762 H	WD 180 flex comf. sens. WL	Field device
2CKA006200A0891	62762A-A62762 N	WD 180 flex comf. sens. WL	Field device
2CKA006200A0893	62762A-A62762 R2	WD 180 flex comf. sens. WL	Field device
2CKA006200A0888	62762A-A62762 S	WD 180 flex comf. sens. WL	Field device
2CKA006200A0892	62762A-A62762 S2	WD 180 flex comf. sens. WL	Field device
2CKA006200A0902	62762H-A62762 03	WD 180 flex comf. sens. WL	Field device
2CKA006200A0903	62762H-A62762 16	WD 180 flex comf. sens. WL	Field device
2CKA006200A0904	62762H-A62762 18	WD 180 flex comf. sens. WL	Field device
2CKA006200A0905	62762H-A62762 63	WD 180 flex comf. sens. WL	Field device
2CKA006200A0906	62762H-A62762 68	WD 180 flex comf. sens. WL	Field device
2CKA006200A0907	62762H-A62762 69	WD 180 flex comf. sens. WL	Field device
2CKA006200A0908	62762H-A62762 70	WD 180 flex comf. sens. WL	Field device
2CKA006200A0922	62762T-A62762 237	WD 180 flex comf. sens. WL	Field device
2CKA006200A0917	62762T-A62762 240	WD 180 flex comf. sens. WL	Field device
2CKA006200A0918	62762T-A62762 241	WD 180 flex comf. sens. WL	Field device
2CKA006200A0919	62762T-A62762 242	WD 180 flex comf. sens. WL	Field device
2CKA006200A0920	62762T-A62762 243	WD 180 flex comf. sens. WL	Field device
2CKA006200A0921	62762T-A62762 244	WD 180 flex comf. sens. WL	Field device
2CKA006200A0916	62762T-A62762 500	WD 180 flex comf. sens. WL	Field device
2CKA006200A0880	62764 UC-84-WL-510	WD 180 flex set,multi,WL,Impres.semi com	Field device
2CKA006200A0881	62764 UC-884-WL-510	WD 180 flex set,multi,WL,Impres.semi com	Field device
2CKA006200A0882	62764 UC-885-WL-510	WD 180 flex set,multi,WL,Impres.semi com	Field device

2CKA006200A0885	62764 UC-916-WL-510	WD 180 flex set,multi WL,Saga,semi compl	Field device
2CKA006200A0259	62764 UJ-214-WL	WD 180 flex set, multi, WL	Field device
2CKA006200A0263	62764 UJ-84-WL	WD 180 flex set, multi, WL	Field device
2CKA006200A0264	62764 UJ-84-WL-500	WD 180 flex set, multi, WL	Field device
2CKA006200A0262	62764 UJ-914-WL	WD 180 flex set, multi, WL	Field device
2CKA006200A0949	62764 UJ-915-WL	WD 180 flex set, multi, WL	Field device
2CKA006200A0228	62764-212-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0230	62764-214-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0231	62764-214-WL-510	WD 180 flex multi sens. WL	Field device
2CKA006200A0252	62764-304G-WL-508	WD 180 flex multi sens. WL	Field device
2CKA006200A0251	62764-304-WL-508	WD 180 flex multi sens. WL	Field device
2CKA006200A0253	62764-305-WL-508	WD 180 flex multi sens. WL	Field device
2CKA006200A0307	62764-44G-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0311	62764-44G-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0308	62764-44M-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0312	62764-44M-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0310	62764-45M-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0314	62764-45M-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0241	62764-803-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0242	62764-803-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0233	62764-81-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0234	62764-81-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0235	62764-82-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0236	62764-82-WL-500	WD 180 flex multi sens. WL	Field device

2CKA006200A0237	62764-83-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0238	62764-83-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0247	62764-840-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0239	62764-84-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0240	62764-84-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0248	62764-866-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0249	62764-866-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0243	62764-884-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0244	62764-884-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0245	62764-885-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0246	62764-885-WL-500	WD 180 flex multi sens. WL	Field device
2CKA006200A0232	62764-914-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0950	62764-915-WL	WD 180 flex multi sens. WL	Field device
2CKA006200A0856	62764-916-WL-510	WD 180 flex, conf. Sen. W. mul.-lens, wl	Field device
2CKA006200A0254	62764-92-WL-507	WD 180 flex multi sens. WL	Field device
2CKA006200A0255	62764-93-WL-507	WD 180 flex multi sens. WL	Field device
2CKA006200A0256	62764-94-WL-507	WD 180 flex multi sens. WL	Field device
2CKA006200A0257	62764-95-WL-507	WD 180 flex multi sens. WL	Field device
2CKA006200A0258	62764-96-WL-507	WD 180 flex multi sens. WL	Field device
2CKA006200A0894	62764A-A62764 B	WD 180 flex multi sens. WL	Field device
2CKA006200A0895	62764A-A62764 C	WD 180 flex multi sens. WL	Field device
2CKA006200A0897	62764A-A62764 D	WD 180 flex multi sens. WL	Field device
2CKA006200A0898	62764A-A62764 H	WD 180 flex multi sens. WL	Field device
2CKA006200A0899	62764A-A62764 N	WD 180 flex multi sens. WL	Field device
2CKA006200A0901	62764A-A62764 R2	WD 180 flex multi sens. WL	Field device

2CKA006200A0896	62764A-A62764 S	WD 180 flex multi sens. WL	Field device
2CKA006200A0900	62764A-A62764 S2	WD 180 flex multi sens. WL	Field device
2CKA006200A0909	62764H-A62764 03	WD 180 flex multi sens. WL	Field device
2CKA006200A0910	62764H-A62764 16	WD 180 flex multi sens. WL	Field device
2CKA006200A0911	62764H-A62764 18	WD 180 flex multi sens. WL	Field device
2CKA006200A0912	62764H-A62764 63	WD 180 flex multi sens. WL	Field device
2CKA006200A0913	62764H-A62764 68	WD 180 flex multi sens. WL	Field device
2CKA006200A0914	62764H-A62764 69	WD 180 flex multi sens. WL	Field device
2CKA006200A0915	62764H-A62764 70	WD 180 flex multi sens. WL	Field device
2CKA006200A0929	62764T-A62764 237	WD 180 flex multi sens. WL	Field device
2CKA006200A0924	62764T-A62764 240	WD 180 flex multi sens. WL	Field device
2CKA006200A0925	62764T-A62764 241	WD 180 flex multi sens. WL	Field device
2CKA006200A0926	62764T-A62764 242	WD 180 flex multi sens. WL	Field device
2CKA006200A0927	62764T-A62764 243	WD 180 flex multi sens. WL	Field device
2CKA006200A0928	62764T-A62764 244	WD 180 flex multi sens. WL	Field device
2CKA006200A0923	62764T-A62764 500	WD 180 flex multi sens. WL	Field device
2CKA006710A0032	62811 U-WL	Switch Actuator 1gang, FM, WL	Field device
2CKA006710A0034	62811 U-WL-500	Switch Actuator 1gang, FM, WL	Field device
2CKA006710A0033	62811/10 U-WL	Switch Actuator 1gang, FM, WL, x10	Field device
2CKA006710A0035	62811/10 U-WL-500	Switch Actuator 1gang, FM, WL, x10	Field device
2CKA006710A0040	62831 U-WL	Blind Actuator 1gang, FM, WL	Field device
2CKA006710A0041	62831 U-WL-500	Blind Actuator 1gang, FM, WL	Field device
2CKA006800A3114	62841 U-WL	Room thermostat	Field device
2CKA006800A3115	62841 U-WL-500	Room thermostat	Field device
2CKA006800A3116	62842 U-WL	Room thermostat	Field device

2CKA006800A3117	62842 U-WL-500	Room thermostat	Field device
2CKA006800A3118	62843 U-WL	Room thermostat	Field device
2CKA006800A3119	62843 U-WL-500	Room thermostat	Field device
2CKA006200A0873	62851 UC-214-WL-510	Control Element	Field device
2CKA006200A0874	62851 UC-84-WL-510	Control Element	Field device
2CKA006200A0875	62851 UC-884-WL-510	Control Element	Field device
2CKA006200A0876	62851 UC-885-WL-510	Control Element	Field device
2CKA006200A0883	62851 UC-916-WL-510	LED dim.flex, set, WL, Saga, semi compl.	Field device
2CKA006200A0290	62851 UJ-214-WL	LED-Dimmer flex, Set, WL	Field device
2CKA006200A0294	62851 UJ-84-WL	LED-Dimmer flex, Set, WL	Field device
2CKA006200A0295	62851 UJ-84-WL-500	LED-Dimmer flex, Set, WL	Field device
2CKA006200A0293	62851 UJ-914-WL	LED-Dimmer flex, Set, WL	Field device
2CKA006200A0951	62851 UJ-915-WL	LED-Dimmer flex, Set, WL	Field device
2CKA006710A0036	62851 U-WL	Dimming Actuator 1gang, FM, WL	Field device
2CKA006710A0038	62851 U-WL-500	Dimming Actuator 1gang, FM, WL	Field device
2CKA006710A0037	62851/10 U-WL	Dimming Actuator 1gang, FM, WL, x10	Field device
2CKA006710A0039	62851/10 U-WL-500	Dimming Actuator 1gang, FM, WL, x10	Field device
2CKA006710A0042	62870/6.0 U-WL	Binary Input 6gang, FM, WL	Field device
2CKA006710A0043	62870/6.0 U-WL-500	Binary Input 6gang, FM, WL	Field device

2CKA006800A2915	64761-212	WD 180 flex, basic sensor	Field device
2CKA006800A2917	64761-214	WD 180 flex, basic sensor	Field device
2CKA006800A3120	64761-44G	WD 180 flex, basic sensor	Field device
2CKA006800A3121	64761-44M	WD 180 flex, basic sensor	Field device
2CKA006800A3123	64761-45M	WD 180 flex, basic sensor	Field device
2CKA006800A2920	64761-81	WD 180 flex, basic sensor	Field device
2CKA006800A2921	64761-81-500	WD 180 flex, basic sensor	Field device
2CKA006800A2924	64761-83	WD 180 flex, basic sensor	Field device
2CKA006800A2925	64761-83-500	WD 180 flex, basic sensor	Field device
2CKA006800A2926	64761-84	WD 180 flex, basic sensor	Field device
2CKA006800A2927	64761-84-500	WD 180 flex, basic sensor	Field device
2CKA006800A2935	64761-866	WD 180 flex, basic sensor	Field device
2CKA006800A2936	64761-866-500	WD 180 flex, basic sensor	Field device
2CKA006800A2930	64761-884	WD 180 flex, basic sensor	Field device
2CKA006800A2931	64761-884-500	WD 180 flex, basic sensor	Field device
2CKA006800A2932	64761-885	WD 180 flex, basic sensor	Field device
2CKA006800A2933	64761-885-500	WD 180 flex, basic sensor	Field device
2CKA006800A2919	64761-914	WD 180 flex, basic sensor	Field device
2CKA006800A3227	64761-915	WD 180 flex, basic sensor	Field device
2CKA006800A3162	64761A-A64761 B	WD 180 flex, basic sensor	Field device
2CKA006800A3163	64761A-A64761 C	WD 180 flex, basic sensor	Field device
2CKA006800A3165	64761A-A64761 D	WD 180 flex, basic sensor	Field device
2CKA006800A3166	64761A-A64761 H	WD 180 flex, basic sensor	Field device
2CKA006800A3167	64761A-A64761 N	WD 180 flex, basic sensor	Field device
2CKA006800A3169	64761A-A64761 R2	WD 180 flex, basic sensor	Field device

2CKA006800A3164	64761A-A64761 S	WD 180 flex, basic sensor	Field device
2CKA006800A3168	64761A-A64761 S2	WD 180 flex, basic sensor	Field device
2CKA006800A3178	64761H-A64761 03	WD 180 flex, basic sensor	Field device
2CKA006800A3179	64761H-A64761 16	WD 180 flex, basic sensor	Field device
2CKA006800A3180	64761H-A64761 17	WD 180 flex, basic sensor	Field device
2CKA006800A3181	64761H-A64761 18	WD 180 flex, basic sensor	Field device
2CKA006800A3186	64761H-A64761 63	WD 180 flex, basic sensor	Field device
2CKA006800A3182	64761H-A64761 64	WD 180 flex, basic sensor	Field device
2CKA006800A3183	64761H-A64761 65	WD 180 flex, basic sensor	Field device
2CKA006800A3184	64761H-A64761 66	WD 180 flex, basic sensor	Field device
2CKA006800A3185	64761H-A64761 67	WD 180 flex, basic sensor	Field device
2CKA006800A3187	64761H-A64761 68	WD 180 flex, basic sensor	Field device
2CKA006800A3188	64761H-A64761 69	WD 180 flex, basic sensor	Field device
2CKA006800A3189	64761H-A64761 70	WD 180 flex, basic sensor	Field device
2CKA006800A3208	64761T-A64761 237	WD 180 flex, basic sensor	Field device
2CKA006800A3203	64761T-A64761 240	WD 180 flex, basic sensor	Field device
2CKA006800A3204	64761T-A64761 241	WD 180 flex, basic sensor	Field device
2CKA006800A3205	64761T-A64761 242	WD 180 flex, basic sensor	Field device
2CKA006800A3206	64761T-A64761 243	WD 180 flex, basic sensor	Field device
2CKA006800A3207	64761T-A64761 244	WD 180 flex, basic sensor	Field device
2CKA006800A3202	64761T-A64761 500	WD 180 flex, basic sensor	Field device
2CKA006800A2988	64762 UJ-84-500	WD 180 flex, set, comfort	Field device
2CKA006800A2952	64762-212	WD 180 flex comfort sensor	Field device
2CKA006800A2954	64762-214	WD 180 flex comfort sensor	Field device
2CKA006800A3128	64762-44G	WD 180 flex comfort sensor	Field device

2CKA006800A3129	64762-44M	WD 180 flex comfort sensor	Field device
2CKA006800A3131	64762-45M	WD 180 flex comfort sensor	Field device
2CKA006800A2957	64762-81	WD 180 flex comfort sensor	Field device
2CKA006800A2961	64762-83	WD 180 flex comfort sensor	Field device
2CKA006800A2963	64762-84	WD 180 flex comfort sensor	Field device
2CKA006800A2972	64762-866	WD 180 flex comfort sensor	Field device
2CKA006800A2967	64762-884	WD 180 flex comfort sensor	Field device
2CKA006800A2969	64762-885	WD 180 flex comfort sensor	Field device
2CKA006800A2956	64762-914	WD 180 flex comfort sensor	Field device
2CKA006800A3229	64762-915	WD 180 flex comfort sensor	Field device
2CKA006800A2989	64764-212	WD 180 flex, multi sensor	Field device
2CKA006800A2991	64764-214	WD 180 flex, multi sensor	Field device
2CKA006800A3136	64764-44G	WD 180 flex, multi sensor	Field device
2CKA006800A3137	64764-44M	WD 180 flex, multi sensor	Field device
2CKA006800A3139	64764-45M	WD 180 flex, multi sensor	Field device
2CKA006800A2994	64764-81	WD 180 flex, multi sensor	Field device
2CKA006800A2998	64764-83	WD 180 flex, multi sensor	Field device
2CKA006800A3000	64764-84	WD 180 flex, multi sensor	Field device
2CKA006800A3009	64764-866	WD 180 flex, multi sensor	Field device
2CKA006800A3004	64764-884	WD 180 flex, multi sensor	Field device
2CKA006800A3006	64764-885	WD 180 flex, multi sensor	Field device
2CKA006800A2993	64764-914	WD 180 flex, multi sensor	Field device
2CKA006800A3231	64764-915	WD 180 flex, multi sensor	Field device
2CKA006800A3190	64764H-A64764 03	WD 180 flex, multi sensor	Field device
2CKA006800A3191	64764H-A64764 16	WD 180 flex, multi sensor	Field device

2CKA006800A3192	64764H-A64764 17	WD 180 flex, multi sensor	Field device
2CKA006800A3193	64764H-A64764 18	WD 180 flex, multi sensor	Field device
2CKA006800A3198	64764H-A64764 63	WD 180 flex, multi sensor	Field device
2CKA006800A3194	64764H-A64764 64	WD 180 flex, multi sensor	Field device
2CKA006800A3195	64764H-A64764 65	WD 180 flex, multi sensor	Field device
2CKA006800A3196	64764H-A64764 66	WD 180 flex, multi sensor	Field device
2CKA006800A3197	64764H-A64764 67	WD 180 flex, multi sensor	Field device
2CKA006800A3199	64764H-A64764 68	WD 180 flex, multi sensor	Field device
2CKA006800A3200	64764H-A64764 69	WD 180 flex, multi sensor	Field device
2CKA006800A3201	64764H-A64764 70	WD 180 flex, multi sensor	Field device
2CKA006800A3215	64764T-A64764 237	WD 180 flex, multi sensor	Field device
2CKA006800A3210	64764T-A64764 240	WD 180 flex, multi sensor	Field device
2CKA006800A3211	64764T-A64764 241	WD 180 flex, multi sensor	Field device
2CKA006800A3212	64764T-A64764 242	WD 180 flex, multi sensor	Field device
2CKA006800A3213	64764T-A64764 243	WD 180 flex, multi sensor	Field device
2CKA006800A3214	64764T-A64764 244	WD 180 flex, multi sensor	Field device
2CKA006800A3209	64764T-A64764 500	WD 180 flex, multi sensor	Field device
2CKA006800A2877	64765-212	Comfort switch flex sensor	Field device
2CKA006800A2879	64765-214	Comfort switch flex sensor	Field device
2CKA006800A3144	64765-44G	Comfort switch flex sensor	Field device
2CKA006800A3145	64765-44M	Comfort switch flex sensor	Field device
2CKA006800A3147	64765-45M	Comfort switch flex sensor	Field device
2CKA006800A2882	64765-81	Comfort switch flex sensor	Field device
2CKA006800A2886	64765-83	Comfort switch flex sensor	Field device
2CKA006800A2888	64765-84	Comfort switch flex sensor	Field device

2CKA006800A2897	64765-866	Comfort switch flex sensor	Field device
2CKA006800A2892	64765-884	Comfort switch flex sensor	Field device
2CKA006800A2894	64765-885	Comfort switch flex sensor	Field device
2CKA006800A2881	64765-914	Comfort switch flex sensor	Field device
2CKA006800A3233	64765-915	Comfort switch flex sensor	Field device
2CKA006800A3041	64811 U	Relay insert flex, 1 gang	Field device
2CKA006800A3042	64811 U-500	Relay insert flex, 1 gang	Field device
2CKA006800A3043	64811 UR-508	Relay insert flex, 1 gang	Field device
2CKA006800A3047	64814 U	e-contact ins. flex 1 gang	Field device
2CKA006800A3048	64814 U-500	e-contact ins. flex 1 gang	Field device
2CKA006800A3049	64814 UR-508	e-contact ins. flex 1 gang	Field device
2CKA006800A3044	64821 U	Relay insert flex, 2g 1w	Field device
2CKA006800A3045	64821 U-500	Relay insert flex, 2g 1w	Field device
2CKA006800A3046	64821 UR-508	Relay insert flex, 2g 1w	Field device
2CKA006400A0095	64831 U	Blind insert flex, 1 gang	Field device
2CKA006400A0096	64831 U-500	Blind insert flex, 1 gang	Field device
2CKA006500A0012	64851 U	LED dim. insert flex, 1 g.	Field device
2CKA006500A0013	64851 U-500	LED dim. insert flex, 1 g.	Field device
2CKA006500A0014	64851 UR-508	LED dim. insert flex, 1 g.	Field device
2CKA006800A3050	64891 U	Extension insert flex	Field device
2CKA006800A3051	64891 U-500	Extension insert flex	Field device
2CKA006800A3052	64891 UR-508	Extension insert flex	Field device
2CKA006710A0023	6716/10 UJ-914	FoH-switch, 10x set, BSI, BJE	Field device
2CKA006800A3224	8541.2 AI	WD 180 flex, basic sensor, Sky	Field device
2CKA006800A3216	8541.2 BE	WD 180 flex, basic sensor, Sky Essence	Field device

2CKA006800A3218	8541.2 BL	WD 180 flex, basic sensor, Sky	Field device
2CKA006800A3223	8541.2 CM	WD 180 flex, basic sensor, Sky	Field device
2CKA006800A3221	8541.2 DN	WD 180 flex, basic sensor, Sky	Field device
2CKA006800A3217	8541.2 NE	WD 180 flex, basic sensor, Sky Essence	Field device
2CKA006800A3220	8541.2 NS	WD 180 flex, basic sensor, Sky	Field device
2CKA006800A3225	8541.2 OE	WD 180 flex, basic sensor, Sky	Field device
2CKA006800A3219	8541.2 PL	WD 180 flex, basic sensor, Sky	Field device
2CKA006800A3222	8541.2 TP	WD 180 flex, basic sensor, Sky	Field device
2CKA006800A3249	8841.2 BL	WD 180 flex, basic sensor, Vega	Field device
2CKA006800A3250	8841.2 BT	WD 180 flex, basic sensor, Vega	Field device
2CKA006800A3253	8841.2 DN	WD 180 flex, basic sensor, Vega	Field device
2CKA006800A3252	8841.2 GN	WD 180 flex, basic sensor, Vega	Field device
2CKA006800A3251	8841.2 NT	WD 180 flex, basic sensor, Vega	Field device
2CDG510011R0011	BA-M-0.4.1	Blind Actuator, 4-fold, 230 V	Field device
2CDG510028R0011	BA-M-4.230.1.1	Blind Actuator,4-f,230V	Field device
2CDG510028R0021	BA-M-4.230.1.11	Blind Actuator,4-f,230V	Field device
2CDG510029R0011	BA-M-8.230.1.1	Blind Actuator,8-f,230V	Field device
2CDG510029R0021	BA-M-8.230.1.11	Blind Actuator,8-f,230V	Field device
2CKA006220A0999	BAU-F-0.1	BAU f@h	Field device
2CKA006220A0998	BAU-F-0.11	BAU f@h	Field device
2CKA006220A0997	BAU-F-0.1-508	BAU f@h	Field device
2CDG510023R0021	BI-F-2.0.12	Binary Input,2f,FM	Field device
2CDG510023R0011	BI-F-2.0.2	Binary Input,2f,FM	Field device
2CDG510024R0021	BI-F-4.0.12	Binary Input,4f,FM	Field device
2CDG510024R0011	BI-F-4.0.2	Binary Input,4f,FM	Field device

2CDG510015R0011	BI-M-10.20.1.1	Binary Input, 10-fold,	Field device
2CDG510015R0021	BI-M-10.20.1.11	Binary input, 10-gang, 10-230 V,	Field device
2CDG510017R0011	BI-M-10.230.1.1	Binary Input, 10-fold,	Field device
2CDG510017R0021	BI-M-10.230.1.11	Binary input, 10-gang, 10-230 V,	Field device
2CDG510014R0011	BI-M-4.20.1.1	Binary Input, 4-fold,	Field device
2CDG510014R0021	BI-M-4.20.1.11	Binary input, 4-gang,	Field device
2CDG510016R0011	BI-M-4.230.1.1	Binary Input, 4-fold,	Field device
2CDG510016R0021	BI-M-4.230.1.11	Binary input, 4-gang, 10-230 V	Field device
2CKA006200A0102	BI-S-1-64-WL	Windowcontact Magnet	Field device
2CKA006200A0104	BI-S-1-65-WL	Windowcontact Magnet	Field device
2CKA006220A0915	BW-A4.11-131	Busch-Watchdog 280° f@h 131	Field device
2CKA006220A0916	BW-A4.11-133	Busch-Watchdog 280° f@h 133	Field device
2CKA006220A0917	BW-A4.11-134	Busch-Watchdog 280° f@h 134	Field device
2CKA006220A0918	BW-A4.11-135	Busch-Watchdog 280° f@h 135	Field device
2CKA006220A0919	BW-A4.11-136	Busch-Watchdog 280° f@h - 136	Field device
2CKA006220A0910	BW-A4.1-131	Busch-Watchdog 280° f@h -131	Field device
2CKA006220A0911	BW-A4.1-133	Busch-Watchdog 280° f@h 133	Field device
2CKA006220A0912	BW-A4.1-134	Busch-Watchdog 280° f@h 134	Field device
2CKA006220A0913	BW-A4.1-135	Busch-Watchdog 280° f@h 135	Field device
2CKA006220A0914	BW-A4.1-136	Busch-Watchdog 280° f@h - 136	Field device
2CKA006200A0944	CP-MD-85FLAI	WD 180 flex conf. sens. WL, Sky	Field device
2CKA006200A0942	CP-MD-85FLBE	WD 180 flex conf. sens. WL, Sky Essence	Field device
2CKA006200A0934	CP-MD-85FLBL	WD 180 flex conf. sens. WL, Sky	Field device
2CKA006200A0939	CP-MD-85FLCM	WD 180 flex conf. sens. WL, Sky	Field device
2CKA006200A0937	CP-MD-85FLDN	WD 180 flex conf. sens. WL, Sky	Field device

2CKA006200A0943	CP-MD-85FLNE	WD 180 flex comf. sens. WL, Sky Essence	Field device
2CKA006200A0936	CP-MD-85FLNS	WD 180 flex comf. sens. WL, Sky	Field device
2CKA006200A0945	CP-MD-85FLOE	WD 180 flex comf. sens. WL, Sky	Field device
2CKA006200A0935	CP-MD-85FLPL	WD 180 flex comf. sens. WL, Sky	Field device
2CKA006200A0938	CP-MD-85FLTP	WD 180 flex comf. sens. WL, Sky	Field device
2CKA006200A0957	CP-MD-88FLBL	WD 180 flex comf. sens. WL, Vega	Field device
2CKA006200A0958	CP-MD-88FLBT	WD 180 flex comf. sens. WL, Vega	Field device
2CKA006200A0961	CP-MD-88FLDN	WD 180 flex comf. sens. WL, Vega	Field device
2CKA006200A0960	CP-MD-88FLGN	WD 180 flex comf. sens. WL, Vega	Field device
2CKA006200A0959	CP-MD-88FLNT	WD 180 flex comf. sens. WL, Vega	Field device
2CKA006200A0930	CP-MD-89FLBL	WD 180 flex comf. sens. WL, Alba	Field device
2CKA006200A0931	CP-MD-89FLBT	WD 180 flex comf. sens. WL, Alba	Field device
2CKA006200A0933	CP-MD-89FLGR	WD 180 flex comf. sens. WL, Alba	Field device
2CKA006200A0932	CP-MD-89FLNT	WD 180 flex comf. sens. WL, Alba	Field device
2CKA006220A0729	DA/M.4.210.2.1	Dim actuator 4x210W, MDRC	Field device
2CKA006220A0728	DA/M.4.210.2.11	Dim actuator 4x210W, MDRC	Field device
2CKA006220A0838	DA/M.4.315.2.1	Dim actuator 4x315W, MDRC	Field device
2CKA006220A0837	DA/M.4.315.2.11	Dim actuator 4x315W, MDRC	Field device
2CKA006220A0731	DA/M.6.210.2.1	Dim actuator 6x210W, MDRC	Field device
2CKA006220A0730	DA/M.6.210.2.11	Dim actuator 6x210W, MDRC	Field device
2CDG510012R0011	DG-M-1.16.1	DALI Gateway	Field device
2CDG510012R0021	DG-M-1.16.11	DALI Gateway, BJE	Field device
2CKA006200A0963	EVE-DW3	3x Eve Door&Window	Field device
2CKA006200A0962	EVE-EEU3	3x Eve Energy EU	Field device

2CKA006200A0965	EVE-EEU3TUSB1	3x Eve Energy EU+ 1x Thread USB Stick	Field device
2CKA006200A0964	EVE-M3	3x Eve Motion	Field device
2CKA006200A0966	EVE-T3	3x Eve Thermo	Field device
2CKA006230A0001	EX.1	Energy Edge	Internet Facing / System device
2CDG510010R0011	FCA-M-2.3.1	Fan Coil Actuator, PWM	Field device
2CDG510009R0011	HA-M-0.12.1	Heating Actuator, 12f, 230 V	Field device
2CDG510031R0021	HA-M-0.12.12	Heating actuator 12-gang, 230V	Field device
2CDG510031R0011	HA-M-0.12.2	Heating actuator 12-gang, 230V	Field device
2CDG510008R0011	HA-M-0.6.1	Heating Actuator, 6f, 230 V	Field device
2CDG510030R0021	HA-M-0.6.12	Heating actuator 6-gang, 230V	Field device
2CDG510030R0011	HA-M-0.6.2	Heating actuator 6-gang, 230V	Field device
2CKA006200A0133	HA-S-1-WL	WL-Rad. Thermostat, Basic	Field device
2CKA006115A0508	KK/U4.54.1	Control element 54	Field device
2CKA006115A0506	KK/U4.55.1	Control element 55	Field device
2CKA006115A0505	KK/U4.55.11	Control element 55	Field device
2CKA006115A0507	KK/U4.60.1	Control element 60	Field device
2CKA006115A0504	KK/U4.63.1	Control element 63	Field device
2CKA006115A0503	KK/U4.63.11	Control element 63	Field device
2CKA006115A0510	KK/U4.70.1	Control element 70	Field device
2CKA006115A0509	KK/U4.70.11	Control element 70	Field device
ABB2TMA320051B0001	M2249-2B	ABB OneTouch 7	Internet Facing / System device
ABB2TMA320050B0001	M2249-2B-03	Busch-OneTouch 7	Internet Facing / System device

ABB2TMA320051B0002	M2249-2B-04	ABB OneTouch 7 + SM Box + LAN-Adapter	Internet Facing / System device
ABB2TMA320051W0001	M2249-2W	ABB OneTouch 7	Internet Facing / System device
ABB2TMA320050W0001	M2249-2W-03	Busch-OneTouch 7	Internet Facing / System device
ABB2TMA320051W0002	M2249-2W-04	ABB OneTouch 7 + SM Box + LAN-Adapter	Internet Facing / System device
2CKA006220A0795	MD-F-1.0.1-01	Movement detector Time	Field device
2CKA006220A0825	MD-F-1.0.1-03	Movement detector Levit	Field device
2CKA006220A0796	MD-F-1.0.1-03	Movement detector Time	Field device
2CKA006220A0797	MD-F-1.0.1-04	Movement detector Time	Field device
2CKA006220A0798	MD-F-1.0.1-08	Movement detector Time	Field device
2CKA006220A0826	MD-F-1.0.1-16	Movement detector Levit	Field device
2CKA006220A0827	MD-F-1.0.1-18	Movement detector Levit	Field device
2CKA006220A0799	MD-F-1.0.1-21	Movement detector Time	Field device
2CKA006220A0218	MD-F-1.0.1-212	Movement detector	Field device
2CKA006220A0219	MD-F-1.0.1-214	Movement detector	Field device
2CKA006220A0800	MD-F-1.0.1-25	Movement detector Time	Field device
2CKA006220A0801	MD-F-1.0.1-32	Movement detector Time	Field device
2CKA006220A0802	MD-F-1.0.1-33	Movement detector Time	Field device
2CKA006220A0803	MD-F-1.0.1-34	Movement detector Time	Field device
2CKA006220A0804	MD-F-1.0.1-36	Movement detector Time	Field device
2CKA006220A0265	MD-F-1.0.1-508	Movement detector, 44x44	Field device
2CKA006220A0828	MD-F-1.0.1-63	Movement detector Levit	Field device
2CKA006220A0829	MD-F-1.0.1-69	Movement detector Levit	Field device
2CKA006220A0830	MD-F-1.0.1-70	Movement detector Levit	Field device

2CKA006220A0564	MD-F-1.0.1-803	Movement detector	Field device
2CKA006220A0212	MD-F-1.0.1-81	Movement detector	Field device
2CKA006220A0530	MD-F-1.0.1-82	Movement detector	Field device
2CKA006220A0213	MD-F-1.0.1-83	Movement detector	Field device
2CKA006220A0214	MD-F-1.0.1-84	Movement detector	Field device
2CKA006220A0385	MD-F-1.0.1-840	WD 180 sens	Field device
2CKA006220A0547	MD-F-1.0.1-866	Movement detector	Field device
2CKA006220A0615	MD-F-1.0.1-884	Movement detector	Field device
2CKA006220A0632	MD-F-1.0.1-885	Movement detector	Field device
2CKA006220A0649	MD-F-1.0.1-92	Movement detector	Field device
2CKA006220A0683	MD-F-1.0.1-94	Movement detector	Field device
2CKA006220A0700	MD-F-1.0.1-95	Movement detector	Field device
2CKA006220A0717	MD-F-1.0.1-96	Movement detector	Field device
2CKA006220A0787	MD-F-1.0.1-B	Movement detector Tango	Field device
2CKA006220A0788	MD-F-1.0.1-C	Movement detector Tango	Field device
2CKA006220A0790	MD-F-1.0.1-D	Movement detector Tango	Field device
2CKA006220A0791	MD-F-1.0.1-H	Movement detector Tango	Field device
2CKA006220A0792	MD-F-1.0.1-N	Movement detector Tango	Field device
2CKA006220A0794	MD-F-1.0.1-R2	Movement detector Tango	Field device
2CKA006220A0789	MD-F-1.0.1-S	Movement detector Tango	Field device
2CKA006220A0793	MD-F-1.0.1-S2	Movement detector Tango	Field device
2CKA006220A0229	MD-F-1.0.PB.1	Movement detector, 44x44	Field device
2TYZ510505G0631	MDH-F-1.0.11-884	Busch-Movement detector HF f@h, w, IP55	Field device
2TYZ510505G0731	MDH-F-1.0.11-885	Busch-Movement detector HF f@h, b, IP55	Field device

2TYZ510505G0621	MDH-F-1.0.1-884	ABB Movement detector HF f@h, wh., IP55	Field device
2TYZ510505G0721	MDH-F-1.0.1-885	ABB Movement detector HF f@h, bl., IP55	Field device
2CKA006220A0813	MSA-F-1.1.1-01	Mov. Detect./act. Time	Field device
2CKA006220A0831	MSA-F-1.1.1-03	Mov. Detect./act. Levit	Field device
2CKA006220A0814	MSA-F-1.1.1-03	Mov. Detect./act. Time	Field device
2CKA006220A0815	MSA-F-1.1.1-04	Mov. Detect./act. Time	Field device
2CKA006220A0816	MSA-F-1.1.1-08	Mov. Detect./act. Time	Field device
2CKA006220A0832	MSA-F-1.1.1-16	Mov. Detect./act. Levit	Field device
2CKA006220A0833	MSA-F-1.1.1-18	Mov. Detect./act. Levit	Field device
2CKA006220A0817	MSA-F-1.1.1-21	Mov. Detect./act. Time	Field device
2CKA006220A0220	MSA-F-1.1.1-212	Mov. detector/actuator 1g	Field device
2CKA006200A0092	MSA-F-1.1.1-212-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0221	MSA-F-1.1.1-214	Mov. detector/actuator 1g	Field device
2CKA006200A0093	MSA-F-1.1.1-214-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0818	MSA-F-1.1.1-25	Mov. Detect./act. Time	Field device
2CKA006220A0819	MSA-F-1.1.1-32	Mov. Detect./act. Time	Field device
2CKA006220A0820	MSA-F-1.1.1-33	Mov. Detect./act. Time	Field device
2CKA006220A0821	MSA-F-1.1.1-34	Mov. Detect./act. Time	Field device
2CKA006220A0822	MSA-F-1.1.1-36	Mov. Detect./act. Time	Field device
2CKA006220A0266	MSA-F-1.1.1-508	MovDetect/actuator 1g, 44	Field device
2CKA006200A0129	MSA-F-1.1.1-508-WL	WL-MovDetect/act. 1g, 44	Field device
2CKA006220A0834	MSA-F-1.1.1-63	Mov. Detect./act. Levit	Field device
2CKA006220A0835	MSA-F-1.1.1-69	Mov. Detect./act. Levit	Field device
2CKA006220A0836	MSA-F-1.1.1-70	Mov. Detect./act. Levit	Field device

2CKA006220A0565	MSA-F-1.1.1-803	Mov. detector/actuator 1g	Field device
2CKA006200A0094	MSA-F-1.1.1-803-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0215	MSA-F-1.1.1-81	Mov. detector/actuator 1g	Field device
2CKA006200A0083	MSA-F-1.1.1-81-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0531	MSA-F-1.1.1-82	Mov. detector/actuator 1g	Field device
2CKA006200A0084	MSA-F-1.1.1-82-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0216	MSA-F-1.1.1-83	Mov. detector/actuator 1g	Field device
2CKA006200A0085	MSA-F-1.1.1-83-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0217	MSA-F-1.1.1-84	Mov. detector/actuator 1g	Field device
2CKA006220A0386	MSA-F-1.1.1-840	WD 180 sens actuator	Field device
2CKA006200A0086	MSA-F-1.1.1-84-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0548	MSA-F-1.1.1-866	Mov. detector/actuator 1g	Field device
2CKA006200A0096	MSA-F-1.1.1-866-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0616	MSA-F-1.1.1-884	Mov. detector/actuator 1g	Field device
2CKA006200A0097	MSA-F-1.1.1-884-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0633	MSA-F-1.1.1-885	Mov. detector/actuator 1g	Field device
2CKA006200A0098	MSA-F-1.1.1-885-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0650	MSA-F-1.1.1-92	Mov. detector/actuator 1g	Field device
2CKA006200A0087	MSA-F-1.1.1-92-WL	WL-Mov. detector/act. 1g	Field device
2CKA006200A0088	MSA-F-1.1.1-93-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0684	MSA-F-1.1.1-94	Mov. detector/actuator 1g	Field device
2CKA006200A0089	MSA-F-1.1.1-94-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0701	MSA-F-1.1.1-95	Mov. detector/actuator 1g	Field device
2CKA006200A0090	MSA-F-1.1.1-95-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0718	MSA-F-1.1.1-96	Mov. detector/actuator 1g	Field device

2CKA006200A0091	MSA-F-1.1.1-96-WL	WL-Mov. detector/act. 1g	Field device
2CKA006220A0805	MSA-F-1.1.1-B	Mov. Detect./act. Tango	Field device
2CKA006220A0806	MSA-F-1.1.1-C	Mov. Detect./act. Tango	Field device
2CKA006220A0807	MSA-F-1.1.1-C	Mov. Detect./act. Tango	Field device
2CKA006220A0808	MSA-F-1.1.1-D	Mov. Detect./act. Tango	Field device
2CKA006220A0809	MSA-F-1.1.1-N	Mov. Detect./act. Tango	Field device
2CKA006220A0810	MSA-F-1.1.1-N	Mov. Detect./act. Tango	Field device
2CKA006220A0812	MSA-F-1.1.1-R2	Mov. Detect./act. Tango	Field device
2CKA006220A0811	MSA-F-1.1.1-S2	Mov. Detect./act. Tango	Field device
2CKA006200A0117	MSA-F-1.1.1-WL	WL-MovDetect/act. 1g, 44	Field device
2CKA006220A0231	MSA-F-1.1.PB.1	MovDetect/actuator 1g, 44	Field device
2CLA910100N1001	N9101WL	Actuator 16A Wireless - 1M	Field device
2CLA910200N1001	N9102WL	2-way switch Wireless - 1M	Field device
2CLA913130N1001	N9131.3WL	Master blind group sensor Wireless - 1M	Field device
2CLA913170N1001	N9131.7WL	Master hello/goodbye scene sensor Wireless - 1M	Field device
2CLA914400N1001	N9144WL	Blind control Wireless - 1M	Field device
2CLA916000N1001	N9160WL	Dimmer Wireless - 1M	Field device
2CLA934000N1101	N9340WL BL	Thermostat Wireless - 1M - White	Field device
2CLA934000N1501	N9340WL NG	Thermostat Wireless - 1M Black	Field device
2TYZ510202G0631	PDH-F-1.0.11-884	Busch-Presence detector HF f@h, white	Field device
2TYZ510202G0731	PDH-F-1.0.11-885	Busch-Presence detector HF f@h, black	Field device
2TYZ510202G0621	PDH-F-1.0.1-884	ABB Presence detector HF f@h, white	Field device
2TYZ510202G0721	PDH-F-1.0.1-885	ABB Presence detector HF f@h, black	Field device

2TMA310010W0001	RT/U12.86.11-811	RoomTouch 4"	Field device
2TMA310010B0004	RT/U12.86.11-825	RoomTouch 4"	Field device
2TMA310011W0001	RT/U12.86.1-811	RoomTouch 4"	Field device
2TMA310011B0003	RT/U12.86.1-825	RoomTouch 4"	Field device
2CKA006220A0122	RTC-F-1	Room thermostat	Field device
2CKA006220A0276	RTC-F-1.PB	Room thermostat	Field device
2CKA006220A0277	RTC-F-1.PB-508	Room thermostat	Field device
2CKA006200A0127	RTC-F-1.PB-508-WL	WL-Room thermostat	Field device
2CKA006200A0115	RTC-F-1.PB-WL	WL-Room thermostat	Field device
2CKA006200A0081	RTC-F-1-WL	WL-Room thermostat	Field device
2CKA006200A0116	RTC-F-2.1-1.PB-WL	WL-Room thermostat/act.	Field device
2CKA006200A0128	RTC-F-2.1-1PB508WL	WL-Room thermostat/act.	Field device
2CKA006200A0082	RTC-F-2.1-1-WL	WL-Room thermostat/act.	Field device
2CDG510006R0011	SA-M-0.4.1	Switch Actuator I/O, 4f, 16 A	Field device
2CDG510027R0021	SA-M-12.16.2.12	Switch Actuator,12-f,16A	Field device
2CDG510027R0011	SA-M-12.16.2.2	Switch Actuator,12-f,16A	Field device
2CDG510025R0021	SA-M-4.16.2.12	Switch Actuator,4-f,16A	Field device
2CDG510025R0011	SA-M-4.16.2.2	Switch Actuator,4-f,16A	Field device
2CDG510026R0021	SA-M-8.16.2.12	Switch Actuator,8-f,16A	Field device
2CDG510026R0011	SA-M-8.16.2.2	Switch Actuator,8-f,16A	Field device
2CDG510007R0011	SA-M-8.8.1	Switch Actuator I/O, 8f, 6 A	Field device
2CKA006200A0868	SAP.13	System Access Point 3.0	Internet Facing / System device
2CKA006200A0967	SAP.13-WL	System Access Point 3.0 Wireless	Internet Facing / System device

2CKA006200A0871	SAP.3	System Access Point 3.0	Internet Facing / System device
2CKA006200A0968	SAP.3-WL	System Access Point 3.0 Wireless	Internet Facing / System device
2CKA006800A2868	SAP/A2.1	free@home Alarm-Stick	Field device
2CKA006800A2867	SAP/A2.11	free@home Alarm-Stick	Field device
2CKA006200A0100	SAP-1-WL	External Antenna	Field device
2CKA006200A0941	SAP-3.1	Thread USB Stick	Field device
2CKA006200A0940	SAP-3.11	Thread USB Stick	Field device
2CKA006220A0240	SAP-S-127.1	System Access Point, 127V	Internet Facing / System device
2CKA006200A0130	SAP-S-127.2	WL-SysAP 127V	Internet Facing / System device
2CKA006200A0154	SAP-S-13	System Access Point 2.0	Internet Facing / System device
2CKA006220A0136	SAP-S-1-84	System Access Point, 230V	Internet Facing / System device
2CKA006200A0105	SAP-S-2	WL-SysAP	Internet Facing / System device
2CKA006200A0155	SAP-S-3	System Access Point 2.0	Internet Facing / System device
2CKA006200A0156	SAP-S-3-US	System Access Point 2.0	Internet Facing / System device
2CKA006220A0128	SBA-F-1.1.1	Sensor/Blind actuator 1/1g	Field device
2CKA006220A0237	SBA-F-1.1.PB.1	Sens/ Blindact. 1/1, 44x44	Field device
2CKA006220A0272	SBA-F-1.1.PB.1-508	Sens/ Blindact. 1/1, 44x44	Field device
2CKA006200A0113	SBA-F-1.1.PB.1-WL	WL-Sens/ Blindact. 1/1, 44	Field device
2CKA006200A0125	SBA-F-1.1.PB1508WL	WL-Sens/ Blindact. 1/1, 44	Field device

2CKA006220A0129	SBA-F-2.1.1	Sensor/Blind actuator 2/1g	Field device
2CKA006200A0080	SBA-F-2.1.1-WL	WL-Sensor/Blind act. 2/1g	Field device
2CKA006220A0238	SBA-F-2.1.PB.1	Sens/ Blindact. 2/1, 44x44	Field device
2CKA006220A0273	SBA-F-2.1.PB.1-508	Sens/ Blindact. 2/1, 44x44	Field device
2CKA006200A0114	SBA-F-2.1.PB.1-WL	WL-Sens/ Blindact. 2/1, 44	Field device
2CKA006200A0126	SBA-F-2.1.PB1508WL	WL-Sens/ Blindact. 2/1, 44	Field device
2CKA006220A0885	SBC-F-10.0.11-83	RTC IAQ, 10gang, silver	Field device
2CKA006220A0891	SBC-F-10.0.11-84	RTC IAQ, 10gang, white	Field device
2CKA006220A0897	SBC-F-10.0.11-884	RTC IAQ, 10gang, whitematt	Field device
2CKA006220A0903	SBC-F-10.0.11-885	RTC IAQ, 10gang, blackmatt	Field device
2CKA006220A1085	SBC-F-10.0.12-83	HVAC/RTC/CO2-device,10f	Field device
2CKA006220A1083	SBC-F-10.0.12-84	HVAC/RTC/CO2-device,10f	Field device
2CKA006220A1084	SBC-F-10.0.12-884	HVAC/RTC/CO2-device,10f	Field device
2CKA006220A1086	SBC-F-10.0.12-885	HVAC/RTC/CO2-device,10f	Field device
2CKA006220A0861	SBC-F-10.0.1-83	RTC IAQ, 10gang, silver	Field device
2CKA006220A0867	SBC-F-10.0.1-84	RTC IAQ, 10gang, white	Field device
2CKA006220A0873	SBC-F-10.0.1-884	RTC IAQ, 10gang, whitematt	Field device
2CKA006220A0879	SBC-F-10.0.1-885	RTC IAQ, 10gang, blackmatt	Field device
2CKA006220A1089	SBC-F-10.0.2-83	HVAC/RTC/CO2-device,10f	Field device
2CKA006220A1087	SBC-F-10.0.2-84	HVAC/RTC/CO2-device,10f	Field device
2CKA006220A1088	SBC-F-10.0.2-884	HVAC/RTC/CO2-device,10f	Field device
2CKA006220A1090	SBC-F-10.0.2-885	HVAC/RTC/CO2-device,10f	Field device
2CKA006220A0884	SBC-F-6.0.11-83	RTC IAQ, 6gang, silver	Field device
2CKA006220A0890	SBC-F-6.0.11-84	RTC IAQ, 6gang, white	Field device
2CKA006220A0896	SBC-F-6.0.11-884	RTC IAQ, 6gang, white matt	Field device

2CKA006220A0902	SBC-F-6.0.11-885	RTC IAQ, 6gang, blackmatt	Field device
2CKA006220A1077	SBC-F-6.0.12-83	HVAC/RTC/CO2-device,6f	Field device
2CKA006220A1075	SBC-F-6.0.12-84	HVAC/RTC/CO2-device,6f	Field device
2CKA006220A1076	SBC-F-6.0.12-884	HVAC/RTC/CO2-device,6f	Field device
2CKA006220A1078	SBC-F-6.0.12-885	HVAC/RTC/CO2-device,6f	Field device
2CKA006220A0860	SBC-F-6.0.1-83	RTC IAQ, 6gang, silver	Field device
2CKA006220A0866	SBC-F-6.0.1-84	RTC IAQ, 6gang, white	Field device
2CKA006220A0872	SBC-F-6.0.1-884	RTC IAQ, 6gang, white matt	Field device
2CKA006220A0878	SBC-F-6.0.1-885	RTC IAQ, 6gang, blackmatt	Field device
2CKA006220A1081	SBC-F-6.0.2-83	HVAC/RTC/CO2-device,6f	Field device
2CKA006220A1079	SBC-F-6.0.2-84	HVAC/RTC/CO2-device,6f	Field device
2CKA006220A1080	SBC-F-6.0.2-884	HVAC/RTC/CO2-device,6f	Field device
2CKA006220A1082	SBC-F-6.0.2-885	HVAC/RTC/CO2-device,6f	Field device
2CKA006220A0881	SB-F-12.0.11-83	12gang Control, silver	Field device
2CKA006220A0887	SB-F-12.0.11-84	12gang Control, white	Field device
2CKA006220A0893	SB-F-12.0.11-884	12gang Control, white matt	Field device
2CKA006220A0899	SB-F-12.0.11-885	12gang Control, black matt	Field device
2CKA006220A1069	SB-F-12.0.12-83	12f. Control element	Field device
2CKA006220A1067	SB-F-12.0.12-84	12f. Control element	Field device
2CKA006220A1068	SB-F-12.0.12-884	12f. Control element	Field device
2CKA006220A1070	SB-F-12.0.12-885	12f. Control element	Field device
2CKA006220A0857	SB-F-12.0.1-83	12gang Control, silver	Field device
2CKA006220A0863	SB-F-12.0.1-84	12gang Control, white	Field device
2CKA006220A0869	SB-F-12.0.1-884	12gang Control, white matt	Field device
2CKA006220A0875	SB-F-12.0.1-885	12gang Control, black matt	Field device

2CKA006220A1073	SB-F-12.0.2-83	12f. Control element	Field device
2CKA006220A1071	SB-F-12.0.2-84	12f. Control element	Field device
2CKA006220A1072	SB-F-12.0.2-884	12f. Control element	Field device
2CKA006220A1074	SB-F-12.0.2-885	12f. Control element	Field device
2CKA006220A1021	SB-F-2.0.11-83	2f. Control element	Field device
2CKA006220A1019	SB-F-2.0.11-84	2f. Control element	Field device
2CKA006220A1020	SB-F-2.0.11-884	2f. Control element	Field device
2CKA006220A1022	SB-F-2.0.11-885	2f. Control element	Field device
2CKA006220A1025	SB-F-2.0.1-83	2f. Control element	Field device
2CKA006220A1023	SB-F-2.0.1-84	2f. Control element	Field device
2CKA006220A1024	SB-F-2.0.1-884	2f. Control element	Field device
2CKA006220A1026	SB-F-2.0.1-885	2f. Control element	Field device
2CKA006220A1029	SB-F-4.0.11-83	4f. Control element	Field device
2CKA006220A1027	SB-F-4.0.11-84	4f. Control element	Field device
2CKA006220A1028	SB-F-4.0.11-884	4f. Control element	Field device
2CKA006220A1030	SB-F-4.0.11-885	4f. Control element	Field device
2CKA006220A1033	SB-F-4.0.1-83	4f. Control element	Field device
2CKA006220A1031	SB-F-4.0.1-84	4f. Control element	Field device
2CKA006220A1032	SB-F-4.0.1-884	4f. Control element	Field device
2CKA006220A1034	SB-F-4.0.1-885	4f. Control element	Field device
2CKA006220A1037	SB-F-6.0.11-83	6f. Control element	Field device
2CKA006220A1035	SB-F-6.0.11-84	6f. Control element	Field device
2CKA006220A1036	SB-F-6.0.11-884	6f. Control element	Field device
2CKA006220A1038	SB-F-6.0.11-885	6f. Control element	Field device
2CKA006220A1041	SB-F-6.0.1-83	6f. Control element	Field device

2CKA006220A1039	SB-F-6.0.1-84	6f. Control element	Field device
2CKA006220A1040	SB-F-6.0.1-884	6f. Control element	Field device
2CKA006220A1042	SB-F-6.0.1-885	6f. Control element	Field device
2CKA006220A0880	SB-F-8.0.11-83	8gang Control, silver	Field device
2CKA006220A0886	SB-F-8.0.11-84	8gang Control, white	Field device
2CKA006220A0892	SB-F-8.0.11-884	8gang Control, white matt	Field device
2CKA006220A0898	SB-F-8.0.11-885	8gang Control, black matt	Field device
2CKA006220A1061	SB-F-8.0.12-83	8f. Control element	Field device
2CKA006220A1059	SB-F-8.0.12-84	8f. Control element	Field device
2CKA006220A1060	SB-F-8.0.12-884	8f. Control element	Field device
2CKA006220A1062	SB-F-8.0.12-885	8f. Control element	Field device
2CKA006220A0856	SB-F-8.0.1-83	8gang Control, silver	Field device
2CKA006220A0862	SB-F-8.0.1-84	8gang Control, white	Field device
2CKA006220A0868	SB-F-8.0.1-884	8gang Control, white matt	Field device
2CKA006220A0874	SB-F-8.0.1-885	8gang Control, black matt	Field device
2CKA006220A1065	SB-F-8.0.2-83	8f. Control element	Field device
2CKA006220A1063	SB-F-8.0.2-84	8f. Control element	Field device
2CKA006220A1064	SB-F-8.0.2-884	8f. Control element	Field device
2CKA006220A1066	SB-F-8.0.2-885	8f. Control element	Field device
2CKA006220A0883	SBR-F-10.0.11-83	RTC, 10gang, silver	Field device
2CKA006220A0889	SBR-F-10.0.11-84	RTC, 10gang, white	Field device
2CKA006220A0895	SBR-F-10.0.11-884	RTC, 10gang, white matt	Field device
2CKA006220A0901	SBR-F-10.0.11-885	RTC, 10gang, black matt	Field device
2CKA006220A1053	SBR-F-10.0.12-83	HVAC-device,10f.	Field device
2CKA006220A1051	SBR-F-10.0.12-84	HVAC-device,10f.	Field device

2CKA006220A1052	SBR-F-10.0.12-884	HVAC-device,10f.	Field device
2CKA006220A1054	SBR-F-10.0.12-885	HVAC-device,10f.	Field device
2CKA006220A0859	SBR-F-10.0.1-83	RTC, 10gang, silver	Field device
2CKA006220A0865	SBR-F-10.0.1-84	RTC, 10gang, white	Field device
2CKA006220A0871	SBR-F-10.0.1-884	RTC, 10gang, white matt	Field device
2CKA006220A0877	SBR-F-10.0.1-885	RTC, 10gang, black matt	Field device
2CKA006220A1057	SBR-F-10.0.2-83	HVAC-device,10f.	Field device
2CKA006220A1055	SBR-F-10.0.2-84	HVAC-device,10f.	Field device
2CKA006220A1056	SBR-F-10.0.2-884	HVAC-device,10f.	Field device
2CKA006220A1058	SBR-F-10.0.2-885	HVAC-device,10f.	Field device
2CKA006220A0882	SBR-F-6.0.11-83	RTC, 6gang, silver	Field device
2CKA006220A0888	SBR-F-6.0.11-84	RTC, 6gang, white	Field device
2CKA006220A0894	SBR-F-6.0.11-884	RTC, 6gang, white matt	Field device
2CKA006220A0900	SBR-F-6.0.11-885	RTC, 6gang, black matt	Field device
2CKA006220A1045	SBR-F-6.0.12-83	HVAC-device,6f.	Field device
2CKA006220A1043	SBR-F-6.0.12-84	HVAC-device,6f.	Field device
2CKA006220A1044	SBR-F-6.0.12-884	HVAC-device,6f.	Field device
2CKA006220A1046	SBR-F-6.0.12-885	HVAC-device,6f.	Field device
2CKA006220A0858	SBR-F-6.0.1-83	RTC, 6gang, silver	Field device
2CKA006220A0864	SBR-F-6.0.1-84	RTC, 6gang, white	Field device
2CKA006220A0870	SBR-F-6.0.1-884	RTC, 6gang, white matt	Field device
2CKA006220A0876	SBR-F-6.0.1-885	RTC, 6gang, black matt	Field device
2CKA006220A1049	SBR-F-6.0.2-83	HVAC-device,6f.	Field device
2CKA006220A1047	SBR-F-6.0.2-84	HVAC-device,6f.	Field device
2CKA006220A1048	SBR-F-6.0.2-884	HVAC-device,6f.	Field device

2CKA006220A1050	SBR-F-6.0.2-885	HVAC-device,6f.	Field device
2TMA310010B0001	SD/U12.55.11-825	2.4" Display 55	Field device
2TMA310011B0001	SD/U12.55.1-825	2.4" Display 55	Field device
2TMA310010B0003	SD/U12.63.11-825	2,4" Display 63	Field device
2TMA310011B0002	SD/U12.63.1-825	2,4" Display 63	Field device
2TMA310010B0006	SD/U12.70.11-4015	2.4" Display 70	Field device
2TMA310011B0004	SD/U12.70.1-4015	2.4" Display 70	Field device
2CKA006220A0126	SDA-F-1.1.1	Sensor/Dim actuator 1/1g	Field device
2CKA006220A0235	SDA-F-1.1.PB.1	Sens./ Dimact. 1/1, 44x44	Field device
2CKA006220A0270	SDA-F-1.1.PB.1-508	Sens./ Dimact. 1/1, 44x44	Field device
2CKA006200A0111	SDA-F-1.1.PB.1-WL	WL-Sens./ Dimact. 1/1, 44	Field device
2CKA006200A0123	SDA-F-1.1.PB1508WL	WL-Sens./ Dimact. 1/1, 44	Field device
2CKA006220A0127	SDA-F-2.1.1	Sensor/Dim actuator 2/1g	Field device
2CKA006220A0236	SDA-F-2.1.PB.1	Sens/ Dimact. 2/1, 44x44	Field device
2CKA006220A0271	SDA-F-2.1.PB.1-508	Sens/ Dimact. 2/1, 44x44	Field device
2CKA006200A0112	SDA-F-2.1.PB.1-WL	WL-Sens/ Dimact. 2/1, 44	Field device
2CKA006200A0124	SDA-F-2.1.PB1508WL	WL-Sens/ Dimact. 2/1, 44	Field device
2CKA006220A0123	SSA-F-1.1.1	Sensor/Switch act. 1/1g	Field device
2CKA006220A0393	SSA-F-1.1.2-508	Vorlage OP 2 - sh.Mat-Kurztext+Prioliste	Field device
2CKA006220A0232	SSA-F-1.1.PB.1	Sens/ Sw.act. 1/1, 44x44	Field device
2CKA006220A0267	SSA-F-1.1.PB.1-508	Sens/ Sw.act. 1/1, 44x44	Field device
2CKA006200A0108	SSA-F-1.1.PB.1-WL	WL-Sens/ Sw.act. 1/1, 44	Field device
2CKA006200A0120	SSA-F-1.1.PB1508WL	WL-Sens/ Sw.act. 1/1, 44	Field device
2CKA006220A0124	SSA-F-2.1.1	Sensor/Switch act. 2/1g	Field device

2CKA006200A0075	SSA-F-2.1.1-WL	WL-Sensor/Switch act. 2/1g	Field device
2CKA006220A0233	SSA-F-2.1.PB.1	Sens/ Sw.act. 2/1, 44x44	Field device
2CKA006220A0268	SSA-F-2.1.PB.1-508	Sens/ Sw.act. 2/1, 44x44	Field device
2CKA006200A0109	SSA-F-2.1.PB.1-WL	WL-Sens/ Sw.act. 2/1, 44	Field device
2CKA006200A0121	SSA-F-2.1.PB1508WL	WL-Sens/ Sw.act. 2/1, 44	Field device
2CKA006220A0125	SSA-F-2.2.1	Sensor/Switch act. 2/2g	Field device
2CKA006200A0076	SSA-F-2.2.1-WL	WL-Sensor/Switch act. 2/2g	Field device
2CKA006220A0234	SSA-F-2.2.PB.1	Sens/ Sw.act. 2/2, 44x44	Field device
2CKA006220A0269	SSA-F-2.2.PB.1-508	Sens/ Sw.act. 2/2, 44x44	Field device
2CKA006200A0110	SSA-F-2.2.PB.1-WL	WL-Sens/ Sw.act. 2/2, 44	Field device
2CKA006200A0122	SSA-F- 2.2.PB1508WL	WL-Sens/ Sw.act. 2/2, 44	Field device
2CKA006220A0117	SU-F-1.0.1	Sensor Unit 1gang	Field device
2CKA006220A0222	SU-F-1.0.PB.1	Sensor Unit 1gang, 44x44	Field device
2CKA006220A0263	SU-F-1.0.PB.1-508	Sensor Unit 1gang, 44x44	Field device
2CKA006200A0106	SU-F-1.0.PB.1-WL	WL-Sensor Unit 1gang, 44	Field device
2CKA006200A0118	SU-F-1.0.PB1508WL	WL-Sensor Unit 1gang, 44	Field device
2CKA006220A0118	SU-F-2.0.1	Sensor Unit 2gang	Field device
2CKA006200A0073	SU-F-2.0.1-WL	WL-Sensor Unit 2gang	Field device
2CKA006220A0223	SU-F-2.0.PB.1	Sensor Unit 2gang, 44x44	Field device
2CKA006220A0264	SU-F-2.0.PB.1-508	Sensor Unit 2gang, 44x44	Field device
2CKA006200A0107	SU-F-2.0.PB.1-WL	WL-Sensor Unit 2gang, 44	Field device
2CKA006200A0119	SU-F-2.0.PB1508WL	WL-Sensor Unit 2gang, 44	Field device
2CDG510005R0011	SUG-F-1.1	Split Unit Gateway	Field device
2CDG510005R0021	SUG-F-1.11	Split Unit Gateway, BJE	Field device
2CDG510013R0011	USB-M-1.1	USB Interface	Field device

2CDG510013R0021	USB-M-1.11	USB Interface, BJE	Field device
2CKA006200A0101	WBI-S-1-64-WL	Windowcontact Handle	Field device
2CKA006200A0103	WBI-S-1-65-WL	Windowcontact Handle	Field device
2CKA006200A0142	WBI-S-1-66-WL	WL-Window Sensor	Field device
2CKA006220A0390	WS-1	Standard Inputs	Field device
2CKA006200A0297	WS-1-WL.1	Weather station flex, WL	Field device
2CKA006200A0296	WS-1-WL.11	Weather station flex, WL	Field device
2CKA006220A0849	WS-Set-1.1	Weatherstation Multi Set	Field device
2CKA006220A0850	WS-Set-1.11	Weatherstation Multi Set	Field device
2CKA006220A1000	6215/1.1-915	Motion detector 1gang Movement sensor 1 channel Twisted Pair Wiring black matt - Busch-balance SI	Field device
2CKA006220A1001	6225/1.0-915	Motion detector Movement sensor 1 channel Twisted Pair Wiring black matt - Busch-balance SI	Field device
2CKA006800A2918	64761-214-510	Electronic Controls Movement sensor white - Jussi	Field device
2CKA006800A3124	64761-44G-500	Busch-Watchdog Cover plate Movement sensor white - Busch-art linear	Field device
2CKA006800A3125	64761-44M-500	Busch-Watchdog Cover plate Movement sensor white - Busch-art linear	Field device
2CKA006800A3127	64761-45M-500	Busch-Watchdog Cover plate Movement sensor black - Busch-art linear	Field device
2CKA006800A2941	64761-92-507	Electronic Controls Movement sensor white - Basic55	Field device
2CKA006800A2943	64761-94-507	Electronic Controls Movement sensor white - Basic55	Field device

2CKA006800A2944	64761-95-507	Electronic Controls Movement sensor black - Basic55	Field device
2CKA006800A2987	64762 UJ-84	Busch-Watchdog 180 flex Set, Comfort sensor with select lens 1gang Movement sensor studio white - future linear	Field device
2CKA006800A2955	64762-214-510	Electronic Controls Movement sensor white - Jussi	Field device
2CKA006800A2975	64762-304-508	Electronic Controls Movement sensor white - SIDUS	Field device
2CKA006800A2977	64762-305-508	Electronic Controls Movement sensor anthracite matt - SIDUS	Field device
2CKA006800A3132	64762-44G-500	Busch-Watchdog Cover plate Movement sensor white - Busch-art linear	Field device
2CKA006800A3133	64762-44M-500	Busch-Watchdog Cover plate Movement sensor white - Busch-art linear	Field device
2CKA006800A3135	64762-45M-500	Busch-Watchdog Cover plate Movement sensor black - Busch-art linear	Field device
2CKA006800A2958	64762-81-500	Busch-Watchdog Cover plate Movement sensor anthracite - Platform 63	Field device
2CKA006800A2962	64762-83-500	Busch-Watchdog Cover plate Movement sensor aluminium silver - Platform 63	Field device
2CKA006800A2964	64762-84-500	Busch-Watchdog Cover plate Movement sensor studio white - Platform 63	Field device

2CKA006800A2973	64762-866-500	Busch-Watchdog Cover plate Movement sensor stainless steel - Pure Stainless Steel	Field device
2CKA006800A2968	64762-884-500	Busch-Watchdog Cover plate Movement sensor studio white matt - Platform 63	Field device
2CKA006800A2970	64762-885-500	Busch-Watchdog Cover plate Movement sensor black matt - Platform 63	Field device
2CKA006800A2978	64762-92-507	Electronic Controls Movement sensor white - Basic55	Field device
2CKA006800A2980	64762-94-507	Electronic Controls Movement sensor white - Basic55	Field device
2CKA006800A2981	64762-95-507	Electronic Controls Movement sensor black - Basic55	Field device
2CKA006800A2992	64764-214-510	Electronic Controls Movement sensor white - Jussi	Field device
2CKA006800A3012	64764-304-508	Electronic Controls Movement sensor white - SIDUS	Field device
2CKA006800A3014	64764-305-508	Electronic Controls Movement sensor anthracite matt - SIDUS	Field device
2CKA006800A3140	64764-44G-500	Cover plate Movement sensor white - Busch-art linear	Field device
2CKA006800A3141	64764-44M-500	Cover plate Movement sensor white - Busch-art linear	Field device
2CKA006800A3143	64764-45M-500	Cover plate Movement sensor black - Busch-art linear	Field device
2CKA006800A2995	64764-81-500	Electronic Controls Movement sensor anthracite - Platform 63	Field device
2CKA006800A2999	64764-83-500	Electronic Controls Movement sensor aluminium silver - Platform 63	Field device

2CKA006800A3001	64764-84-500	Electronic Controls Movement sensor studio white - Platform 63	Field device
2CKA006800A3010	64764-866-500	Electronic Controls Movement sensor stainless steel - Pure Stainless Steel	Field device
2CKA006800A3005	64764-884-500	Electronic Controls Movement sensor studio white matt - Platform 63	Field device
2CKA006800A3007	64764-885-500	Electronic Controls Movement sensor black matt - Platform 63	Field device
2CKA006800A3015	64764-92-507	Electronic Controls Movement sensor white - Basic55	Field device
2CKA006800A3017	64764-94-507	Electronic Controls Movement sensor white - Basic55	Field device
2CKA006800A3018	64764-95-507	Electronic Controls Movement sensor black - Basic55	Field device
2CKA006800A3171	64764A-A64764 C	Electronic Controls Movement sensor ivory - Tango	Field device
2CKA006800A3173	64764A-A64764 D	Electronic Controls Movement sensor beige - Tango	Field device
2CKA006800A3174	64764A-A64764 H	Electronic Controls Movement sensor brown - Tango	Field device
2CKA006800A3175	64764A-A64764 N	Electronic Controls Movement sensor black - Tango	Field device
2CKA006800A3177	64764A-A64764 R2	Electronic Controls Movement sensor red - Tango	Field device
2CKA006800A3172	64764A-A64764 S	Electronic Controls Movement sensor grey - Tango	Field device
2CKA006800A3176	64764A-A64764 S2	Electronic Controls Movement sensor grey - Tango	Field device
2CKA006800A3170	64764A-A64764.B	Electronic Controls Movement sensor white - Tango	Field device

2CKA006800A2880	64765-214-510	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light white - Jussi	Field device
2CKA006800A2883	64765-81-500	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light anthracite - Platform 63	Field device
2CKA006800A2887	64765-83-500	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light aluminium silver - Platform 63	Field device
2CKA006800A2889	64765-84-500	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light studio white - Platform 63	Field device
2CKA006800A2898	64765-866-500	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light stainless steel - Pure Stainless Steel	Field device
2CKA006800A2893	64765-884-500	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light studio white matt - Platform 63	Field device
2CKA006800A2895	64765-885-500	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light black matt - Platform 63	Field device
2CKA006800A2903	64765-92-507	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light white - Basic55	Field device
2CKA006800A2905	64765-94-507	Busch-Comfort switch® flex Electronic Controls Movement sensor	Field device

		with LED Orientation light white - Basic55	
2CKA006800A2906	64765-95-507	Busch-Comfort switch® flex Electronic Controls Movement sensor with LED Orientation light black - Basic55	Field device
2CKA006800A3149	8941.2 BL	Busch-Watchdog Cover plate Movement sensor white - Alba	Field device
2CKA006800A3148	8941.2 BT	Busch-Watchdog Cover plate Movement sensor white - Alba	Field device
2CKA006800A3151	8941.2 GR	Busch-Watchdog Cover plate Movement sensor grey - Alba	Field device
2CKA006800A3150	8941.2 NT	Busch-Watchdog Cover plate Movement sensor black - Alba	Field device

Table 2

Data which may be processed when you use the on-top services offered by myBuildings/ myBusch-Jaeger platform

Category	Subject
Account	• IP address of the device establishing the connection to the portal, • Date and time of connection establishment and logon, □ Language and version of the browser software used • the indication of the customer group (end customer or business customer), • the contact details (first and last name, valid e-mail address, country), □ a username and a password.
System connection	• Date and time of connection establishment and logon, • Date and time of the logon. • Configuration data and other device data that you have configured in your user account (e.g. serial number, controller specifications, software versions of the individual components), • Status data of the building security systems (e.g. sensor readings, system time, timer program information, status/error messages of the devices), • Notification settings, • Any user-defined names of the main location and rooms • Location data (e.g. to retrieve weather and time information) • The lock code of your keypad, if it has one and if there is a keypad connected, • Still image and video recordings ("external station snapshots") of a camera mounted by the user in or on the building (when using the ABB/Busch Welcome or Welcome IP door communication system),

	• History data of the building security systems, • Usage data (e.g. frequency of use, registered crashes, hardware/software errors).
	• Notifications • Time of sending, • Status of sending, • Push API key, • Number of sent SMS or push messages, □ Recipient (mobile phone number or e-mail address), • Content of the message. • OAuth token, • Serial number/ID of the devices/programs/system variables to be controlled, • Datapoints of the devices,

	☐ Names of the devices/programs/system variables, ☐ Status of the devices/system variables. ☐ Name and first name, ☐ E-mail address, ☐ Serial number/ID of the devices/programs/system variables to be controlled, ☐ Datapoints of the devices, ☐ Names of the devices/programs/system variables, ☐ Status of the devices/system variables, ☐ Firmware, ☐ Apps (e.g. remote access, Amazon Alexa, Home Appliances) ☐ Enabling of remote maintenance for access to the customer system ☐ Device class, ☐ Firmware version, ☐ Version of the operating software, ☐ Memory capacity utilisation, ☐ CPU capacity utilisation, ☐ Error data (referred to as logfiles). ☐ Type and number of linked systems (e.g. Philips Hue, Sonos) ☐ Type and number of linked mobile devices ☐ Set national language ☐ Installation location (country) ☐ Device settings (parameters) ☐ Access data to the user account, ☐ Configuration data and other device data that you have configured in your user account (e.g. serial number, controller specifications, software versions of the individual components),
--	---

	□ Status data of the free@home systems (e.g. sensor readings, system time, timer program information, status/error messages of the devices), □ Notification settings, □ Any user-defined names of the main location and rooms □ Location data (e.g. to retrieve the location of a device or weather information, or to detect arrival), □ The lock code of your keypad, if it has one and if there is a keypad connected, □ Still image recordings ("external station snapshots") of a camera mounted by the user in or on the building (when using the ABB/Busch Welcome door communication system), □ History data of the building control system, □ Usage data (e.g. frequency of use, registered crashes, hardware/software errors, operating hours).
--	--

Table 3**3rd Party Data Processor**

Recipient name	Recipient location	Purpose	Safeguards in place to protect your personal data
Q:marketing AG	Düsseldorfer Straße 193, 45481 Mülheim an der Ruhr, Deutschland	Provides and develops functions and components of the portals	- Data processing agreement according to Art. 28 (3) GDPR in place - Recipients' location is in the EU and the GDPR applies
Devision Ltd.	1715 Sofia, Bulgaria 80A Aleksandar Malinov, 6th floor	Provides and develops functions and components of the portals	- Data processing agreement according to Art. 28 (3) GDPR in place - Recipients' location is in the EU and the GDPR applies
Gonicus GmbH	Möhnestraße 55, 59755 Arnsberg, Deutschland	Application service provider for core portal components	- Data processing agreement according to Art. 28 (3) GDPR in place - Recipients' location is in the EU and the GDPR applies
Microsoft Corporation	One Microsoft Way, Redmond, WA 98052-6399, USA	Infrastructure provider for key portal components, Microsoft Azure infrastructure	- Data processing agreement according to Art. 28 (3) GDPR in place - Standard Model Clauses agreed with the Recipient - Recipient is party to the Privacy Shield
BS PAYONE GmbH	Lyoner Straße 9, D-60528 Frankfurt/Main, Deutschland	Payment service provider for portal Checkout application	- Data processing agreement according to Art. 28 (3) GDPR in place - Recipients' location is in the EU and the GDPR applies