

Doc. no. 1SAA93101

Rev. ind. 1

Date 2002-03-04

From Karl-Peter Tschuschke

Dept. DESTO/LN3
Phone +49 6221 701-463
Fax +49 6221 701-547

E-mail karl-peter.tschuschke@de.abb.com

Environmental Information

The purpose of this document is to provide environmental information requested in the procedure for Industrial ^{IT} Enabled level 0.

Product name	High Performance Circuit Breaker
	HPCB S221/ S222/ S223 K
ABB Identity number	GHS 221 xxxxR0xx7
	GHS 222 xxxxR0xx7
	GHS 223 xxxxR0xx7
Information provided by	Karl - Peter Tschuschke
(Name and e-mail address)	karl-peter.tschuschke@de.abb.com
Business area	Low Voltage Products – ATLV
Date	March 2002

1 Related documents

Industrial IT Architecture - Introduction and Definitions, 3BSE023904

Industrial IT Certification Overview, 3BSE023905

Industrial IT Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

Doc. no. 1SAA931.-....

Rev. ind.

Date 2002-03-04

2 Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit Optional (1)
Lead	Cables, solder points		✓	
Cadmium	Batteries, switches, additive in lead		✓	
Mercury	Batteries, switches		✓	
Beryllium	Contact springs		✓	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		*	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		✓	
SF6, sulphurhexafluoride	Breakers		✓	
Polyvinyl chloride, PVC	Cables		✓	

⁽¹⁾ Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1Printed circuit boards

Specify the amount of printed	circuit boards	used in the	product by	declaring	the total
board surface:					

< 1	1 d	lπ	٦²
_	ıv		

 \Box 1-10 dm²

 \Box > 10 dm²

✓ No printed circuit boards used in the product

Doc. no.	1SAA931
Rev. ind.	
Date	2002-03-04

22	Recv	clina	inforr	mation
∠ .∠	1 100	, Cilling		Hallon

Is recycling information for the product available?				
	Yes	Ref. Document:		
✓	No			
	o, please e erial is pre	specify, in the table below, the component/part/physical position where the esent:		
Material		Component/part/physical position		
Lead				
Cadmium				
Mercury				
Beryllium				
Brominated flame retain	rdants			
HCFCs				
SF6, sulphurhexafluori				
Polyvinyl chloride, PV0	;			
2.3 Energy use and/or losses during the operation of the product				
Is energy use and/or losses during operation of the product specified in the product documentation?				
✓	Yes	Ref. Document: Product data sheet		
	No			
	Not re	elevant		