







ABB's Monthly Newsletter: Products, services, people, technologies & events

March 2011



Complete a Survey - Win an iPad2

If you buy, specify, install or maintain Heavy Duty Safety Disconnect Switches, we need your input!

At ABB we are focused on our customers and are constantly

working to improve our ability to support your needs. Today we are asking eViewer readers to give us three minutes to complete a survey concerning heavy duty safety switches. By completing this survey your name will be entered into a drawing* to win a free iPad2.

Take Survey

Thank you in advance for your feedback. Your input is critical to our ability to continue to improve. *Drawing to be held on April 15th. Employees of ABB and their partners are not eligible.



ABB's new Power Supply CP-E 12/10.0

Power Supply CP-E 12/10.0 Offers Solution for PV Solar Combiner Boxes and Inverters

ABB's new primary switch mode Power Supply CP-E 12/10.0 offers two voltage input ranges,

which enables the supply with either AC or DC. It comes equipped with two large capacitors to ensure line buffering of at least 30ms (at 230 V AC). This makes these devices a great solution for providing DC power to string monitoring radios and remote switching devices for high fluctuating networks and battery powered plants worldwide. Read More

Download Product Brochure (PDF)
Request a Catalog
Request a Quote



ABB Makes Interrupting and Testing Circuits Safe and Reliable

When the need to test circuits arises, ABB offers a wide selection of test and disconnect options to satisfy your needs. Whether your requirement calls for a terminal block with test and/or disconnect capability pre-installed or the ability to test circuits after installation, ABB has the right solution. Read More

Download Product Brochure (PDF)
Request a Catalog
Request a Quote



New Fusible and Non-Fusible Disconnect Switches Save Space and Installation Costs

ABB is transitioning to our new line of Fusible and Non-Fusible Disconnect Switches. These switches are modular and compact in size allowing for easier installation and greater flexibility, making them a perfect solution for circuit isolation, motor control and over

current protection type applications. The comprehensive ABB range of Low Voltage Disconnect Switch products is the perfect choice for all switching applications.

Read More

Download Product Brochure (PDF)
Request a Catalog
Request a Quote



ABB's CT line of Din Rail Timing Relays - Now Offering Low Ambient Temperature Ratings Down to -40 Deg C

ABB maintains its leadership role in the design and manufacture of Din Rail mounted Timing Relays with the introduction of several models rated at -40 deg C. There are now single function and multi-

function timers listed in the 2010/2011 Electronic Products and Relays Catalog that can be applied in your harshest ambient temperature conditions. Ideal for Wind Turbine applications that regularly see these drastically low temperatures, these new ratings complement the already impressive wide range of high-end features available in the CT - Range of timing relays. Read More

<u>Download Product Brochure (PDF)</u>

Request a Catalog
Request a Quote

Events




ABB Automation & Power World 2011

ABB's "Best Show on Earth" - and You're Invited! April 18th-21st at Marriott World Center in Orlando, Florida.

Featuring the Technology & Solution Center, where you can network with 100's of technical experts and technology partners. Earn PDHs and CEUs... choose from over 400 educational workshops, customer case studies, hands-on training, and panel discussions. Read More

Webinars



From the Sun to the Grid - An Introduction to Solar Power Applications

Tuesday, April 5 at 1:00 pm Central Time (2:00 pm Eastern Time)._

Register Today

White Papers



Read White Paper

Ten Steps to Lean Electrical Controls – Reducing Waste, Improving Value

Download Now

www.ABB.us | Subscribe | Unsubscribe

ABB Inc.

16250 W. Glendale Drive New Berlin, WI 53151

email: abblvps@us.abb.com

phone: 1-888-385-1221

Copyright 2011, ABB. All rights reserved. This article is protected by United States copyright and other intellectual property laws and may not be reproduced, rewritten, distributed, re-disseminated, transmitted, displayed, published or broadcast, directly or indirectly, in any medium without the prior written permission of ABB.