

Certificate of Compliance

Certificate Number:

UL-US-L211945-1316-
12902102-17

Report Reference:

E211945-20120921

Issue Date:

2025-03-24

Issued to:

**ABB OY Drives
Hiomotie 13
PL 184 Helsinki 00381
Finland**

This certificate confirms that representative samples of:
NMMS - Power Conversion Equipment

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 61800-5-1, 1st Ed., Issue Date: 2012-06-08, Revision Date:
2021-02-11**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L211945-1316-12902102-17
Report reference E211945-20120921
Date 2025-03-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

AC Drive

Model(s): ACS880 followed by -01 or -DEMAG 01, followed by -210A, -271A, -343A, -427A, -199A, -248A, -343A or -393A followed by -2 (for frames R6-R8), -3, -4, -5 or -7, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Dxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Hxxx, +Nxxxx, +Vxxx, +Xxxxx, where x can be any number 0-9.

Model(s): ACS880 followed by -01 or -DEMAG 01, followed by -105A, -115A, -145A, -169A, -170A, -206A, -246A, -274A, -293A, -363A, -430A, -096A, -124A, -156A, -180A, -240A, -260A, -302A, -361A, -414A, -061A, -084A, -098A, -119A, -142A, -174A, -210A, -271A, -103A, -123A, -173A, -202A, -245A, -290A, -343A, -427A, -060A, -071A, -100A, -117A, -143A, -168A, -199A, -248A, -091A, -118A, -148A, -171A, -228A, -247A, -343A, -393A, -477A or -490A followed by -2 (for frames R6-R8), -3, -4, -5 or -7, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Dxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Hxxx, +Nxxxx, +Vxxx, +Xxxxx, where x can be any number 0-9.

AC adjustable speed drives

Model(s): ACH580, AYK580 followed by -01, followed by -062A, -077A, -099A, -105A, -115A, -124A, -125A, -143A, -144A, -145A, -156A, -169A, -171A, -180A, -192A, -206A, -211A, -213A, -240A, -242A, -246A, -248A, -260A, -271A, -273A, -276A, -293A, -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2, -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACQ580, ACS580, AYK580 followed by -01, followed by -062A, -077A, -099A, -105A, -115A, -124A, -125A, -143A, -144A, -145A, -156A, -169A, -171A, -180A, -192A, -206A, -211A, -213A, -240A, -242A, -246A, -248A, -260A, -271A, -273A, -276A, and -293A, followed by -2 (for frames R6-R8), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACH580, ACS580 followed by -01, followed by -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2 (for frames R6 - R9), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACQ580 followed by -01, followed by -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2 (for frames R6 - R9), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Enclosed, AC Drive

Model(s): ACS580, ACH580 and ACQ580, : ACS580, ACH580, AYK580 and ACQ580 followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4 or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-US-L211945-192-
12902102-12

Report Reference:

E211945-20120921

Issue Date:

2025-03-24

Issued to:

**ABB OY Drives
Hiomotie 13
PL 184 Helsinki 00381
Finland**

This certificate confirms that representative samples of:
NMMS - Power Conversion Equipment

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

**UL 61800-5-1, 1st Ed., Issue Date: 2012-06-08, Revision Date:
2021-02-11**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L211945-192-12902102-12
Report reference E211945-20120921
Date 2025-03-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

AC Drive

Model(s): ACS880 followed by -01 or -DEMAG 01, followed by -210A, -271A, -343A, -427A, -199A, -248A, -343A or -393A followed by -2 (for frames R6-R8), -3, -4, -5 or -7, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Dxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Hxxx, +Nxxxx, +Vxxx, +Xxxxx, where x can be any number 0-9.

Model(s): ACS880 followed by -01 or -DEMAG 01, followed by -105A, -115A, -145A, -169A, -170A, -206A, -246A, -274A, -293A, -363A, -430A, -096A, -124A, -156A, -180A, -240A, -260A, -302A, -361A, -414A, -061A, -084A, -098A, -119A, -142A, -174A, -210A, -271A, -103A, -123A, -173A, -202A, -245A, -290A, -343A, -427A, -060A, -071A, -100A, -117A, -143A, -168A, -199A, -248A, -091A, -118A, -148A, -171A, -228A, -247A, -343A, -393A, -477A or -490A followed by -2 (for frames R6-R8), -3, -4, -5 or -7, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Dxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Hxxx, +Nxxxx, +Vxxx, +Xxxxx, where x can be any number 0-9.

AC adjustable speed drives

Model(s): ACH580, AYK580 followed by -01, followed by -062A, -077A, -099A, -105A, -115A, -124A, -125A, -143A, -144A, -145A, -156A, -169A, -171A, -180A, -192A, -206A, -211A, -213A, -240A, -242A, -246A, -248A, -260A, -271A, -273A, -276A, -293A, -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2, -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACQ580, ACS580, AYK580 followed by -01, followed by -062A, -077A, -099A, -105A, -115A, -124A, -125A, -143A, -144A, -145A, -156A, -169A, -171A, -180A, -192A, -206A, -211A, -213A, -240A, -242A, -246A, -248A, -260A, -271A, -273A, -276A, and -293A, followed by -2 (for frames R6-R8), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACH580, ACS580 followed by -01, followed by -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2 (for frames R6 - R9), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACQ580 followed by -01, followed by -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2 (for frames R6 - R9), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Enclosed, AC Drive

Model(s): ACS580, ACH580 and ACQ580, : ACS580, ACH580, AYK580 and ACQ580 followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4 or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L211945-4316-
12902102-17

Report Reference:

E211945-20120921

Issue Date:

2025-03-24

Issued to:

**ABB OY Drives
Hiomotie 13
PL 184 Helsinki 00381
Finland**

This certificate confirms that representative samples of:

NMMS7 - Power Conversion Equipment Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 274, 2nd Ed., Issue Date: 2017-04-01

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Owner



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L211945-4316-12902102-17
Report reference E211945-20120921
Date 2025-03-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

AC Drive

Model(s): ACS880 followed by -01 or -DEMAG 01, followed by -210A, -271A, -343A, -427A, -199A, -248A, -343A or -393A followed by -2 (for frames R6-R8), -3, -4, -5 or -7, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Dxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Hxxx, +Nxxxx, +Vxxx, +Xxxxx, where x can be any number 0-9.

Model(s): ACS880 followed by -01 or -DEMAG 01, followed by -105A, -115A, -145A, -169A, -170A, -206A, -246A, -274A, -293A, -363A, -430A, -096A, -124A, -156A, -180A, -240A, -260A, -302A, -361A, -414A, -061A, -084A, -098A, -119A, -142A, -174A, -210A, -271A, -103A, -123A, -173A, -202A, -245A, -290A, -343A, -427A, -060A, -071A, -100A, -117A, -143A, -168A, -199A, -248A, -091A, -118A, -148A, -171A, -228A, -247A, -343A, -393A, -477A or -490A followed by -2 (for frames R6-R8), -3, -4, -5 or -7, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Dxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Hxxx, +Nxxxx, +Vxxx, +Xxxxx, where x can be any number 0-9.

AC adjustable speed drives

Model(s): ACH580, AYK580 followed by -01, followed by -062A, -077A, -099A, -105A, -115A, -124A, -125A, -143A, -144A, -145A, -156A, -169A, -171A, -180A, -192A, -206A, -211A, -213A, -240A, -242A, -246A, -248A, -260A, -271A, -273A, -276A, -293A, -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2, -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACQ580, ACS580, AYK580 followed by -01, followed by -062A, -077A, -099A, -105A, -115A, -124A, -125A, -143A, -144A, -145A, -156A, -169A, -171A, -180A, -192A, -206A, -211A, -213A, -240A, -242A, -246A, -248A, -260A, -271A, -273A, -276A, and -293A, followed by -2 (for frames R6-R8), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACH580, ACS580 followed by -01, followed by -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2 (for frames R6 - R9), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACQ580 followed by -01, followed by -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2 (for frames R6 - R9), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Enclosed, AC Drive

Model(s): ACS580, ACH580 and ACQ580, : ACS580, ACH580, AYK580 and ACQ580 followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4 or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L211945-492-
12902102-12

Report Reference:

E211945-20120921

Issue Date:

2025-03-24

Issued to:

**ABB OY Drives
Hiomotie 13
PL 184 Helsinki 00381
Finland**

This certificate confirms that representative samples of:

NMMS7 - Power Conversion Equipment Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 274, 2nd Ed., Issue Date: 2017-04-01

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink that reads 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L211945-492-12902102-12
Report reference E211945-20120921
Date 2025-03-24

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

AC Drive

Model(s): ACS880 followed by -01 or -DEMAG 01, followed by -210A, -271A, -343A, -427A, -199A, -248A, -343A or -393A followed by -2 (for frames R6-R8), -3, -4, -5 or -7, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Dxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Hxxx, +Nxxxx, +Vxxx, +Xxxxx, where x can be any number 0-9.

Model(s): ACS880 followed by -01 or -DEMAG 01, followed by -105A, -115A, -145A, -169A, -170A, -206A, -246A, -274A, -293A, -363A, -430A, -096A, -124A, -156A, -180A, -240A, -260A, -302A, -361A, -414A, -061A, -084A, -098A, -119A, -142A, -174A, -210A, -271A, -103A, -123A, -173A, -202A, -245A, -290A, -343A, -427A, -060A, -071A, -100A, -117A, -143A, -168A, -199A, -248A, -091A, -118A, -148A, -171A, -228A, -247A, -343A, -393A, -477A or -490A followed by -2 (for frames R6-R8), -3, -4, -5 or -7, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Dxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Hxxx, +Nxxxx, +Vxxx, +Xxxxx, where x can be any number 0-9.

AC adjustable speed drives

Model(s): ACH580, AYK580 followed by -01, followed by -062A, -077A, -099A, -105A, -115A, -124A, -125A, -143A, -144A, -145A, -156A, -169A, -171A, -180A, -192A, -206A, -211A, -213A, -240A, -242A, -246A, -248A, -260A, -271A, -273A, -276A, -293A, -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2, -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACQ580, ACS580, AYK580 followed by -01, followed by -062A, -077A, -099A, -105A, -115A, -124A, -125A, -143A, -144A, -145A, -156A, -169A, -171A, -180A, -192A, -206A, -211A, -213A, -240A, -242A, -246A, -248A, -260A, -271A, -273A, -276A, and -293A, followed by -2 (for frames R6-R8), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACH580, ACS580 followed by -01, followed by -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2 (for frames R6 - R9), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Model(s): ACQ580 followed by -01, followed by -302A, -343A, -361A, -363A, -396A, -414A and -430A, followed by -2 (for frames R6 - R9), -4 or -6, may be followed by any combination of +Lxxx, +Kxxx, +Qxxx, +Jxxx, +0Jxxx, +Bxxx, +Cxxx, +Exxx, +Rxxx, +Pxxx, +SPxxx, +Nxxxx, +Hxxx, Vxxx, +Xxxxx where x can be any number 0-9.

Enclosed, AC Drive

Model(s): ACS580, ACH580 and ACQ580, : ACS580, ACH580, AYK580 and ACQ580 followed by -01, followed by -041A, -052A, -062A, -065A, -073A, -075A, -076A, -077A, -078A, -088A, -089A, -096A, -106A, -114A, -115A, followed by -2, -4 or -6, may be followed by +C135, +B056, +P922 or +P940, may be followed by + and suffixes.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.