

Doc. no. 1SBD250012E1002

Rev. ind. C

Date 2006-10-31 From Corinne Maillet

Dept. FRCTL

Phone +33 (0) 4 72 22 18 75 Fax +33 (0) 4 72 22 19 69 E-mail corinne.maillet@fr.abb.com

# **Environmental Information**

The purpose of this document is to provide environmental information requested in the procedure for Industrial  $^{\rm IT}$  Enabled level 0.

Product name	Contactor AE12 / AE12RT
ABB Identity number	1SBL169xxxRxxxx
Information provided by	Corinne MAILLET
(Name and e-mail address)	Corinne.maillet@fr.abb.com
Business area	Low Voltage Products - ATAP
Date	October 2006

### 1. Related documents

Industrial <sup>IT</sup> Architecture - Introduction and Definitions, 3BSE023904

Industrial IT Certification Overview, 3BSE023905

Industrial <sup>IT</sup> Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

#### Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

# **Group Function Sustainability Affairs**

Doc. no. 1SBD250012E1002

Rev. ind. C

Date 2006-10-31

### 2. Environmental Information

# 2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	<b>Quantity/unit</b> Optional <sup>(1)</sup>
Lead	Batteries, cables		X	
Cadmium	Batteries, switches, additive in lead		X	
Mercury	Batteries, switches		X	
Beryllium	Contact springs		X	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		×	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		×	
SF6, sulphurhexafluoride	Breakers		X	
Polyvinyl chloride, PVC	Cables	X		< 1.1 e-03 Kg

<sup>(1)</sup> Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

### 2.1.1 Printed circuit boards

	y the amount of printed circuit boards used in the product by declaring the total surface:
	< 1 dm <sup>2</sup>
	1-10 dm <sup>2</sup>
	$> 10 \text{ dm}^2$
X	No printed circuit boards used in the product

				Doc. no.	1SBD250012E1002
				Rev. ind. Date	C 2006-10-31
				Dale	2000-10-31
2.2 Recycli	ina infor	mation			
2.2 100yon	•				
	Is rec	cycling in	formation for the product available?		
		Yes	Ref. Document:		
	X	No			
	If No	please	specify, in the table below, the comp	onent/na	rt/physical position where the
		rial is pr		301101111 Pa	Typriyereal peciliers where the
Material		•	Component/part/physical posit	ion	
Material			Component/part/phrysical positi	IOII	
Lead			No		
Cadmium			No		
Mercury			No		
Beryllium			No		
Brominated flame retardants		ants	No		
HCFCs			No		
SF6, sulphurhexafluoride		е	No		
Polyvinyl chloride, PVC			Moving contact carrier / Terminal connec	tions	
2.3 Energy	use and	d/or loss	es during the operation of the produ	uct	

Is energy use and/or losses	during operation	of the product	specified in th	e product
documentation?				

Yes Ref. Document : See technical data in catalogue X

No 

Not relevant