

Doc. no. 1SBD250043E1000

Rev. ind. A

Date 2002-01-14 From Corinne Maillet

Dept. FRCTL

Phone +33 (0) 4 72 22 18 75 Fax +33 (0) 4 72 22 19 69 E-mail corinne.maillet@fr.abb.com

## **Environmental Information**

The purpose of this document is to provide environmental information requested in the procedure for Industrial  $^{\rm IT}$  Enabled level 0.

Product name	Contactor BC25
ABB Identity number	GJL2413001Rxxxx
Information provided by	Corinne MAILLET
(Name and e-mail address)	Corinne.maillet@fr.abb.com
Business area	Low Voltage Products - ATLV
Date	January 2002

## 1. Related documents

Industrial <sup>IT</sup> Architecture - Introduction and Definitions, 3BSE023904

Industrial <sup>IT</sup> Certification Overview, 3BSE023905

Industrial <sup>IT</sup> Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

#### Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

# **Group Function Sustainability Affairs**

Doc. no. 1SBD250043E1000

Rev. ind. A

Date 2002-01-14

### 2. Environmental Information

### 2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application		No	<b>Quantity/unit</b> Optional (1)	
Lead	Batteries, cables	X		7.4 e-05 Kg	
Cadmium	Batteries, switches, additive in lead	X		11.9 e-05 Kg	
Mercury	Batteries, switches		X		
Beryllium	Contact springs		X		
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber			Not available	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		X		
SF6, sulphurhexafluoride	Breakers		X		
Polyvinyl chloride, PVC	Cables	X			

No printed circuit boards used in the product

### 2.1.1 Printed circuit boards

 $\boxtimes$ 

 y the amount of printed circuit boards used in the product by declaring the total surface:
< 1 dm <sup>2</sup>
1-10 dm <sup>2</sup>
$> 10 \text{ dm}^2$

<sup>(1)</sup> Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

						3 (
				Doc. no. Rev. ind. Date	1SBD250043E1000 A 2002-01-14	- (
2.2 Recyclin	ng inforr	mation				
	Is rec	ycling in	formation for the product available?			
		Yes	Ref. Document:			
	X	No				
		please : rial is pre	specify, in the table below, the compesent:	onent/pa	rt/physical position whe	e the
Material			Component/part/physical position	on		
Lead			Soldering of terminals on coil			
Cadmium			Fixed contact grain			
Mercury			No			_]
Beryllium			No			
Brominated flam	ne retarda	ants	Not available			
HCFCs			No			

2.3 Energy use and/or losses during the operation of the product

Connection wire

No

Is energy	use and/or	losses during	g operation	of the p	product s	specified	in the	product
document	tation?							

Yes Ref. Document : See technical data in c	atalogue
---	----------

□ No

SF6, sulphurhexafluoride

Polyvinyl chloride, PVC

■ Not relevant